



Adverse Event Contextual Information Form (Optional)

State law requires facilities to confirm adverse events with the Department of Health when they occur. (RCW 70.56.020) The facility must notify the department within 48 hours of confirming an event. Notification includes date, type of adverse event, and facility contact information. Facilities may also include contextual information regarding the reported event by completing and submitting this form. This form is optional and not required as part of the reporting requirements.

Public disclosure requests of an adverse event will include any contextual information the medical facility chose to provide. (RCW 70.56.020(2)(a))

Complete the following information and return by:

- Email to: AdverseEventReporting@doh.wa.gov, or
- Mail to: DOH Adverse Events, PO Box 47853, Olympia, WA, 98504-7853, or
- Fax to: Adverse Events (360) 236-2830

Facility Name:	Well found Behavior Health Hospital
Facility Contact:	pa shotts @ wellfound.org
Facility web site:	www.wellfound.org
Date of Event Confirmation:	2/18/21
Facility capacity: (e.g., # of beds, rooms, procedures per year)	120
Other Facility information:	
Event Information:	PT LC hit peer JW in face while standing at nurse station over a snack. JW found to have fractured jaw



Adverse Event Contextual Information Form (Optional)

State law requires facilities to confirm adverse events with the Department of Health when they occur. (RCW 70.56.020) The facility must notify the department within 48 hours of confirming an event. Notification includes date, type of adverse event, and facility contact information. Facilities may also include contextual information regarding the reported event by completing and submitting this form. This form is optional and not required as part of the reporting requirements.

Public disclosure requests of an adverse event will include any contextual information the medical facility chose to provide. (RCW 70.56.020(2)(a)). Please do not include any personally identifiable information for any patient, healthcare professional or facility employee in this form.

Complete the following information and return by:

- Email to: AdverseEventReporting@doh.wa.gov, or
- Mail to: DOH Adverse Events, PO Box 47853, Olympia, WA, 98504-7853, or
- Fax to: Adverse Events (360) 236-2830

Facility Name:	Columbia Basin Hospital
Facility Contact:	Vicki Polhamus
Facility web site:	columbiabasinhospital.org
Date of Event Confirmation:	2/21/2021
Facility capacity: (e.g., # of beds, rooms, procedures per year)	25
Other Facility information:	CAH that mostly serves swing bed patients
Event Information:	61 year old male admitted to swing beds from acute care on 2/10/21 with diagnosis of dehydration, altered mental status and failure to thrive while living in a "drug house". Patient with multiple sores and no rt hip joint d/t issues with an infection in his hip prosthesis. Pt with increasing belligerence and non-compliance to most of what patient was asked to do. Pt with call light in reach, however patient tried to ambulate to bathroom without calling and fell onto right side, sustaining a fracture to his right humeral head and neck. No surgery recommended by orthopedic surgeon at this time. Pt now non-compliant with wearing the sling to that right arm/shoulder.



Adverse Event Contextual Information Form (Optional)

State law requires facilities to confirm adverse events with the Department of Health when they occur. (RCW 70.56.020) The facility must notify the department within 48 hours of confirming an event. Notification includes date, type of adverse event, and facility contact information. Facilities may also include contextual information regarding the reported event by completing and submitting this form. This form is optional and not required as part of the reporting requirements.

Public disclosure requests of an adverse event will include any contextual information the medical facility chose to provide. (RCW 70.56.020(2)(a))

Complete the following information and return by:

- Email to: AdverseEventReporting@doh.wa.gov, or
- Mail to: DOH Adverse Events, PO Box 47853, Olympia, WA, 98504-7853, or
- Fax to: Adverse Events (360) 236-2830

Facility Name:	Rainier Springs, LLC
Facility Contact:	Heather Hernandez MS LMHC
Facility web site:	https://rainiersprings.com
Date of Event Confirmation:	3/2/2021
Facility capacity: (e.g., # of beds, rooms, procedures per year)	72 beds
Other Facility information:	
Event Information:	<p>Patient came to nurses station reported that while in his room he stood up got dizzy and fell. He stated "I think I broke my nose". Pt's nose was misaligned and a small laceration to the bridge of his nose was noted. and nose was bleeding. Pt was sent to Emergency Department and was admitted.</p> <p>Per report from Emergency Department patient received multiple fractures to his face and jaw requiring surgery. Patient was admitted.</p>



Adverse Event Contextual Information Form (Optional)

State law requires facilities to confirm adverse events with the Department of Health when they occur. (RCW 70.56.020) The facility must notify the department within 48 hours of confirming an event. Notification includes date, type of adverse event, and facility contact information. Facilities may also include contextual information regarding the reported event by completing and submitting this form. This form is optional and not required as part of the reporting requirements.

Public disclosure requests of an adverse event will include any contextual information the medical facility chose to provide. (RCW 70.56.020(2)(a)). Please do not include any personally identifiable information for any patient, healthcare professional or facility employee in this form.

Complete the following information and return by:

- Email to: AdverseEventReporting@doh.wa.gov, or
- Mail to: DOH Adverse Events, PO Box 47853, Olympia, WA, 98504-7853, or
- Fax to: Adverse Events (360) 236-2830

Facility Name:	Yakima Valley Memorial Hospital
Facility Contact:	Leslie M. Ayhens
Facility web site:	Yakimamemorial.org
Date of Event Confirmation:	3/22/21
Facility capacity: (e.g., # of beds, rooms, procedures per year)	250 beds
Other Facility information:	
Event Information:	<p style="text-align: right;">Initial Fact Finding Meeting Held 3/23/21:</p> <p>--Physician walked through the timeline of actions he took, both prior and after procedure was completed.</p> <p>--Time out was adequately done by nursing staff and other staff involved. Attention was directed at the time out and performed per policy.</p> <p>--Physician notified staff immediately upon realizing he had done the wrong side and patient was able to stay on the table and asleep for the left side to be completed.</p> <p>--Physician spoke with both patient and wife and they were not upset with the outcome and had no formal complaints to report.</p> <p>--Suggestion was made to add banding patients who have any laterality involvement, to bring more attention to this issue.</p> <p>--Physician reported that he has done many of these cases and is familiar with them and has never before made this type of mistake in his career.</p> <p>--Further review will be completed by the Quality and Safety Department and at the executive level.</p>



Adverse Event Contextual Information Form (Optional)

State law requires facilities to confirm adverse events with the Department of Health when they occur. (RCW 70.56.020) The facility must notify the department within 48 hours of confirming an event. Notification includes date, type of adverse event, and facility contact information. Facilities may also include contextual information regarding the reported event by completing and submitting this form. This form is optional and not required as part of the reporting requirements.

Public disclosure requests of an adverse event will include any contextual information the medical facility chose to provide. (RCW 70.56.020(2)(a)). Please do not include any personally identifiable information for any patient, healthcare professional or facility employee in this form.

Complete the following information and return by:

- Email to: AdverseEventReporting@doh.wa.gov, or
- Mail to: DOH Adverse Events, PO Box 47853, Olympia, WA, 98504-7853, or
- Fax to: Adverse Events (360) 236-2830

Facility Name:	Wellfound Behavioral Health Hospital
Facility Contact:	Pamela Shotts
Facility web site:	https://www.wellfound.org/
Date of Event Confirmation:	4/9/2021
Facility capacity: (e.g., # of beds, rooms, procedures per year)	120
Other Facility Information:	
Event Information:	On 4/2/21 within first hour on inpatient unit patient was found on the floor in her room having placed her hands out to catch herself from fall stated felt dizzy with visible wrist deformity. Medical assessment confirmed Fx distal radius and ulner



Adverse Event Contextual Information Form (Optional)

State law requires facilities to confirm adverse events with the Department of Health when they occur. (RCW 70.56.020) The facility must notify the department within 48 hours of confirming an event. Notification includes date, type of adverse event, and facility contact information. Facilities may also include contextual information regarding the reported event by completing and submitting this form. This form is optional and not required as part of the reporting requirements.

Public disclosure requests of an adverse event will include any contextual information the medical facility chose to provide. (RCW 70.56.020(2)(a)). Please do not include any personally identifiable information for any patient, healthcare professional or facility employee in this form.

Complete the following information and return by:

- Email to: AdverseEventReporting@doh.wa.gov, or
- Mail to: DOH Adverse Events, PO Box 47853, Olympia, WA, 98504-7853, or
- Fax to: Adverse Events (360) 236-2830

Facility Name:	Garfield County Hospital District
Facility Contact:	Jayd Keener, RN Director of Nursing, Co-CEO
Facility web site:	Pomeroymd.com
Date of Event Confirmation:	04/27/2021
Facility capacity: (e.g., # of beds, rooms, procedures per year)	25 beds
Other Facility information:	Small Critical Access Hospital with a Swing Bed Program
Event Information:	<p>Patient was sitting in her recliner in day room watching tv, she states she was reaching for a tissue she dropped on floor when she fell over onto the floor. She states she hit the right side of head and shoulder. Pt does c/o right shoulder pain with palp. of scapula. Provider into examine, New orders for right shoulder x-rays.</p> <p>Patient went to x-ray and a right clavicle fracture was identified. Provider consulted with Orthopedics and they recommended no surgery and to place in an arm sling to heal.</p> <p>Full Root cause analysis will follow within 45 days.</p>



Adverse Event Contextual Information Form (Optional)

State law requires facilities to confirm adverse events with the Department of Health when they occur. (RCW 70.56.020) The facility must notify the department within 48 hours of confirming an event. Notification includes date, type of adverse event, and facility contact information. Facilities may also include contextual information regarding the reported event by completing and submitting this form. This form is optional and not required as part of the reporting requirements.

Public disclosure requests of an adverse event will include any contextual information the medical facility chose to provide. (RCW 70.56.020(2)(a)). Please do not include any personally identifiable information for any patient, healthcare professional or facility employee in this form.

Complete the following information and return by:

- Email to: AdverseEventReporting@doh.wa.gov, or
- Mail to: DOH Adverse Events, PO Box 47853, Olympia, WA, 98504-7853, or
- Fax to: Adverse Events (360) 236-2830

Facility Name:	Tacoma General Hospital
Facility Contact:	Jennifer Brown, RN-BC, TCRN, CNL, NEA-BC Interim Patient Safety Program Manager
Facility web site:	http://www.multicare.org
Date of Event Confirmation:	5/16/2021
Facility capacity: (e.g., # of beds, rooms, procedures per year)	Approximately 487 licensed beds
Other Facility information:	
Event Information:	Emergency room patient assaulted employee. Employee was admitted for observation.



Adverse Event Contextual Information Form (Optional)

State law requires facilities to confirm adverse events with the Department of Health when they occur. (RCW 70.56.020) The facility must notify the department within 48 hours of confirming an event. Notification includes date, type of adverse event, and facility contact information. Facilities may also include contextual information regarding the reported event by completing and submitting this form. This form is optional and not required as part of the reporting requirements.

Public disclosure requests of an adverse event will include any contextual information the medical facility chose to provide. (RCW 70.56.020(2)(a)). Please do not include any personally identifiable information for any patient, healthcare professional or facility employee in this form.

Complete the following information and return by:

- Email to: AdverseEventReporting@doh.wa.gov, or
- Mail to: DOH Adverse Events, PO Box 47853, Olympia, WA, 98504-7853, or
- Fax to: Adverse Events (360) 236-2830

Facility Name:	BHC Fairfax Hospital
Facility Contact:	Michael Carpenter
Facility web site:	www.fairfaxhospital.com
Date of Event Confirmation:	5/31/2021
Facility capacity: (e.g., # of beds, rooms, procedures per year)	157
Other Facility information:	
Event Information:	This is event was not confirmed. It is being reported as an Adverse Event out of an abundance of caution.



Adverse Event Contextual Information Form (Optional)

State law requires facilities to confirm adverse events with the Department of Health when they occur. (RCW 70.56.020) The facility must notify the department within 48 hours of confirming an event. Notification includes date, type of adverse event, and facility contact information. Facilities may also include contextual information regarding the reported event by completing and submitting this form. This form is optional and not required as part of the reporting requirements.

Public disclosure requests of an adverse event will include any contextual information the medical facility chose to provide. (RCW 70.56.020(2)(a)). Please do not include any personally identifiable information for any patient, healthcare professional or facility employee in this form.

Complete the following information and return by:

- Email to: AdverseEventReporting@doh.wa.gov, or
- Mail to: DOH Adverse Events, PO Box 47853, Olympia, WA, 98504-7853, or
- Fax to: Adverse Events (360) 236-2830

Facility Name:	Swedish Medical Center
Facility Contact:	Infection Prevention 206-386-2054
Facility web site:	https://www.swedish.org/
Date of Event Confirmation:	7/1/2021
Facility capacity: (e.g., # of beds, rooms, procedures per year)	1,571 Licensed beds for 2020 35,103 surgical procedures for 2020
Other Facility information:	Acute Care Hospital
Event Information:	<p>This letter is to communicate an error in results of recent testing performed by LabCorp for Swedish Medical Center during your encounter between 6/29/2021 to 7/13/2021 at Swedish First Hill.</p> <p>On August 4, 2020, the U.S. Food and Drug Administration (FDA) issued a <u>letter of voluntary recall</u> to alert clinical laboratory staff and health care providers that Etobicoke, Ontario – <u>Eco-Med Pharmaceuticals, Inc.</u> commenced a <u>voluntary recall</u> of certain lots of its Eco-Gel 200 ultrasound gel due to bacterial contamination. King Co. shortly followed with a <u>health advisory</u> to pull affected items.</p> <p>Eco-Med has initiated this recall due to bacterial contamination in the affected lots of ultrasound gel with <i>Burkholderia cepacia</i> complex (Bcc). The source(s) of the bacterial contamination is currently unknown. Eco-Med is conducting a comprehensive investigation to determine the root cause of this contamination and take all necessary corrective action.</p> <p>The effects of the bacteria, <i>Burkholderia stabilis</i>, a member of the <i>Burkholderia cepacia</i> complex (Bcc), vary widely, ranging from no symptoms at all to serious infections.</p> <p>Swedish has identified all affected products and pulled from our supplies. The use of the contaminated gel resulted in a false positive result from your ascites fluid. However, it was suspected to be a contaminate at the time of result due to the lack of robust growth on other microbiologic growth media. Upon review of your chart, your care team decisions and clinical</p>

treatments were not affected by the false results.

Below includes information about your false positive result:

- Lab Culture from Ascites Body Fluid collected 7/1/2021 at 15:25
- Culture collected at Swedish First Hill Cath Lab
- Culture resulted as "Burkholderia cepacia complex in liquid media"

We deeply regret this situation at our facility and appreciate your understanding as we work through this product recall. At Swedish Medical Center we take our mission to heart every day. Swedish Medical Center caregivers work hard to ensure the safest, highest-quality patient experience.

For any questions or concerns about the information you have received please contact Risk Management at (206) 215-2283.

Sincerely, *Evan Sylvester*

Evan Sylvester, MPH, CIC, MT(ASCP)CM
Regional Director of Infection Prevention
Swedish Medical Center
747 Broadway
Seattle, WA 98122-4307
Office: (206)386-2054



Adverse Event Contextual Information Form (Optional)

State law requires facilities to confirm adverse events with the Department of Health when they occur. (RCW 70.56.020) The facility must notify the department within 48 hours of confirming an event. Notification includes date, type of adverse event, and facility contact information. Facilities may also include contextual information regarding the reported event by completing and submitting this form. This form is optional and not required as part of the reporting requirements.

Public disclosure requests of an adverse event will include any contextual information the medical facility chose to provide. (RCW 70.56.020(2)(a)). Please do not include any personally identifiable information for any patient, healthcare professional or facility employee in this form.

Complete the following information and return by:

- Email to: AdverseEventReporting@doh.wa.gov, or
- Mail to: DOH Adverse Events, PO Box 47853, Olympia, WA, 98504-7853, or
- Fax to: Adverse Events (360) 236-2830

Facility Name:	Wellfound Behavioral Health Hospital
Facility Contact:	Matt Crockett
Facility web site:	www.wellfound.org
Date of Event Confirmation:	7/8/2021
Facility capacity: (e.g., # of beds, rooms, procedures per year)	120 licensed beds
Other Facility information:	N/A
Event Information:	Patient A is a 63 year male patient who is a level 3 sex offender with an order for a line of sight, which is admitted with suicidal ideation. Patient B is a 53 year old female patient admitted with schizoaffective disorder. Patient B went into her room at round 1928 on 7/7/2021 to take a shower. Patient B and another patient were sitting in the hallway near her room. The mental health tech went to get patient B towels at around 1931. At 1932-1933 patient A went into patient B's room. Mental health tech came back at around 1934. Patient B told staff patient A touched her breasts while she was in the shower. Patient B is not pressing charges at this time.



Adverse Event Contextual Information Form (Optional)

State law requires facilities to confirm adverse events with the Department of Health when they occur. (RCW 70.56.020) The facility must notify the department within 48 hours of confirming an event. Notification includes date, type of adverse event, and facility contact information. Facilities may also include contextual information regarding the reported event by completing and submitting this form. This form is optional and not required as part of the reporting requirements.

Public disclosure requests of an adverse event will include any contextual information the medical facility chose to provide. (RCW 70.56.020(2)(a)). Please do not include any personally identifiable information for any patient, healthcare professional or facility employee in this form.

Complete the following information and return by:

- Email to: AdverseEventReporting@doh.wa.gov, or
- Mail to: DOH Adverse Events, PO Box 47853, Olympia, WA, 98504-7853, or
- Fax to: Adverse Events (360) 236-2830

Facility Name:	Wellfound Behavioral Health Hospital
Facility Contact:	Matt Crockett
Facility web site:	www.wellfound.org
Date of Event Confirmation:	7/18/2021
Facility capacity: (e.g., # of beds, rooms, procedures per year)	120 licensed beds
Other Facility information:	N/A
Event Information:	Patient was admitted and was on the unit Beacon waiting for admission to the floor. Patient was involuntary. On 7/18/21 at 1918 patient walked out of room, past the nurse's station, went to the fire doors, which requires a badge to open, but in case of an emergency, can push open to be compliant with the fire code. Patient is seen pushing on the door for 50 seconds and walked out of the building. At 19:20 a code purple was called as patient eloped from Beacon via pushing forcefully the emergency exit. Patient was observed by staff jogging down 19 th . Staff called 911. Provider called DCR. Patient arrived back to Wellfound Behavioral Health Hospital at 2151, without any injury.



Adverse Event Contextual Information Form (Optional)

State law requires facilities to confirm adverse events with the Department of Health when they occur. (RCW 70.56.020) The facility must notify the department within 48 hours of confirming an event. Notification includes date, type of adverse event, and facility contact information. Facilities may also include contextual information regarding the reported event by completing and submitting this form. This form is optional and not required as part of the reporting requirements.

Public disclosure requests of an adverse event will include any contextual information the medical facility chose to provide. (RCW 70.56.020(2)(a)). Please do not include any personally identifiable information for any patient, healthcare professional or facility employee in this form.

Complete the following information and return by:

- Email to: AdverseEventReporting@doh.wa.gov, or
- Mail to: DOH Adverse Events, PO Box 47853, Olympia, WA, 98504-7853, or
- Fax to: Adverse Events (360) 236-2830

Facility Name:	Wellfound Behavioral Health Hospital
Facility Contact:	Angela Naylor
Facility web site:	www.wellfound.org
Date of Event Confirmation:	7/26/2021
Facility capacity: (e.g., # of beds, rooms, procedures per year)	120 licensed beds
Other Facility information:	N/A
Event Information:	<p>Patient A is a 61 year old female patient who was on a line of sight in the courtyard. Patient B is a 20 year old female patient. Staff were out in the courtyard sitting on a bench watching the patients. Patient A took her blanket on the ground to wrap Patient B in it. Patient A then started rubbing patient B's feet, then started rubbing the legs, and then the thighs. About 12 minutes, the employee came over to see what they were doing. Patient B stated she asked the employee to have patient A stop. Patient A, then started rubbing the lower legs.</p>



Adverse Event Contextual Information Form (Optional)

State law requires facilities to confirm adverse events with the Department of Health when they occur. (RCW 70.56.020) The facility must notify the department within 48 hours of confirming an event. Notification includes date, type of adverse event, and facility contact information. Facilities may also include contextual information regarding the reported event by completing and submitting this form. This form is optional and not required as part of the reporting requirements.

Public disclosure requests of an adverse event will include any contextual information the medical facility chose to provide. (RCW 70.56.020(2)(a)). Please do not include any personally identifiable information for any patient, healthcare professional or facility employee in this form.

Complete the following information and return by:

- Email to: AdverseEventReporting@doh.wa.gov, or
- Mail to: DOH Adverse Events, PO Box 47853, Olympia, WA, 98504-7853, or
- Fax to: Adverse Events (360) 236-2830

Facility Name:	Garfield County Hospital District
Facility Contact:	Jayd Keener
Facility web site:	www.pomeroymd.com
Date of Event Confirmation:	08/17/2021
Facility capacity: (e.g., # of beds, rooms, procedures per year)	25
Other Facility information:	
Event Information:	<p>Patient presented to ED on evening of 8/16/21 with report of increased confusion, loss of appetite, and increasing speech difficulty in the setting of chronic dysphasia from her prior stroke. Patient had also previously been diagnosed with COVID 2 weeks prior and symptoms had resolved at home. Patient was transferred to observation for electrolyte correction, fluids, and further lab evaluation. Patient had unwitnessed fall from bed at 0145 on 8/17/2021. Patient was last rounded on at 0000, when RN entered room, patient was on the floor on top of blankets, on her right side near the foot of the bed with her head furthest from the bed. IV to L hand had been pulled out and a skin tear was present to R elbow as well as bruising to her L hand. Patient had no deformities, pelvis stable, and denied pain during head to toe palpitation. Patient was assisted to seated positioning, followed by standing and pivot back to bed. Patient able to bear weight on both legs w/out pain. At 0655 patient began reporting R knee and x-ray of R knee was ordered and performed on 8/17/21 at 0915. R knee x-ray unremarkable. Patient continued to report R knee pain throughout day, provider aware and x-ray of R hip performed revealing: 1. Acute nondisplaced fractures adjacent to the proximal left femur prosthetic component. 2. Question healing fractures about the left hip femoral fixation hardware, versus postoperative changes. Consult with orthopedic surgeon initially suggested non-operative approach with repeat x-rays. Repeat x-rays on 8/24/21 revealed Progressive displacement of the acute right periprosthetic fracture, with x-rays on 8/26/21 revealing Unchanged alignment of acute subtrochanteric periprosthetic right proximal femur fracture. Event reported after deadline due influx of COVID cases in community and presenting to facility.</p>

**Adverse Event Contextual Information Form
(Optional)**

State law requires facilities to confirm adverse events with the Department of Health when they occur. (RCW 70.56.020) The facility must notify the department within 48 hours of confirming an event. Notification includes date, type of adverse event, and facility contact information. Facilities may also include contextual information regarding the reported event by completing and submitting this form. This form is optional and not required as part of the reporting requirements.

Public disclosure requests of an adverse event will include any contextual information the medical facility chose to provide. (RCW 70.56.020(2)(a))

Complete the following information and return by:

- Email to: AdverseEventReporting@doh.wa.gov, or
- Mail to: DOH Adverse Events, PO Box 47853, Olympia, WA, 98504-7853, or
- Fax to: Adverse Events (360) 236-2830

Facility Name:	Physicians Eye Surgery Center
Facility Contact:	Roberta Jaselovitz, robertaj@larikdr.com 425-259-2020
Facility web site:	larikdr.com
Date of Event Confirmation:	9/9/2021
Facility capacity: (e.g., # of beds, rooms, procedures per year)	operations 3 days/week, 2 operating rooms, 4 preop days, 1 post op bay Procedures per year: 1800
Other Facility Information:	Small ophthalmic surgery center performing primarily cataract surgery, with the addition of laser procedures.
Event Information:	<p>Patient was checked into the surgery center by staff. Consent signed, plan verified with surgeon, and site marked. MD ordered eye drops given to operative eye (proparacaine & Brimonide). PT's history and physical reviewed and signed by RN and MD. PT brought to procedure room after check in. A time out was performed by the laser operator, MD, and patient. The site of the surgery was verified. Correct marking of site verified in time out. MD began laser procedure and after the procedure was done, it was noted the procedure was done on the opposite eye. Patient was aware. MD explained that the patient needed the procedure done in both eyes and patient was already scheduled for the other eye.</p> <p>Surgery was performed on the right eye, consent & plans were for the left eye.</p> <p>Patient is scheduled to get left eye done.</p> <p>Adverse event reported past 48 hrs due to the AUC manager out on vacation.</p>



Adverse Event Contextual Information Form (Optional)

State law requires facilities to confirm adverse events with the Department of Health when they occur. (RCW 70.56.020) The facility must notify the department within 48 hours of confirming an event. Notification includes date, type of adverse event, and facility contact information. Facilities may also include contextual information regarding the reported event by completing and submitting this form. This form is optional and not required as part of the reporting requirements.

Public disclosure requests of an adverse event will include any contextual information the medical facility chose to provide. (RCW 70.56.020(2)(a)). Please do not include any personally identifiable information for any patient, healthcare professional or facility employee in this form.

Complete the following information and return by:

- Email to: AdverseEventReporting@doh.wa.gov, or
- Mail to: DOH Adverse Events, PO Box 47853, Olympia, WA, 98504-7853, or
- Fax to: Adverse Events (360) 236-2830

Facility Name:	Legacy Salmon Creek Medical Center
Facility Contact:	Angela Rafizadeh
Facility web site:	
Date of Event Confirmation:	11/12/21
Facility capacity: (e.g., # of beds, rooms, procedures per year)	
Other Facility information:	
Event Information:	Patient walked on her own into hallway and had an unwitnessed fall. Patient had femur fracture due to this fall.



Adverse Event Contextual Information Form (Optional)

State law requires facilities to confirm adverse events with the Department of Health when they occur. (RCW 70.56.020) The facility must notify the department within 48 hours of confirming an event. Notification includes date, type of adverse event, and facility contact information. Facilities may also include contextual information regarding the reported event by completing and submitting this form. This form is optional and not required as part of the reporting requirements.

Public disclosure requests of an adverse event will include any contextual information the medical facility chose to provide. (RCW 70.56.020(2)(a)). Please do not include any personally identifiable information for any patient, healthcare professional or facility employee in this form.

Complete the following information and return by:

- Email to: AdverseEventReporting@doh.wa.gov, or
- Mail to: DOH Adverse Events, PO Box 47853, Olympia, WA, 98504-7853, or
- Fax to: Adverse Events (360) 236-2830

Facility Name:	Legacy Salmon Creek Medical Center
Facility Contact:	Angela Rafizadeh
Facility web site:	
Date of Event Confirmation:	12/3/21
Facility capacity: (e.g., # of beds, rooms, procedures per year)	
Other Facility information:	
Event Information:	Patient admitted for back surgery, with pre-existing bilat ankle fx. L foot in walking boot for more than a month. Removed the boot at Day 3 and noted unstageable HAPI at heel. it is a missed CAPI (day 3).



Adverse Event Contextual Information Form (Optional)

State law requires facilities to confirm adverse events with the Department of Health when they occur. (RCW 70.56.020) The facility must notify the department within 48 hours of confirming an event. Notification includes date, type of adverse event, and facility contact information. Facilities may also include contextual information regarding the reported event by completing and submitting this form. This form is optional and not required as part of the reporting requirements.

Public disclosure requests of an adverse event will include any contextual information the medical facility chose to provide. (RCW 70.56.020(2)(a)). Please do not include any personally identifiable information for any patient, healthcare professional or facility employee in this form.

Complete the following information and return by:

- Email to: AdverseEventReporting@doh.wa.gov, or
- Mail to: DOH Adverse Events, PO Box 47853, Olympia, WA, 98504-7853, or
- Fax to: Adverse Events (360) 236-2830

Facility Name:	Legacy Salmon Creek Medical Center
Facility Contact:	Angela Rafizadeh
Facility web site:	
Date of Event Confirmation:	12/23/21
Facility capacity: (e.g., # of beds, rooms, procedures per year)	
Other Facility information:	
Event Information:	HAPI Stage 2 discovery on Coccyx on day 7 (12/15/21) – Progressed to unstageable on day 13 (12/23/21).