

Construction Review Services (CRS) Finishes Checklist/Guideline

Provided	Documents to be provided:
	<p>Application:</p> <ul style="list-style-type: none"> • The most current version of the CRS application can be found on our website at www.doh.wa.gov/crs. • Incomplete applications will prevent review of the submitted documents.
	<p>Review Fee:</p> <ul style="list-style-type: none"> • \$150.00 for projects only involving “Finishes” • "Finishes" includes, but is not limited to, products such as carpet, vinyl wall covering, wall paper, exterior siding, landscaping, or paneling applied to an existing surface as the exposed surface.
	<p>Functional Program:</p> <p>Renovation may create conditions that compromise the health and safety of residents, staff, and visitors. Facility planning must include provisions for infection control and safety of the facility’s occupants during any renovation.</p> <p>Provide information on how the facility will:</p> <ul style="list-style-type: none"> • Keep potential airborne contaminants generated by the work from reaching occupants of the facility; • Keep exit pathways open or redirected during the project; and • Establish temporary exhaust when removing existing finishes or using products that contain chemicals that may be harmful such as glues, seam sealers, etc. • Keep the room or area unavailable for use until it is free of volatile fumes and odors.
	<p>Floor Plan(s) & Schedules showing:</p> <ul style="list-style-type: none"> • Project location • Rooms and areas defined by function and identifier that are located in the project location area; and • Locations of the proposed interior finish products. <p>If the project involves carpet include a copy of the:</p> <ul style="list-style-type: none"> • Manufacturer and style(s) • Radiant panel test report for each carpet style to be used in: <p>If the project involves coving include a copy of the manufacturer’s specification sheet for each style – integral coving or top set base w/ toe</p> <p>If the project involves wall coverings include a copy of the manufacturer’s specifications showing the flame and smoke rating. The product must be easily cleanable and water-resistant in areas subject to splash or spray.</p>