

APPENDIX H
Printed Database

Environmental Air

Analysis	Location	Start Day	Stop Day	Air Volume	Volume Units	Result	Uncertainty (95% Conf.)	Concentration Units	Investigation Level
alpha	Station 1	1/3/2017	1/10/2017	14940	ft ³	4.04E-16	7.92E-16	μCi/ml	1E-14
alpha	Station 2	1/3/2017	1/10/2017	14940	ft ³	5.25E-16	8.3E-16	μCi/ml	1E-14
alpha	Station 3	1/3/2017	1/10/2017	14940	ft ³	1.21E-15	1.02E-15	μCi/ml	1E-14
alpha	Station 4	1/3/2017	1/10/2017	14940	ft ³	-2.83E-16	5.21E-16	μCi/ml	1E-14
alpha	Station 5	1/3/2017	1/10/2017	14940	ft ³	1.09E-15	9.91E-16	μCi/ml	1E-14
alpha	Station 6	1/3/2017	1/10/2017	14940	ft ³	2.83E-16	7.51E-16	μCi/ml	1E-14
alpha	Station 7	1/3/2017	1/10/2017	14940	ft ³	0	6.46E-16	μCi/ml	1E-14
alpha	Station 8	1/3/2017	1/10/2017	14940	ft ³	4.04E-16	7.92E-16	μCi/ml	1E-14
alpha	Station 9	1/3/2017	1/10/2017	14940	ft ³	4.04E-16	7.92E-16	μCi/ml	1E-14
alpha	Station 1	1/10/2017	1/16/2017	12780	ft ³	9.44E-16	1.15E-15	μCi/ml	1E-14
alpha	Station 2	1/10/2017	1/16/2017	12780	ft ³	1.13E-15	1.19E-15	μCi/ml	1E-14
alpha	Station 3	1/10/2017	1/16/2017	12780	ft ³	6.61E-16	1.07E-15	μCi/ml	1E-14
alpha	Station 4	1/10/2017	1/16/2017	12780	ft ³	1.89E-16	9.25E-16	μCi/ml	1E-14
alpha	Station 5	1/10/2017	1/16/2017	12780	ft ³	9.44E-16	1.15E-15	μCi/ml	1E-14
alpha	Station 6	1/10/2017	1/16/2017	12780	ft ³	6.61E-16	1.07E-15	μCi/ml	1E-14
alpha	Station 7	1/10/2017	1/16/2017	12780	ft ³	0	8.62E-16	μCi/ml	1E-14
alpha	Station 8	1/10/2017	1/16/2017	12780	ft ³	1.89E-16	9.25E-16	μCi/ml	1E-14
alpha	Station 9	1/10/2017	1/16/2017	12780	ft ³	8.03E-16	1.11E-15	μCi/ml	1E-14
alpha	Station 1	1/16/2017	1/23/2017	15120	ft ³	7.98E-16	9.03E-16	μCi/ml	1E-14
alpha	Station 2	1/16/2017	1/23/2017	15120	ft ³	-1.2E-16	5.89E-16	μCi/ml	1E-14
alpha	Station 3	1/16/2017	1/23/2017	15120	ft ³	9.18E-16	9.36E-16	μCi/ml	1E-14
alpha	Station 4	1/16/2017	1/23/2017	15120	ft ³	3.99E-16	7.82E-16	μCi/ml	1E-14
alpha	Station 5	1/16/2017	1/23/2017	15120	ft ³	1.2E-16	6.85E-16	μCi/ml	1E-14
alpha	Station 6	1/16/2017	1/23/2017	15120	ft ³	5.19E-16	8.2E-16	μCi/ml	1E-14
alpha	Station 7	1/16/2017	1/23/2017	15120	ft ³	7.98E-16	9.03E-16	μCi/ml	1E-14
alpha	Station 8	1/16/2017	1/23/2017	15120	ft ³	5.19E-16	8.2E-16	μCi/ml	1E-14
alpha	Station 9	1/16/2017	1/23/2017	15120	ft ³	5.19E-16	8.2E-16	μCi/ml	1E-14
alpha	Station 1	1/23/2017	1/30/2017	15030	ft ³	8.03E-16	7.33E-16	μCi/ml	1E-14
alpha	Station 2	1/23/2017	1/30/2017	15030	ft ³	5.62E-16	6.42E-16	μCi/ml	1E-14
alpha	Station 3	1/23/2017	1/30/2017	15030	ft ³	9.64E-16	7.87E-16	μCi/ml	1E-14
alpha	Station 4	1/23/2017	1/30/2017	15030	ft ³	6.83E-16	6.89E-16	μCi/ml	1E-14
alpha	Station 5	1/23/2017	1/30/2017	15030	ft ³	5.62E-16	6.42E-16	μCi/ml	1E-14
alpha	Station 6	1/23/2017	1/30/2017	15030	ft ³	1.61E-16	4.54E-16	μCi/ml	1E-14
alpha	Station 7	1/23/2017	1/30/2017	15030	ft ³	0	3.52E-16	μCi/ml	1E-14
alpha	Station 8	1/23/2017	1/30/2017	15030	ft ³	2.81E-16	5.18E-16	μCi/ml	1E-14
alpha	Station 9	1/23/2017	1/30/2017	15030	ft ³	2.81E-16	5.18E-16	μCi/ml	1E-14
alpha	Station 1	1/30/2017	2/6/2017	15120	ft ³	-9.18E-16	8.69E-16	μCi/ml	1E-14
alpha	Station 2	1/30/2017	2/6/2017	15120	ft ³	-5.19E-16	9.79E-16	μCi/ml	1E-14
alpha	Station 3	1/30/2017	2/6/2017	15120	ft ³	-5.19E-16	9.79E-16	μCi/ml	1E-14
alpha	Station 4	1/30/2017	2/6/2017	15120	ft ³	2.79E-16	1.17E-16	μCi/ml	1E-14
alpha	Station 5	1/30/2017	2/6/2017	15120	ft ³	-3.99E-16	1.01E-16	μCi/ml	1E-14
alpha	Station 6	1/30/2017	2/6/2017	15120	ft ³	-6.78E-16	9.36E-16	μCi/ml	1E-14
alpha	Station 7	1/30/2017	2/6/2017	15120	ft ³	-5.19E-16	9.79E-16	μCi/ml	1E-14

Environmental Air

Analysis	Location	Start Day	Stop Day	Air Volume	Volume Units	Result	Uncertainty (95% Conf.)	Concentration Units	Investigation Level
alpha	Station 8	1/30/2017	2/6/2017	15120	ft ³	-1.08E-16	8.2E-16	µCi/ml	1E-14
alpha	Station 9	1/30/2017	2/6/2017	15120	ft ³	-3.99E-16	1.01E-16	µCi/ml	1E-14
alpha	Station 1	2/6/2017	2/13/2017	15120	ft ³	-5.19E-16	1.04E-15	µCi/ml	1E-14
alpha	Station 2	2/6/2017	2/13/2017	15120	ft ³	2.79E-16	1.22E-15	µCi/ml	1E-14
alpha	Station 3	2/6/2017	2/13/2017	15120	ft ³	-5.19E-16	1.04E-15	µCi/ml	1E-14
alpha	Station 4	2/6/2017	2/13/2017	15120	ft ³	-6.39E-16	1.01E-15	µCi/ml	1E-14
alpha	Station 5	2/6/2017	2/13/2017	15120	ft ³	-1.2E-16	1.13E-15	µCi/ml	1E-14
alpha	Station 6	2/6/2017	2/13/2017	15120	ft ³	-5.19E-16	1.04E-15	µCi/ml	1E-14
alpha	Station 7	2/6/2017	2/13/2017	15120	ft ³	-3.99E-16	1.07E-15	µCi/ml	1E-14
alpha	Station 8	2/6/2017	2/13/2017	15120	ft ³	-3.99E-16	1.07E-15	µCi/ml	1E-14
alpha	Station 9	2/6/2017	2/13/2017	15120	ft ³	-7.98E-16	9.69E-16	µCi/ml	1E-14
alpha	Station 1	2/13/2017	2/21/2017	17280	ft ³	0	7.29E-16	µCi/ml	1E-14
alpha	Station 2	2/13/2017	2/21/2017	17280	ft ³	2.1E-16	7.9E-16	µCi/ml	1E-14
alpha	Station 3	2/13/2017	2/21/2017	17280	ft ³	1.05E-16	7.6E-16	µCi/ml	1E-14
alpha	Station 4	2/13/2017	2/21/2017	17280	ft ³	0	7.29E-16	µCi/ml	1E-14
alpha	Station 5	2/13/2017	2/21/2017	17280	ft ³	2.1E-16	7.9E-16	µCi/ml	1E-14
alpha	Station 6	2/13/2017	2/21/2017	17280	ft ³	6.98E-16	9.18E-16	µCi/ml	1E-14
alpha	Station 7	2/13/2017	2/21/2017	17280	ft ³	3.49E-16	8.29E-16	µCi/ml	1E-14
alpha	Station 8	2/13/2017	2/21/2017	17280	ft ³	3.49E-16	8.29E-16	µCi/ml	1E-14
alpha	Station 9	2/13/2017	2/21/2017	17280	ft ³	0	7.29E-16	µCi/ml	1E-14
alpha	Station 1	2/21/2017	2/27/2017	12960	ft ³	1.4E-15	1.25E-15	µCi/ml	1E-14
alpha	Station 2	2/21/2017	2/27/2017	12960	ft ³	9.31E-16	1.13E-15	µCi/ml	1E-14
alpha	Station 3	2/21/2017	2/27/2017	12960	ft ³	2.05E-15	1.39E-15	µCi/ml	1E-14
alpha	Station 4	2/21/2017	2/27/2017	12960	ft ³	1.72E-15	1.32E-15	µCi/ml	1E-14
alpha	Station 5	2/21/2017	2/27/2017	12960	ft ³	4.66E-16	1E-15	µCi/ml	1E-14
alpha	Station 6	2/21/2017	2/27/2017	12960	ft ³	1.12E-15	1.18E-15	µCi/ml	1E-14
alpha	Station 7	2/21/2017	2/27/2017	12960	ft ³	6.52E-16	1.05E-15	µCi/ml	1E-14
alpha	Station 8	2/21/2017	2/27/2017	12960	ft ³	1.26E-15	1.21E-15	µCi/ml	1E-14
alpha	Station 9	2/21/2017	2/27/2017	12960	ft ³	6.52E-16	1.05E-15	µCi/ml	1E-14
alpha	Station 1	2/27/2017	3/6/2017	15120	ft ³	7.98E-16	8.33E-16	µCi/ml	1E-14
alpha	Station 2	2/27/2017	3/6/2017	15120	ft ³	9.18E-16	8.69E-16	µCi/ml	1E-14
alpha	Station 3	2/27/2017	3/6/2017	15120	ft ³	7.98E-16	8.33E-16	µCi/ml	1E-14
alpha	Station 4	2/27/2017	3/6/2017	15120	ft ³	5.19E-16	7.42E-16	µCi/ml	1E-14
alpha	Station 5	2/27/2017	3/6/2017	15120	ft ³	5.19E-16	7.42E-16	µCi/ml	1E-14
alpha	Station 6	2/27/2017	3/6/2017	15120	ft ³	6.39E-16	7.82E-16	µCi/ml	1E-14
alpha	Station 7	2/27/2017	3/6/2017	15120	ft ³	1.04E-15	9.03E-16	µCi/ml	1E-14
alpha	Station 8	2/27/2017	3/6/2017	15120	ft ³	9.18E-16	8.69E-16	µCi/ml	1E-14
alpha	Station 9	2/27/2017	3/6/2017	15120	ft ³	5.19E-16	7.42E-16	µCi/ml	1E-14
alpha	Station 1	3/6/2017	3/13/2017	15030	ft ³	2.13E-15	1.34E-15	µCi/ml	1E-14
alpha	Station 2	3/6/2017	3/13/2017	15030	ft ³	1.04E-15	1.11E-15	µCi/ml	1E-14
alpha	Station 3	3/6/2017	3/13/2017	15030	ft ³	-1.61E-16	7.87E-16	µCi/ml	1E-14
alpha	Station 4	3/6/2017	3/13/2017	15030	ft ³	2.93E-15	1.49E-15	µCi/ml	1E-14
alpha	Station 5	3/6/2017	3/13/2017	15030	ft ³	2.93E-15	1.49E-15	µCi/ml	1E-14

Environmental Air

Analysis	Location	Start Day	Stop Day	Air Volume	Volume Units	Result	Uncertainty (95% Conf.)	Concentration Units	Investigation Level
alpha	Station 6	3/6/2017	3/13/2017	15030	ft ³	1.45E-15	1.2E-15	μCi/ml	1E-14
alpha	Station 7	3/6/2017	3/13/2017	15030	ft ³	2.53E-15	1.41E-15	μCi/ml	1E-14
alpha	Station 8	3/6/2017	3/13/2017	15030	ft ³	6.42E-16	1.02E-15	μCi/ml	1E-14
alpha	Station 9	3/6/2017	3/13/2017	15030	ft ³	8.03E-16	1.06E-15	μCi/ml	1E-14
alpha	Station 1	3/13/2017	3/20/2017	15120	ft ³	1.04E-15	1.11E-15	μCi/ml	1E-14
alpha	Station 2	3/13/2017	3/20/2017	15120	ft ³	4.23E-15	1.69E-15	μCi/ml	1E-14
alpha	Station 3	3/13/2017	3/20/2017	15120	ft ³	2.91E-15	1.48E-15	μCi/ml	1E-14
alpha	Station 4	3/13/2017	3/20/2017	15120	ft ³	2.39E-15	9.03E-16	μCi/ml	1E-14
alpha	Station 5	3/13/2017	3/20/2017	15120	ft ³	1.32E-15	1.17E-15	μCi/ml	1E-14
alpha	Station 6	3/13/2017	3/20/2017	15120	ft ³	1.72E-15	1.25E-15	μCi/ml	1E-14
alpha	Station 7	3/13/2017	3/20/2017	15120	ft ³	2.12E-15	1.33E-15	μCi/ml	1E-14
alpha	Station 8	3/13/2017	3/20/2017	15120	ft ³	1.84E-15	1.28E-15	μCi/ml	1E-14
alpha	Station 9	3/13/2017	3/20/2017	15120	ft ³	1.04E-15	1.11E-15	μCi/ml	1E-14
alpha	Station 1	3/20/2017	3/27/2017	15120	ft ³	1.2E-16	6.85E-16	μCi/ml	1E-14
alpha	Station 2	3/20/2017	3/27/2017	15120	ft ³	2E-15	1.19E-15	μCi/ml	1E-14
alpha	Station 3	3/20/2017	3/27/2017	15120	ft ³	1.6E-15	1.11E-15	μCi/ml	1E-14
alpha	Station 4	3/20/2017	3/27/2017	15120	ft ³	2.39E-15	1.28E-15	μCi/ml	1E-14
alpha	Station 5	3/20/2017	3/27/2017	15120	ft ³	1.08E-15	9.79E-16	μCi/ml	1E-14
alpha	Station 6	3/20/2017	3/27/2017	15120	ft ³	7.98E-16	9.03E-16	μCi/ml	1E-14
alpha	Station 7	3/20/2017	3/27/2017	15120	ft ³	1.48E-15	1.08E-15	μCi/ml	1E-14
alpha	Station 8	3/20/2017	3/27/2017	15120	ft ³	6.78E-16	8.69E-16	μCi/ml	1E-14
alpha	Station 9	3/20/2017	3/27/2017	15120	ft ³	6.78E-16	8.69E-16	μCi/ml	1E-14
alpha	Station 1	3/27/2017	4/3/2017	15120	ft ³	1.88E-15	1.22E-15	μCi/ml	1E-14
alpha	Station 2	3/27/2017	4/3/2017	15120	ft ³	1.36E-15	1.11E-15	μCi/ml	1E-14
alpha	Station 3	3/27/2017	4/3/2017	15120	ft ³	1.2E-15	1.07E-15	μCi/ml	1E-14
alpha	Station 4	3/27/2017	4/3/2017	15120	ft ³	7.98E-16	9.69E-16	μCi/ml	1E-14
alpha	Station 5	3/27/2017	4/3/2017	15120	ft ³	6.78E-16	9.36E-16	μCi/ml	1E-14
alpha	Station 6	3/27/2017	4/3/2017	15120	ft ³	7.98E-16	9.69E-16	μCi/ml	1E-14
alpha	Station 7	3/27/2017	4/3/2017	15120	ft ³	3.99E-16	8.57E-16	μCi/ml	1E-14
alpha	Station 8	3/27/2017	4/3/2017	15120	ft ³	7.98E-16	9.69E-16	μCi/ml	1E-14
alpha	Station 9	3/27/2017	4/3/2017	15120	ft ³	1.36E-15	1.11E-15	μCi/ml	1E-14
alpha	Station 1	4/3/2017	4/10/2017	15120	ft ³	9.18E-16	1.67E-15	μCi/ml	1E-14
alpha	Station 2	4/3/2017	4/10/2017	15120	ft ³	2.39E-16	1.56E-15	μCi/ml	1E-14
alpha	Station 3	4/3/2017	4/10/2017	15120	ft ³	-1.6E-16	1.5E-15	μCi/ml	1E-14
alpha	Station 4	4/3/2017	4/10/2017	15120	ft ³	-6.78E-16	1.41E-15	μCi/ml	1E-14
alpha	Station 5	4/3/2017	4/10/2017	15120	ft ³	1.6E-15	1.77E-15	μCi/ml	1E-14
alpha	Station 6	4/3/2017	4/10/2017	15120	ft ³	-1.6E-16	1.5E-15	μCi/ml	1E-14
alpha	Station 7	4/3/2017	4/10/2017	15120	ft ³	-3.99E-16	1.46E-15	μCi/ml	1E-14
alpha	Station 8	4/3/2017	4/10/2017	15120	ft ³	2.39E-16	1.56E-15	μCi/ml	1E-14
alpha	Station 9	4/3/2017	4/10/2017	15120	ft ³	-3.99E-16	1.46E-15	μCi/ml	1E-14
alpha	Station 1	4/10/2017	4/17/2017	15120	ft ³	2E-15	1.24E-15	μCi/ml	1E-14
alpha	Station 2	4/10/2017	4/17/2017	15120	ft ³	1.2E-15	1.07E-15	μCi/ml	1E-14
alpha	Station 3	4/10/2017	4/17/2017	15120	ft ³	2.67E-15	1.38E-15	μCi/ml	1E-14

Environmental Air

Analysis	Location	Start Day	Stop Day	Air Volume	Volume Units	Result	Uncertainty (95% Conf.)	Concentration Units	Investigation Level
alpha	Station 4	4/10/2017	4/17/2017	15120	ft ³	9.58E-16	1.01E-15	µCi/ml	1E-14
alpha	Station 5	4/10/2017	4/17/2017	15120	ft ³	2.16E-15	1.28E-15	µCi/ml	1E-14
alpha	Station 6	4/10/2017	4/17/2017	15120	ft ³	9.58E-16	1.01E-15	µCi/ml	1E-14
alpha	Station 7	4/10/2017	4/17/2017	15120	ft ³	7.98E-16	9.69E-16	µCi/ml	1E-14
alpha	Station 8	4/10/2017	4/17/2017	15120	ft ³	3.99E-16	8.57E-16	µCi/ml	1E-14
alpha	Station 9	4/10/2017	4/17/2017	15120	ft ³	1.48E-15	1.13E-15	µCi/ml	1E-14
alpha	Station 1	4/17/2017	4/24/2017	15120	ft ³	2E-15	1.14E-15	µCi/ml	1E-14
alpha	Station 2	4/17/2017	4/24/2017	15120	ft ³	1.6E-15	1.05E-15	µCi/ml	1E-14
alpha	Station 3	4/17/2017	4/24/2017	15120	ft ³	1.72E-15	1.08E-15	µCi/ml	1E-14
alpha	Station 4	4/17/2017	4/24/2017	15120	ft ³	1.44E-15	1.01E-15	µCi/ml	1E-14
alpha	Station 5	4/17/2017	4/24/2017	15120	ft ³	3.99E-16	7E-16	µCi/ml	1E-14
alpha	Station 6	4/17/2017	4/24/2017	15120	ft ³	7.98E-16	8.33E-16	µCi/ml	1E-14
alpha	Station 7	4/17/2017	4/24/2017	15120	ft ³	9.18E-16	8.69E-16	µCi/ml	1E-14
alpha	Station 8	4/17/2017	4/24/2017	15120	ft ³	7.98E-16	8.33E-16	µCi/ml	1E-14
alpha	Station 9	4/17/2017	4/24/2017	15120	ft ³	1.2E-15	9.47E-16	µCi/ml	1E-14
alpha	Station 1	4/24/2017	5/1/2017	15120	ft ³	1.84E-15	1.11E-15	µCi/ml	1E-14
alpha	Station 2	4/24/2017	5/1/2017	15120	ft ³	1.72E-15	1.08E-15	µCi/ml	1E-14
alpha	Station 3	4/24/2017	5/1/2017	15120	ft ³	1.44E-15	1.01E-15	µCi/ml	1E-14
alpha	Station 4	4/24/2017	5/1/2017	15120	ft ³	1.32E-15	9.79E-16	µCi/ml	1E-14
alpha	Station 5	4/24/2017	5/1/2017	15120	ft ³	1.32E-15	9.79E-16	µCi/ml	1E-14
alpha	Station 6	4/24/2017	5/1/2017	15120	ft ³	9.18E-16	8.69E-16	µCi/ml	1E-14
alpha	Station 7	4/24/2017	5/1/2017	15120	ft ³	6.39E-16	7.82E-16	µCi/ml	1E-14
alpha	Station 8	4/24/2017	5/1/2017	15120	ft ³	7.98E-16	8.33E-16	µCi/ml	1E-14
alpha	Station 9	4/24/2017	5/1/2017	15120	ft ³	1.32E-15	9.79E-16	µCi/ml	1E-14
alpha	Station 1	5/1/2017	5/8/2017	15120	ft ³	3.99E-16	1.5E-15	µCi/ml	1E-14
alpha	Station 2	5/1/2017	5/8/2017	15120	ft ³	-1.2E-16	1.41E-15	µCi/ml	1E-14
alpha	Station 3	5/1/2017	5/8/2017	15120	ft ³	1.6E-15	1.69E-15	µCi/ml	1E-14
alpha	Station 4	5/1/2017	5/8/2017	15120	ft ³	1.32E-15	1.65E-15	µCi/ml	1E-14
alpha	Station 5	5/1/2017	5/8/2017	15120	ft ³	5.19E-16	1.52E-15	µCi/ml	1E-14
alpha	Station 6	5/1/2017	5/8/2017	15120	ft ³	1.2E-15	1.63E-15	µCi/ml	1E-14
alpha	Station 7	5/1/2017	5/8/2017	15120	ft ³	-3.99E-16	1.35E-15	µCi/ml	1E-14
alpha	Station 8	5/1/2017	5/8/2017	15120	ft ³	5.19E-16	1.52E-15	µCi/ml	1E-14
alpha	Station 9	5/1/2017	5/8/2017	15120	ft ³	-9.18E-16	1.25E-15	µCi/ml	1E-14
alpha	Station 1	5/8/2017	5/15/2017	15120	ft ³	2E-15	1.5E-15	µCi/ml	1E-14
alpha	Station 2	5/8/2017	5/15/2017	15120	ft ³	7.98E-16	1.28E-15	µCi/ml	1E-14
alpha	Station 3	5/8/2017	5/15/2017	15120	ft ³	3.99E-16	1.19E-15	µCi/ml	1E-14
alpha	Station 4	5/8/2017	5/15/2017	15120	ft ³	0	1.11E-15	µCi/ml	1E-14
alpha	Station 5	5/8/2017	5/15/2017	15120	ft ³	1.08E-15	1.33E-15	µCi/ml	1E-14
alpha	Station 6	5/8/2017	5/15/2017	15120	ft ³	2.12E-15	1.52E-15	µCi/ml	1E-14
alpha	Station 7	5/8/2017	5/15/2017	15120	ft ³	2.79E-16	1.17E-15	µCi/ml	1E-14
alpha	Station 8	5/8/2017	5/15/2017	15120	ft ³	7.98E-16	1.28E-15	µCi/ml	1E-14
alpha	Station 9	5/8/2017	5/15/2017	15120	ft ³	1.2E-16	1.13E-15	µCi/ml	1E-14
alpha	Station 1	5/15/2017	5/22/2017	15120	ft ³	2.27E-15	1.54E-15	µCi/ml	1E-14

Environmental Air

Analysis	Location	Start Day	Stop Day	Air Volume	Volume Units	Result	Uncertainty (95% Conf.)	Concentration Units	Investigation Level
alpha	Station 2	5/15/2017	5/22/2017	15120	ft ³	1.2E-15	1.35E-15	µCi/ml	1E-14
alpha	Station 3	5/15/2017	5/22/2017	15120	ft ³	9.18E-16	1.3E-15	µCi/ml	1E-14
alpha	Station 4	5/15/2017	5/22/2017	15120	ft ³	1.08E-15	1.33E-15	µCi/ml	1E-14
alpha	Station 5	5/15/2017	5/22/2017	15120	ft ³	1.2E-15	1.35E-15	µCi/ml	1E-14
alpha	Station 6	5/15/2017	5/22/2017	15120	ft ³	7.98E-16	1.28E-15	µCi/ml	1E-14
alpha	Station 7	5/15/2017	5/22/2017	15120	ft ³	7.98E-16	1.28E-15	µCi/ml	1E-14
alpha	Station 8	5/15/2017	5/22/2017	15120	ft ³	1.72E-15	1.45E-15	µCi/ml	1E-14
alpha	Station 9	5/15/2017	5/22/2017	15120	ft ³	1.2E-16	1.13E-15	µCi/ml	1E-14
alpha	Station 1	5/22/2017	5/30/2017	17280	ft ³	1.5E-15	1.23E-15	µCi/ml	1E-14
alpha	Station 2	5/22/2017	5/30/2017	17280	ft ³	8.03E-16	1.1E-15	µCi/ml	1E-14
alpha	Station 3	5/22/2017	5/30/2017	17280	ft ³	2.1E-16	9.68E-16	µCi/ml	1E-14
alpha	Station 4	5/22/2017	5/30/2017	17280	ft ³	1.96E-15	1.31E-15	µCi/ml	1E-14
alpha	Station 5	5/22/2017	5/30/2017	17280	ft ³	1.85E-15	1.29E-15	µCi/ml	1E-14
alpha	Station 6	5/22/2017	5/30/2017	17280	ft ³	1.26E-15	1.19E-15	µCi/ml	1E-14
alpha	Station 7	5/22/2017	5/30/2017	17280	ft ³	1.05E-15	1.15E-15	µCi/ml	1E-14
alpha	Station 8	5/22/2017	5/30/2017	17280	ft ³	8.03E-16	1.1E-15	µCi/ml	1E-14
alpha	Station 9	5/22/2017	5/30/2017	17280	ft ³	3.49E-16	1E-15	µCi/ml	1E-14
alpha	Station 1	5/30/2017	6/5/2017	12960	ft ³	1.54E-15	1.42E-15	µCi/ml	1E-14
alpha	Station 2	5/30/2017	6/5/2017	12960	ft ³	7.92E-16	1.26E-15	µCi/ml	1E-14
alpha	Station 3	5/30/2017	6/5/2017	12960	ft ³	2E-15	1.52E-15	µCi/ml	1E-14
alpha	Station 4	5/30/2017	6/5/2017	12960	ft ³	1.86E-15	1.49E-15	µCi/ml	1E-14
alpha	Station 5	5/30/2017	6/5/2017	12960	ft ³	1.4E-15	1.39E-15	µCi/ml	1E-14
alpha	Station 6	5/30/2017	6/5/2017	12960	ft ³	-1.4E-16	1.01E-15	µCi/ml	1E-14
alpha	Station 7	5/30/2017	6/5/2017	12960	ft ³	1.4E-15	1.39E-15	µCi/ml	1E-14
alpha	Station 8	5/30/2017	6/5/2017	12960	ft ³	1.26E-15	1.36E-15	µCi/ml	1E-14
alpha	Station 9	5/30/2017	6/5/2017	12960	ft ³	1.4E-16	1.09E-15	µCi/ml	1E-14
alpha	Station 1	6/5/2017	6/12/2017	15120	ft ³	5.19E-16	8.2E-16	µCi/ml	1E-14
alpha	Station 2	6/5/2017	6/12/2017	15120	ft ³	7.98E-16	9.03E-16	µCi/ml	1E-14
alpha	Station 3	6/5/2017	6/12/2017	15120	ft ³	0	6.39E-16	µCi/ml	1E-14
alpha	Station 4	6/5/2017	6/12/2017	15120	ft ³	5.19E-16	8.2E-16	µCi/ml	1E-14
alpha	Station 5	6/5/2017	6/12/2017	15120	ft ³	7.98E-16	9.03E-16	µCi/ml	1E-14
alpha	Station 6	6/5/2017	6/12/2017	15120	ft ³	1.48E-15	1.08E-15	µCi/ml	1E-14
alpha	Station 7	6/5/2017	6/12/2017	15120	ft ³	7.98E-16	9.03E-16	µCi/ml	1E-14
alpha	Station 8	6/5/2017	6/12/2017	15120	ft ³	5.19E-16	8.2E-16	µCi/ml	1E-14
alpha	Station 9	6/5/2017	6/12/2017	15120	ft ³	7.98E-16	9.03E-16	µCi/ml	1E-14
alpha	Station 1	6/12/2017	6/19/2017	15120	ft ³	3.99E-16	8.57E-16	µCi/ml	1E-14
alpha	Station 2	6/12/2017	6/19/2017	15120	ft ³	2.79E-16	8.2E-16	µCi/ml	1E-14
alpha	Station 3	6/12/2017	6/19/2017	15120	ft ³	1.2E-15	1.07E-15	µCi/ml	1E-14
alpha	Station 4	6/12/2017	6/19/2017	15120	ft ³	6.78E-16	9.36E-16	µCi/ml	1E-14
alpha	Station 5	6/12/2017	6/19/2017	15120	ft ³	1.2E-15	1.07E-15	µCi/ml	1E-14
alpha	Station 6	6/12/2017	6/19/2017	15120	ft ³	1.2E-15	1.07E-15	µCi/ml	1E-14
alpha	Station 7	6/12/2017	6/19/2017	15120	ft ³	5.59E-16	9.03E-16	µCi/ml	1E-14
alpha	Station 8	6/12/2017	6/19/2017	15120	ft ³	1.08E-15	1.04E-15	µCi/ml	1E-14

Environmental Air

Analysis	Location	Start Day	Stop Day	Air Volume	Volume Units	Result	Uncertainty (95% Conf.)	Concentration Units	Investigation Level
alpha	Station 9	6/12/2017	6/19/2017	15120	ft ³	9.58E-16	1.01E-15	μCi/ml	1E-14
alpha	Station 1	6/19/2017	6/26/2017	15120	ft ³	2E-15	1.31E-15	μCi/ml	1E-14
alpha	Station 2	6/19/2017	6/26/2017	15120	ft ³	5.19E-16	9.79E-16	μCi/ml	1E-14
alpha	Station 3	6/19/2017	6/26/2017	15120	ft ³	3.03E-15	1.5E-15	μCi/ml	1E-14
alpha	Station 4	6/19/2017	6/26/2017	15120	ft ³	7.98E-16	1.05E-15	μCi/ml	1E-14
alpha	Station 5	6/19/2017	6/26/2017	15120	ft ³	2.39E-15	1.38E-15	μCi/ml	1E-14
alpha	Station 6	6/19/2017	6/26/2017	15120	ft ³	7.98E-16	1.05E-15	μCi/ml	1E-14
alpha	Station 7	6/19/2017	6/26/2017	15120	ft ³	2.39E-15	1.38E-15	μCi/ml	1E-14
alpha	Station 8	6/19/2017	6/26/2017	15120	ft ³	2.23E-15	1.35E-15	μCi/ml	1E-14
alpha	Station 9	6/19/2017	6/26/2017	15120	ft ³	1.04E-15	1.11E-15	μCi/ml	1E-14
alpha	Station 1	6/26/2017	7/5/2017	19224	ft ³	8.16E-16	7.1E-16	μCi/ml	1E-14
alpha	Station 2	6/26/2017	7/5/2017	19224	ft ³	9.42E-16	7.45E-16	μCi/ml	1E-14
alpha	Station 3	6/26/2017	7/5/2017	19224	ft ³	8.16E-16	7.1E-16	μCi/ml	1E-14
alpha	Station 4	6/26/2017	7/5/2017	19224	ft ³	6.28E-16	6.55E-16	μCi/ml	1E-14
alpha	Station 5	6/26/2017	7/5/2017	19224	ft ³	9.42E-17	4.63E-16	μCi/ml	1E-14
alpha	Station 6	6/26/2017	7/5/2017	19224	ft ³	8.16E-16	7.1E-16	μCi/ml	1E-14
alpha	Station 7	6/26/2017	7/5/2017	19224	ft ³	7.22E-16	6.83E-16	μCi/ml	1E-14
alpha	Station 8	6/26/2017	7/5/2017	19224	ft ³	1.13E-15	7.94E-16	μCi/ml	1E-14
alpha	Station 9	6/26/2017	7/5/2017	19224	ft ³	7.22E-16	6.83E-16	μCi/ml	1E-14
alpha	Station 1	7/5/2017	7/10/2017	10800	ft ³	5.59E-16	1.41E-15	μCi/ml	1E-14
alpha	Station 2	7/5/2017	7/10/2017	10800	ft ³	1.29E-15	1.59E-15	μCi/ml	1E-14
alpha	Station 3	7/5/2017	7/10/2017	10800	ft ³	3.91E-16	1.37E-15	μCi/ml	1E-14
alpha	Station 4	7/5/2017	7/10/2017	10800	ft ³	2.07E-15	1.75E-15	μCi/ml	1E-14
alpha	Station 5	7/5/2017	7/10/2017	10800	ft ³	1.29E-15	1.59E-15	μCi/ml	1E-14
alpha	Station 6	7/5/2017	7/10/2017	10800	ft ³	1.68E-15	1.67E-15	μCi/ml	1E-14
alpha	Station 7	7/5/2017	7/10/2017	10800	ft ³	3.91E-16	1.37E-15	μCi/ml	1E-14
alpha	Station 8	7/5/2017	7/10/2017	10800	ft ³	7.26E-16	1.46E-15	μCi/ml	1E-14
alpha	Station 9	7/5/2017	7/10/2017	10800	ft ³	2.07E-15	1.75E-15	μCi/ml	1E-14
alpha	Station 1	7/10/2017	7/17/2017	15120	ft ³	3.99E-16	7E-16	μCi/ml	1E-14
alpha	Station 2	7/10/2017	7/17/2017	15120	ft ³	6.39E-16	7.82E-16	μCi/ml	1E-14
alpha	Station 3	7/10/2017	7/17/2017	15120	ft ³	1.32E-15	9.79E-16	μCi/ml	1E-14
alpha	Station 4	7/10/2017	7/17/2017	15120	ft ³	1.04E-15	9.03E-16	μCi/ml	1E-14
alpha	Station 5	7/10/2017	7/17/2017	15120	ft ³	3.99E-16	7E-16	μCi/ml	1E-14
alpha	Station 6	7/10/2017	7/17/2017	15120	ft ³	9.18E-16	8.69E-16	μCi/ml	1E-14
alpha	Station 7	7/10/2017	7/17/2017	15120	ft ³	1.32E-15	9.79E-16	μCi/ml	1E-14
alpha	Station 8	7/10/2017	7/17/2017	15120	ft ³	7.98E-16	8.33E-16	μCi/ml	1E-14
alpha	Station 9	7/10/2017	7/17/2017	15120	ft ³	1.04E-15	9.03E-16	μCi/ml	1E-14
alpha	Station 1	7/17/2017	7/24/2017	13608	ft ³	7.54E-16	9.65E-16	μCi/ml	1E-14
alpha	Station 2	7/17/2017	7/24/2017	15120	ft ³	7.98E-16	9.03E-16	μCi/ml	1E-14
alpha	Station 3	7/17/2017	7/24/2017	15120	ft ³	1.6E-15	1.11E-15	μCi/ml	1E-14
alpha	Station 4	7/17/2017	7/24/2017	15120	ft ³	1.32E-15	1.04E-15	μCi/ml	1E-14
alpha	Station 5	7/17/2017	7/24/2017	15120	ft ³	1.6E-15	1.11E-15	μCi/ml	1E-14
alpha	Station 6	7/17/2017	7/24/2017	15120	ft ³	2E-15	1.19E-15	μCi/ml	1E-14

Environmental Air

Analysis	Location	Start Day	Stop Day	Air Volume	Volume Units	Result	Uncertainty (95% Conf.)	Concentration Units	Investigation Level
alpha	Station 7	7/17/2017	7/24/2017	15120	ft ³	2.79E-16	7.42E-16	μCi/ml	1E-14
alpha	Station 8	7/17/2017	7/24/2017	15120	ft ³	9.18E-16	9.36E-16	μCi/ml	1E-14
alpha	Station 9	7/17/2017	7/24/2017	13608	ft ³	2.08E-15	1.3E-15	μCi/ml	1E-14
alpha	Station 1	7/24/2017	7/31/2017	13608	ft ³	6.78E-16	8.69E-16	μCi/ml	1E-14
alpha	Station 2	7/24/2017	7/31/2017	13608	ft ³	7.98E-16	9.03E-16	μCi/ml	1E-14
alpha	Station 3	7/24/2017	7/31/2017	13608	ft ³	7.98E-16	9.03E-16	μCi/ml	1E-14
alpha	Station 4	7/24/2017	7/31/2017	13608	ft ³	1.72E-15	1.13E-15	μCi/ml	1E-14
alpha	Station 5	7/24/2017	7/31/2017	13608	ft ³	1.08E-15	9.79E-16	μCi/ml	1E-14
alpha	Station 6	7/24/2017	7/31/2017	13608	ft ³	3.99E-16	7.82E-16	μCi/ml	1E-14
alpha	Station 7	7/24/2017	7/31/2017	13608	ft ³	5.19E-16	8.2E-16	μCi/ml	1E-14
alpha	Station 8	7/24/2017	7/31/2017	13608	ft ³	1.08E-15	9.79E-16	μCi/ml	1E-14
alpha	Station 9	7/24/2017	7/31/2017	13608	ft ³	6.78E-16	8.69E-16	μCi/ml	1E-14
alpha	Station 1	7/31/2017	8/7/2017	13608	ft ³	4.51E-15	1.77E-15	μCi/ml	1E-14
alpha	Station 2	7/31/2017	8/7/2017	13608	ft ³	4.39E-15	1.75E-15	μCi/ml	1E-14
alpha	Station 3	7/31/2017	8/7/2017	13608	ft ³	4.79E-15	1.81E-15	μCi/ml	1E-14
alpha	Station 4	7/31/2017	8/7/2017	13608	ft ³	5.99E-15	1.97E-15	μCi/ml	1E-14
alpha	Station 5	7/31/2017	8/7/2017	13608	ft ³	5.59E-15	1.92E-15	μCi/ml	1E-14
alpha	Station 6	7/31/2017	8/7/2017	13608	ft ³	3.47E-15	1.61E-15	μCi/ml	1E-14
alpha	Station 7	7/31/2017	8/7/2017	13608	ft ³	4.27E-15	1.73E-15	μCi/ml	1E-14
alpha	Station 8	7/31/2017	8/7/2017	13608	ft ³	4.67E-15	1.79E-15	μCi/ml	1E-14
alpha	Station 9	7/31/2017	8/7/2017	13608	ft ³	4.39E-15	1.75E-15	μCi/ml	1E-14
alpha	Station 1	8/7/2017	8/14/2017	13608	ft ³	2.51E-15	1.3E-15	μCi/ml	1E-14
alpha	Station 2	8/7/2017	8/14/2017	13608	ft ³	3.47E-15	1.48E-15	μCi/ml	1E-14
alpha	Station 3	8/7/2017	8/14/2017	13608	ft ³	1.48E-15	1.08E-15	μCi/ml	1E-14
alpha	Station 4	8/7/2017	8/14/2017	13608	ft ³	1.32E-15	1.04E-15	μCi/ml	1E-14
alpha	Station 5	8/7/2017	8/14/2017	13608	ft ³	1.88E-15	1.17E-15	μCi/ml	1E-14
alpha	Station 6	8/7/2017	8/14/2017	13608	ft ³	1.88E-15	1.17E-15	μCi/ml	1E-14
alpha	Station 7	8/7/2017	8/14/2017	13608	ft ³	7.98E-16	9.03E-16	μCi/ml	1E-14
alpha	Station 8	8/7/2017	8/14/2017	13608	ft ³	2.12E-15	1.22E-15	μCi/ml	1E-14
alpha	Station 9	8/7/2017	8/14/2017	13608	ft ³	6.78E-16	8.69E-16	μCi/ml	1E-14
alpha	Station 1	8/14/2017	8/21/2017	15120	ft ³	2E-15	1.07E-15	μCi/ml	1E-14
alpha	Station 2	8/14/2017	8/21/2017	15120	ft ³	1.08E-15	8.2E-16	μCi/ml	1E-14
alpha	Station 3	8/14/2017	8/21/2017	15120	ft ³	2E-15	1.07E-15	μCi/ml	1E-14
alpha	Station 4	8/14/2017	8/21/2017	15120	ft ³	2.27E-15	1.13E-15	μCi/ml	1E-14
alpha	Station 5	8/14/2017	8/21/2017	15120	ft ³	2E-15	1.07E-15	μCi/ml	1E-14
alpha	Station 6	8/14/2017	8/21/2017	15120	ft ³	2.27E-15	1.13E-15	μCi/ml	1E-14
alpha	Station 7	8/14/2017	8/21/2017	15120	ft ³	1.48E-15	9.36E-16	μCi/ml	1E-14
alpha	Station 8	8/14/2017	8/21/2017	15120	ft ³	2.27E-15	1.13E-15	μCi/ml	1E-14
alpha	Station 9	8/14/2017	8/21/2017	15120	ft ³	3.47E-15	1.38E-15	μCi/ml	1E-14
alpha	Station 1	8/21/2017	8/28/2017	15120	ft ³	3.47E-15	1.48E-15	μCi/ml	1E-14
alpha	Station 2	8/21/2017	8/28/2017	15120	ft ³	2.91E-15	1.38E-15	μCi/ml	1E-14
alpha	Station 3	8/21/2017	8/28/2017	15120	ft ³	4.27E-15	1.61E-15	μCi/ml	1E-14
alpha	Station 4	8/21/2017	8/28/2017	15120	ft ³	3.19E-15	1.43E-15	μCi/ml	1E-14

Environmental Air

Analysis	Location	Start Day	Stop Day	Air Volume	Volume Units	Result	Uncertainty (95% Conf.)	Concentration Units	Investigation Level
alpha	Station 5	8/21/2017	8/28/2017	15120	ft ³	3.87E-15	1.54E-15	µCi/ml	1E-14
alpha	Station 6	8/21/2017	8/28/2017	15120	ft ³	3.59E-15	1.5E-15	µCi/ml	1E-14
alpha	Station 7	8/21/2017	8/28/2017	15120	ft ³	3.19E-15	1.43E-15	µCi/ml	1E-14
alpha	Station 8	8/21/2017	8/28/2017	15120	ft ³	4.11E-15	1.58E-15	µCi/ml	1E-14
alpha	Station 9	8/21/2017	8/28/2017	15120	ft ³	1.72E-15	1.13E-15	µCi/ml	1E-14
alpha	Station 1	8/28/2017	9/5/2017	17280	ft ³	2.79E-15	1.55E-15	µCi/ml	1E-14
alpha	Station 2	8/28/2017	9/5/2017	17280	ft ³	3.14E-15	1.6E-15	µCi/ml	1E-14
alpha	Station 3	8/28/2017	9/5/2017	17280	ft ³	3.95E-15	1.71E-15	µCi/ml	1E-14
alpha	Station 4	8/28/2017	9/5/2017	17280	ft ³	2.1E-15	1.45E-15	µCi/ml	1E-14
alpha	Station 5	8/28/2017	9/5/2017	17280	ft ³	4.99E-15	1.84E-15	µCi/ml	1E-14
alpha	Station 6	8/28/2017	9/5/2017	17280	ft ³	3.35E-15	1.63E-15	µCi/ml	1E-14
alpha	Station 7	8/28/2017	9/5/2017	17280	ft ³	2.2E-15	1.46E-15	µCi/ml	1E-14
alpha	Station 8	8/28/2017	9/5/2017	17280	ft ³	3.35E-15	1.63E-15	µCi/ml	1E-14
alpha	Station 9	8/28/2017	9/5/2017	17280	ft ³	2.55E-15	1.52E-15	µCi/ml	1E-14
alpha	Station 1	9/5/2017	9/11/2017	12960	ft ³	5.12E-15	1.94E-15	µCi/ml	1E-14
alpha	Station 2	9/5/2017	9/11/2017	12960	ft ³	3.91E-15	1.75E-15	µCi/ml	1E-14
alpha	Station 3	9/5/2017	9/11/2017	12960	ft ³	4.38E-15	1.83E-15	µCi/ml	1E-14
alpha	Station 4	9/5/2017	9/11/2017	12960	ft ³	2.51E-15	1.49E-15	µCi/ml	1E-14
alpha	Station 5	9/5/2017	9/11/2017	12960	ft ³	4.05E-15	1.77E-15	µCi/ml	1E-14
alpha	Station 6	9/5/2017	9/11/2017	12960	ft ³	4.19E-15	1.79E-15	µCi/ml	1E-14
alpha	Station 7	9/5/2017	9/11/2017	12960	ft ³	3.26E-15	1.63E-15	µCi/ml	1E-14
alpha	Station 8	9/5/2017	9/11/2017	12960	ft ³	4.52E-15	1.85E-15	µCi/ml	1E-14
alpha	Station 9	9/5/2017	9/11/2017	12960	ft ³	4.38E-15	1.83E-15	µCi/ml	1E-14
alpha	Station 1	9/11/2017	9/18/2017	15120	ft ³	3.43E-15	1.43E-15	µCi/ml	1E-14
alpha	Station 2	9/11/2017	9/18/2017	15120	ft ³	2.12E-15	1.17E-15	µCi/ml	1E-14
alpha	Station 3	9/11/2017	9/18/2017	15120	ft ³	3.59E-15	1.46E-15	µCi/ml	1E-14
alpha	Station 4	9/11/2017	9/18/2017	15120	ft ³	2.12E-15	1.17E-15	µCi/ml	1E-14
alpha	Station 5	9/11/2017	9/18/2017	15120	ft ³	3.83E-15	1.5E-15	µCi/ml	1E-14
alpha	Station 6	9/11/2017	9/18/2017	15120	ft ³	2.39E-15	1.23E-15	µCi/ml	1E-14
alpha	Station 7	9/11/2017	9/18/2017	15120	ft ³	1.04E-15	9.03E-16	µCi/ml	1E-14
alpha	Station 8	9/11/2017	9/18/2017	15120	ft ³	2.39E-15	1.23E-15	µCi/ml	1E-14
alpha	Station 9	9/11/2017	9/18/2017	15120	ft ³	2.39E-15	1.23E-15	µCi/ml	1E-14
alpha	Station 1	9/18/2017	9/25/2017	15120	ft ³	0	7.3E-16	µCi/ml	1E-14
alpha	Station 2	9/18/2017	9/25/2017	15120	ft ³	4E-16	8.59E-16	µCi/ml	1E-14
alpha	Station 3	9/18/2017	9/25/2017	15120	ft ³	1.6E-16	7.85E-16	µCi/ml	1E-14
alpha	Station 4	9/18/2017	9/25/2017	15120	ft ³	0	7.3E-16	µCi/ml	1E-14
alpha	Station 5	9/18/2017	9/25/2017	15120	ft ³	1.6E-16	7.85E-16	µCi/ml	1E-14
alpha	Station 6	9/18/2017	9/25/2017	15120	ft ³	-1.2E-16	6.87E-16	µCi/ml	1E-14
alpha	Station 7	9/18/2017	9/25/2017	15120	ft ³	4E-16	8.59E-16	µCi/ml	1E-14
alpha	Station 8	9/18/2017	9/25/2017	15120	ft ³	-2.4E-16	6.41E-16	µCi/ml	1E-14
alpha	Station 9	9/18/2017	9/25/2017	15120	ft ³	-1.2E-16	6.87E-16	µCi/ml	1E-14
alpha	Station 1	9/25/2017	10/2/2017	15120	ft ³	1.76E-15	1.01E-15	µCi/ml	1E-14
alpha	Station 2	9/25/2017	10/2/2017	15120	ft ³	1.6E-15	9.72E-16	µCi/ml	1E-14

Environmental Air

Analysis	Location	Start Day	Stop Day	Air Volume	Volume Units	Result	Uncertainty (95% Conf.)	Concentration Units	Investigation Level
alpha	Station 3	9/25/2017	10/2/2017	15120	ft ³	1.76E-15	1.01E-15	μCi/ml	1E-14
alpha	Station 4	9/25/2017	10/2/2017	15120	ft ³	1.6E-15	9.72E-16	μCi/ml	1E-14
alpha	Station 5	9/25/2017	10/2/2017	15120	ft ³	1.76E-15	1.01E-15	μCi/ml	1E-14
alpha	Station 6	9/25/2017	10/2/2017	15120	ft ³	5.6E-16	6.41E-16	μCi/ml	1E-14
alpha	Station 7	9/25/2017	10/2/2017	15120	ft ³	1.6E-15	9.72E-16	μCi/ml	1E-14
alpha	Station 8	9/25/2017	10/2/2017	15120	ft ³	4E-16	5.73E-16	μCi/ml	1E-14
alpha	Station 9	9/25/2017	10/2/2017	15120	ft ³	8.01E-16	7.3E-16	μCi/ml	1E-14
alpha	Station 1	10/2/2017	10/9/2017	14760	ft ³	2.87E-15	1.39E-15	μCi/ml	1E-14
alpha	Station 2	10/2/2017	10/9/2017	14760	ft ³	9.43E-16	9.62E-16	μCi/ml	1E-14
alpha	Station 3	10/2/2017	10/9/2017	14760	ft ³	2.75E-15	1.37E-15	μCi/ml	1E-14
alpha	Station 4	10/2/2017	10/9/2017	14760	ft ³	2.17E-15	1.25E-15	μCi/ml	1E-14
alpha	Station 5	10/2/2017	10/9/2017	14760	ft ³	2.17E-15	1.25E-15	μCi/ml	1E-14
alpha	Station 6	10/2/2017	10/9/2017	14760	ft ³	1.35E-15	1.07E-15	μCi/ml	1E-14
alpha	Station 7	10/2/2017	10/9/2017	14760	ft ³	1.23E-15	1.04E-15	μCi/ml	1E-14
alpha	Station 8	10/2/2017	10/9/2017	14760	ft ³	1.52E-15	1.11E-15	μCi/ml	1E-14
alpha	Station 9	10/2/2017	10/9/2017	14760	ft ³	1.35E-15	1.07E-15	μCi/ml	1E-14
alpha	Station 1	10/9/2017	10/16/2017	15120	ft ³	3.88E-15	1.45E-15	μCi/ml	1E-14
alpha	Station 2	10/9/2017	10/16/2017	15120	ft ³	3.76E-15	1.43E-15	μCi/ml	1E-14
alpha	Station 3	10/9/2017	10/16/2017	15120	ft ³	4.96E-15	1.63E-15	μCi/ml	1E-14
alpha	Station 4	10/9/2017	10/16/2017	15120	ft ³	6.97E-15	1.92E-15	μCi/ml	1E-14
alpha	Station 5	10/9/2017	10/16/2017	15120	ft ³	5.76E-15	1.75E-15	μCi/ml	1E-14
alpha	Station 6	10/9/2017	10/16/2017	15120	ft ³	4E-15	1.47E-15	μCi/ml	1E-14
alpha	Station 7	10/9/2017	10/16/2017	15120	ft ³	5.08E-15	1.65E-15	μCi/ml	1E-14
alpha	Station 8	10/9/2017	10/16/2017	15120	ft ³	3.6E-15	1.4E-15	μCi/ml	1E-14
alpha	Station 9	10/9/2017	10/16/2017	15120	ft ³	2.68E-15	1.22E-15	μCi/ml	1E-14
alpha	Station 1	10/16/2017	10/23/2017	15120	ft ³	8.01E-16	8.35E-16	μCi/ml	1E-14
alpha	Station 2	10/16/2017	10/23/2017	15120	ft ³	1.72E-15	1.08E-15	μCi/ml	1E-14
alpha	Station 3	10/16/2017	10/23/2017	15120	ft ³	2.24E-15	1.2E-15	μCi/ml	1E-14
alpha	Station 4	10/16/2017	10/23/2017	15120	ft ³	2.4E-15	1.23E-15	μCi/ml	1E-14
alpha	Station 5	10/16/2017	10/23/2017	15120	ft ³	1.44E-15	1.01E-15	μCi/ml	1E-14
alpha	Station 6	10/16/2017	10/23/2017	15120	ft ³	1.44E-15	1.01E-15	μCi/ml	1E-14
alpha	Station 7	10/16/2017	10/23/2017	15120	ft ³	1.44E-15	1.01E-15	μCi/ml	1E-14
alpha	Station 8	10/16/2017	10/23/2017	15120	ft ³	9.21E-16	8.71E-16	μCi/ml	1E-14
alpha	Station 9	10/16/2017	10/23/2017	15120	ft ³	1.04E-15	9.06E-16	μCi/ml	1E-14
alpha	Station 1	10/23/2017	10/30/2017	15120	ft ³	1.72E-15	1.08E-15	μCi/ml	1E-14
alpha	Station 2	10/23/2017	10/30/2017	15120	ft ³	2.24E-15	1.2E-15	μCi/ml	1E-14
alpha	Station 3	10/23/2017	10/30/2017	15120	ft ³	2.92E-15	1.34E-15	μCi/ml	1E-14
alpha	Station 4	10/23/2017	10/30/2017	15120	ft ³	3.32E-15	1.41E-15	μCi/ml	1E-14
alpha	Station 5	10/23/2017	10/30/2017	15120	ft ³	1.84E-15	1.11E-15	μCi/ml	1E-14
alpha	Station 6	10/23/2017	10/30/2017	15120	ft ³	2.4E-15	1.23E-15	μCi/ml	1E-14
alpha	Station 7	10/23/2017	10/30/2017	15120	ft ³	2.92E-15	1.34E-15	μCi/ml	1E-14
alpha	Station 8	10/23/2017	10/30/2017	15120	ft ³	2.12E-15	1.17E-15	μCi/ml	1E-14
alpha	Station 9	10/23/2017	10/30/2017	15120	ft ³	5.2E-16	7.44E-16	μCi/ml	1E-14

Environmental Air

Analysis	Location	Start Day	Stop Day	Air Volume	Volume Units	Result	Uncertainty (95% Conf.)	Concentration Units	Investigation Level
alpha	Station 1	10/30/2017	11/6/2017	15120	ft ³	1.83E-15	1.42E-15	µCi/ml	1E-14
alpha	Station 2	10/30/2017	11/6/2017	15120	ft ³	3.98E-16	1.14E-15	µCi/ml	1E-14
alpha	Station 3	10/30/2017	11/6/2017	15120	ft ³	9.15E-16	1.25E-15	µCi/ml	1E-14
alpha	Station 4	10/30/2017	11/6/2017	15120	ft ³	2.39E-16	1.1E-15	µCi/ml	1E-14
alpha	Station 5	10/30/2017	11/6/2017	15120	ft ³	1.59E-15	1.38E-15	µCi/ml	1E-14
alpha	Station 6	10/30/2017	11/6/2017	15120	ft ³	1.03E-15	1.27E-15	µCi/ml	1E-14
alpha	Station 7	10/30/2017	11/6/2017	15120	ft ³	5.17E-16	1.17E-15	µCi/ml	1E-14
alpha	Station 8	10/30/2017	11/6/2017	15120	ft ³	1.19E-15	1.31E-15	µCi/ml	1E-14
alpha	Station 9	10/30/2017	11/6/2017	15120	ft ³	6.37E-16	1.19E-15	µCi/ml	1E-14
alpha	Station 1	11/6/2017	11/13/2017	15120	ft ³	1.88E-15	1.61E-15	µCi/ml	1E-14
alpha	Station 2	11/6/2017	11/13/2017	15120	ft ³	9.21E-16	1.45E-15	µCi/ml	1E-14
alpha	Station 3	11/6/2017	11/13/2017	15120	ft ³	1.48E-15	1.55E-15	µCi/ml	1E-14
alpha	Station 4	11/6/2017	11/13/2017	15120	ft ³	1.2E-15	1.5E-15	µCi/ml	1E-14
alpha	Station 5	11/6/2017	11/13/2017	15120	ft ³	8.01E-16	1.43E-15	µCi/ml	1E-14
alpha	Station 6	11/6/2017	11/13/2017	15120	ft ³	1.2E-16	1.31E-15	µCi/ml	1E-14
alpha	Station 7	11/6/2017	11/13/2017	15120	ft ³	2.8E-16	1.34E-15	µCi/ml	1E-14
alpha	Station 8	11/6/2017	11/13/2017	15120	ft ³	5.2E-16	1.38E-15	µCi/ml	1E-14
alpha	Station 9	11/6/2017	11/13/2017	15120	ft ³	5.2E-16	1.38E-15	µCi/ml	1E-14
alpha	Station 1	11/13/2017	11/20/2017	15120	ft ³	-1.2E-16	8.71E-16	µCi/ml	1E-14
alpha	Station 2	11/13/2017	11/20/2017	15120	ft ³	4E-16	1.01E-15	µCi/ml	1E-14
alpha	Station 3	11/13/2017	11/20/2017	15120	ft ³	4E-16	1.01E-15	µCi/ml	1E-14
alpha	Station 4	11/13/2017	11/20/2017	15120	ft ³	-4E-16	7.85E-16	µCi/ml	1E-14
alpha	Station 5	11/13/2017	11/20/2017	15120	ft ³	-2.8E-16	8.23E-16	µCi/ml	1E-14
alpha	Station 6	11/13/2017	11/20/2017	15120	ft ³	-1.2E-16	8.71E-16	µCi/ml	1E-14
alpha	Station 7	11/13/2017	11/20/2017	15120	ft ³	-4E-16	7.85E-16	µCi/ml	1E-14
alpha	Station 8	11/13/2017	11/20/2017	15120	ft ³	-4E-16	7.85E-16	µCi/ml	1E-14
alpha	Station 9	11/13/2017	11/20/2017	15120	ft ³	2.28E-15	1.41E-15	µCi/ml	1E-14
alpha	Station 1	11/20/2017	11/27/2017	15120	ft ³	1.6E-15	1.23E-15	µCi/ml	1E-14
alpha	Station 2	11/20/2017	11/27/2017	15120	ft ³	2.12E-15	1.34E-15	µCi/ml	1E-14
alpha	Station 3	11/20/2017	11/27/2017	15120	ft ³	1.2E-15	1.15E-15	µCi/ml	1E-14
alpha	Station 4	11/20/2017	11/27/2017	15120	ft ³	1.04E-15	1.11E-15	µCi/ml	1E-14
alpha	Station 5	11/20/2017	11/27/2017	15120	ft ³	2.12E-15	1.34E-15	µCi/ml	1E-14
alpha	Station 6	11/20/2017	11/27/2017	15120	ft ³	1.84E-15	1.28E-15	µCi/ml	1E-14
alpha	Station 7	11/20/2017	11/27/2017	15120	ft ³	2.4E-16	9.06E-16	µCi/ml	1E-14
alpha	Station 8	11/20/2017	11/27/2017	15120	ft ³	1.04E-15	1.11E-15	µCi/ml	1E-14
alpha	Station 9	11/20/2017	11/27/2017	15120	ft ³	9.21E-16	1.08E-15	µCi/ml	1E-14
alpha	Station 1	11/27/2017	12/4/2017	15120	ft ³	6.4E-16	7.85E-16	µCi/ml	1E-14
alpha	Station 2	11/27/2017	12/4/2017	15120	ft ³	2.8E-15	1.31E-15	µCi/ml	1E-14
alpha	Station 3	11/27/2017	12/4/2017	15120	ft ³	1.72E-15	1.08E-15	µCi/ml	1E-14
alpha	Station 4	11/27/2017	12/4/2017	15120	ft ³	4E-16	7.02E-16	µCi/ml	1E-14
alpha	Station 5	11/27/2017	12/4/2017	15120	ft ³	1.6E-15	1.05E-15	µCi/ml	1E-14
alpha	Station 6	11/27/2017	12/4/2017	15120	ft ³	1.84E-15	1.11E-15	µCi/ml	1E-14
alpha	Station 7	11/27/2017	12/4/2017	15120	ft ³	9.21E-16	8.71E-16	µCi/ml	1E-14

Environmental Air

Analysis	Location	Start Day	Stop Day	Air Volume	Volume Units	Result	Uncertainty (95% Conf.)	Concentration Units	Investigation Level
alpha	Station 8	11/27/2017	12/4/2017	15120	ft ³	8.01E-16	8.35E-16	μCi/ml	1E-14
alpha	Station 9	11/27/2017	12/4/2017	15120	ft ³	1.32E-15	9.82E-16	μCi/ml	1E-14
alpha	Station 1	12/4/2017	12/11/2017	15120	ft ³	1.2E-15	1.2E-15	μCi/ml	1E-14
alpha	Station 2	12/4/2017	12/11/2017	15120	ft ³	2.52E-15	1.45E-15	μCi/ml	1E-14
alpha	Station 3	12/4/2017	12/11/2017	15120	ft ³	2E-15	1.36E-15	μCi/ml	1E-14
alpha	Station 4	12/4/2017	12/11/2017	15120	ft ³	1.72E-15	1.31E-15	μCi/ml	1E-14
alpha	Station 5	12/4/2017	12/11/2017	15120	ft ³	1.32E-15	1.22E-15	μCi/ml	1E-14
alpha	Station 6	12/4/2017	12/11/2017	15120	ft ³	6.81E-16	1.08E-15	μCi/ml	1E-14
alpha	Station 7	12/4/2017	12/11/2017	15120	ft ³	8.01E-16	1.11E-15	μCi/ml	1E-14
alpha	Station 8	12/4/2017	12/11/2017	15120	ft ³	2.4E-15	1.43E-15	μCi/ml	1E-14
alpha	Station 9	12/4/2017	12/11/2017	15120	ft ³	1.2E-15	1.2E-15	μCi/ml	1E-14
alpha	Station 1	12/11/2017	12/18/2017	15120	ft ³	2.68E-15	1.38E-15	μCi/ml	1E-14
alpha	Station 2	12/11/2017	12/18/2017	15120	ft ³	2.56E-15	1.36E-15	μCi/ml	1E-14
alpha	Station 3	12/11/2017	12/18/2017	15120	ft ³	2.56E-15	1.36E-15	μCi/ml	1E-14
alpha	Station 4	12/11/2017	12/18/2017	15120	ft ³	1.36E-15	1.11E-15	μCi/ml	1E-14
alpha	Station 5	12/11/2017	12/18/2017	15120	ft ³	2.68E-15	1.38E-15	μCi/ml	1E-14
alpha	Station 6	12/11/2017	12/18/2017	15120	ft ³	1.88E-15	1.22E-15	μCi/ml	1E-14
alpha	Station 7	12/11/2017	12/18/2017	15120	ft ³	1.88E-15	1.22E-15	μCi/ml	1E-14
alpha	Station 8	12/11/2017	12/18/2017	15120	ft ³	1.88E-15	1.22E-15	μCi/ml	1E-14
alpha	Station 9	12/11/2017	12/18/2017	15120	ft ³	1.6E-15	1.16E-15	μCi/ml	1E-14
alpha	Station 1	12/18/2017	12/27/2017	19440	ft ³	1.15E-15	8.84E-16	μCi/ml	1E-14
alpha	Station 2	12/18/2017	12/27/2017	19440	ft ³	2.18E-16	6.4E-16	μCi/ml	1E-14
alpha	Station 3	12/18/2017	12/27/2017	19440	ft ³	5.29E-16	7.31E-16	μCi/ml	1E-14
alpha	Station 4	12/18/2017	12/27/2017	19440	ft ³	2.18E-16	6.4E-16	μCi/ml	1E-14
alpha	Station 5	12/18/2017	12/27/2017	19440	ft ³	1.25E-16	6.1E-16	μCi/ml	1E-14
alpha	Station 6	12/18/2017	12/27/2017	19440	ft ³	-1.87E-16	4.98E-16	μCi/ml	1E-14
alpha	Station 7	12/18/2017	12/27/2017	19440	ft ³	2.18E-16	6.4E-16	μCi/ml	1E-14
alpha	Station 8	12/18/2017	12/27/2017	19440	ft ³	0	5.68E-16	μCi/ml	1E-14
alpha	Station 9	12/18/2017	12/27/2017	19440	ft ³	-1.87E-16	4.98E-16	μCi/ml	1E-14
alpha	Station 1	12/27/2017	1/2/2018	12960	ft ³	4.67E-16	1.34E-15	μCi/ml	1E-14
alpha	Station 2	12/27/2017	1/2/2018	12960	ft ³	6.07E-16	1.37E-15	μCi/ml	1E-14
alpha	Station 3	12/27/2017	1/2/2018	12960	ft ³	6.07E-16	1.37E-15	μCi/ml	1E-14
alpha	Station 4	12/27/2017	1/2/2018	12960	ft ³	0	1.23E-15	μCi/ml	1E-14
alpha	Station 5	12/27/2017	1/2/2018	12960	ft ³	-1.87E-16	1.18E-15	μCi/ml	1E-14
alpha	Station 6	12/27/2017	1/2/2018	12960	ft ³	9.34E-16	1.44E-15	μCi/ml	1E-14
alpha	Station 7	12/27/2017	1/2/2018	12960	ft ³	0	1.23E-15	μCi/ml	1E-14
alpha	Station 8	12/27/2017	1/2/2018	12960	ft ³	2.8E-16	1.29E-15	μCi/ml	1E-14
alpha	Station 9	12/27/2017	1/2/2018	12960	ft ³	0	1.23E-15	μCi/ml	1E-14
beta	Station 1	1/3/2017	1/10/2017	14940	ft ³	4.45E-14	4.28E-15	μCi/ml	1E-13
beta	Station 2	1/3/2017	1/10/2017	14940	ft ³	4.41E-14	4.26E-15	μCi/ml	1E-13
beta	Station 3	1/3/2017	1/10/2017	14940	ft ³	4.48E-14	4.29E-15	μCi/ml	1E-13
beta	Station 4	1/3/2017	1/10/2017	14940	ft ³	5E-14	4.51E-15	μCi/ml	1E-13
beta	Station 5	1/3/2017	1/10/2017	14940	ft ³	4.25E-14	4.19E-15	μCi/ml	1E-13

Environmental Air

Analysis	Location	Start Day	Stop Day	Air Volume	Volume Units	Result	Uncertainty (95% Conf.)	Concentration Units	Investigation Level
beta	Station 6	1/3/2017	1/10/2017	14940	ft ³	4.38E-14	4.25E-15	μCi/ml	1E-13
beta	Station 7	1/3/2017	1/10/2017	14940	ft ³	4.03E-14	4.09E-15	μCi/ml	1E-13
beta	Station 8	1/3/2017	1/10/2017	14940	ft ³	4.13E-14	4.14E-15	μCi/ml	1E-13
beta	Station 9	1/3/2017	1/10/2017	14940	ft ³	4.14E-14	4.14E-15	μCi/ml	1E-13
beta	Station 1	1/10/2017	1/16/2017	12780	ft ³	6.03E-14	5.44E-15	μCi/ml	1E-13
beta	Station 2	1/10/2017	1/16/2017	12780	ft ³	5.23E-14	5.15E-15	μCi/ml	1E-13
beta	Station 3	1/10/2017	1/16/2017	12780	ft ³	4.81E-14	4.93E-15	μCi/ml	1E-13
beta	Station 4	1/10/2017	1/16/2017	12780	ft ³	5.37E-14	5.18E-15	μCi/ml	1E-13
beta	Station 5	1/10/2017	1/16/2017	12780	ft ³	5.25E-14	5.12E-15	μCi/ml	1E-13
beta	Station 6	1/10/2017	1/16/2017	12780	ft ³	5.04E-14	5.03E-15	μCi/ml	1E-13
beta	Station 7	1/10/2017	1/16/2017	12780	ft ³	5.24E-14	5.12E-15	μCi/ml	1E-13
beta	Station 8	1/10/2017	1/16/2017	12780	ft ³	5.19E-14	5.1E-15	μCi/ml	1E-13
beta	Station 9	1/10/2017	1/16/2017	12780	ft ³	5.45E-14	5.21E-15	μCi/ml	1E-13
beta	Station 1	1/16/2017	1/23/2017	15120	ft ³	5.42E-14	4.63E-15	μCi/ml	1E-13
beta	Station 2	1/16/2017	1/23/2017	15120	ft ³	5.31E-14	4.59E-15	μCi/ml	1E-13
beta	Station 3	1/16/2017	1/23/2017	15120	ft ³	5.63E-14	4.71E-15	μCi/ml	1E-13
beta	Station 4	1/16/2017	1/23/2017	15120	ft ³	5.37E-14	4.61E-15	μCi/ml	1E-13
beta	Station 5	1/16/2017	1/23/2017	15120	ft ³	5.36E-14	4.61E-15	μCi/ml	1E-13
beta	Station 6	1/16/2017	1/23/2017	15120	ft ³	5.85E-14	4.8E-15	μCi/ml	1E-13
beta	Station 7	1/16/2017	1/23/2017	15120	ft ³	5.55E-14	4.68E-15	μCi/ml	1E-13
beta	Station 8	1/16/2017	1/23/2017	15120	ft ³	5.09E-14	4.5E-15	μCi/ml	1E-13
beta	Station 9	1/16/2017	1/23/2017	15120	ft ³	5.44E-14	4.64E-15	μCi/ml	1E-13
beta	Station 1	1/23/2017	1/30/2017	15030	ft ³	2.62E-14	3.35E-15	μCi/ml	1E-13
beta	Station 2	1/23/2017	1/30/2017	15030	ft ³	2.15E-14	3.08E-15	μCi/ml	1E-13
beta	Station 3	1/23/2017	1/30/2017	15030	ft ³	2.34E-14	3.2E-15	μCi/ml	1E-13
beta	Station 4	1/23/2017	1/30/2017	15030	ft ³	2.14E-14	3.08E-15	μCi/ml	1E-13
beta	Station 5	1/23/2017	1/30/2017	15030	ft ³	2E-14	2.99E-15	μCi/ml	1E-13
beta	Station 6	1/23/2017	1/30/2017	15030	ft ³	2.41E-14	3.23E-15	μCi/ml	1E-13
beta	Station 7	1/23/2017	1/30/2017	15030	ft ³	2.18E-14	3.1E-15	μCi/ml	1E-13
beta	Station 8	1/23/2017	1/30/2017	15030	ft ³	2.45E-14	3.26E-15	μCi/ml	1E-13
beta	Station 9	1/23/2017	1/30/2017	15030	ft ³	2.21E-14	3.12E-15	μCi/ml	1E-13
beta	Station 1	1/30/2017	2/6/2017	15120	ft ³	2.56E-14	3.29E-15	μCi/ml	1E-13
beta	Station 2	1/30/2017	2/6/2017	15120	ft ³	2.56E-14	3.28E-15	μCi/ml	1E-13
beta	Station 3	1/30/2017	2/6/2017	15120	ft ³	2.53E-14	3.27E-15	μCi/ml	1E-13
beta	Station 4	1/30/2017	2/6/2017	15120	ft ³	2.35E-14	3.16E-15	μCi/ml	1E-13
beta	Station 5	1/30/2017	2/6/2017	15120	ft ³	2.49E-14	3.25E-15	μCi/ml	1E-13
beta	Station 6	1/30/2017	2/6/2017	15120	ft ³	2.56E-14	3.29E-15	μCi/ml	1E-13
beta	Station 7	1/30/2017	2/6/2017	15120	ft ³	2.62E-14	3.32E-15	μCi/ml	1E-13
beta	Station 8	1/30/2017	2/6/2017	15120	ft ³	2.47E-14	3.24E-15	μCi/ml	1E-13
beta	Station 9	1/30/2017	2/6/2017	15120	ft ³	2.44E-14	3.22E-15	μCi/ml	1E-13
beta	Station 1	2/6/2017	2/13/2017	15120	ft ³	1.75E-14	3.2E-15	μCi/ml	1E-13
beta	Station 2	2/6/2017	2/13/2017	15120	ft ³	1.5E-14	3.06E-15	μCi/ml	1E-13
beta	Station 3	2/6/2017	2/13/2017	15120	ft ³	1.21E-14	2.88E-15	μCi/ml	1E-13

Environmental Air

Analysis	Location	Start Day	Stop Day	Air Volume	Volume Units	Result	Uncertainty (95% Conf.)	Concentration Units	Investigation Level
beta	Station 4	2/6/2017	2/13/2017	15120	ft ³	1.27E-14	2.92E-15	μCi/ml	1E-13
beta	Station 5	2/6/2017	2/13/2017	15120	ft ³	1.19E-14	2.87E-15	μCi/ml	1E-13
beta	Station 6	2/6/2017	2/13/2017	15120	ft ³	1.39E-14	2.99E-15	μCi/ml	1E-13
beta	Station 7	2/6/2017	2/13/2017	15120	ft ³	1.01E-14	2.75E-15	μCi/ml	1E-13
beta	Station 8	2/6/2017	2/13/2017	15120	ft ³	1.29E-14	2.93E-15	μCi/ml	1E-13
beta	Station 9	2/6/2017	2/13/2017	15120	ft ³	1.37E-14	2.98E-15	μCi/ml	1E-13
beta	Station 1	2/13/2017	2/21/2017	17280	ft ³	2.08E-14	2.81E-15	μCi/ml	1E-13
beta	Station 2	2/13/2017	2/21/2017	17280	ft ³	1.8E-14	2.65E-15	μCi/ml	1E-13
beta	Station 3	2/13/2017	2/21/2017	17280	ft ³	2.07E-14	2.81E-15	μCi/ml	1E-13
beta	Station 4	2/13/2017	2/21/2017	17280	ft ³	1.88E-14	2.7E-15	μCi/ml	1E-13
beta	Station 5	2/13/2017	2/21/2017	17280	ft ³	1.85E-14	2.68E-15	μCi/ml	1E-13
beta	Station 6	2/13/2017	2/21/2017	17280	ft ³	2.06E-14	2.8E-15	μCi/ml	1E-13
beta	Station 7	2/13/2017	2/21/2017	17280	ft ³	1.88E-14	2.7E-15	μCi/ml	1E-13
beta	Station 8	2/13/2017	2/21/2017	17280	ft ³	1.78E-14	2.64E-15	μCi/ml	1E-13
beta	Station 9	2/13/2017	2/21/2017	17280	ft ³	2.13E-14	2.84E-15	μCi/ml	1E-13
beta	Station 1	2/21/2017	2/27/2017	12960	ft ³	1.81E-14	3.08E-15	μCi/ml	1E-13
beta	Station 2	2/21/2017	2/27/2017	12960	ft ³	1.54E-14	2.89E-15	μCi/ml	1E-13
beta	Station 3	2/21/2017	2/27/2017	12960	ft ³	1.62E-14	2.95E-15	μCi/ml	1E-13
beta	Station 4	2/21/2017	2/27/2017	12960	ft ³	1.56E-14	2.9E-15	μCi/ml	1E-13
beta	Station 5	2/21/2017	2/27/2017	12960	ft ³	1.68E-14	2.99E-15	μCi/ml	1E-13
beta	Station 6	2/21/2017	2/27/2017	12960	ft ³	1.71E-14	3.01E-15	μCi/ml	1E-13
beta	Station 7	2/21/2017	2/27/2017	12960	ft ³	1.38E-14	2.76E-15	μCi/ml	1E-13
beta	Station 8	2/21/2017	2/27/2017	12960	ft ³	1.53E-14	2.88E-15	μCi/ml	1E-13
beta	Station 9	2/21/2017	2/27/2017	12960	ft ³	1.52E-14	2.87E-15	μCi/ml	1E-13
beta	Station 1	2/27/2017	3/6/2017	15120	ft ³	1.56E-14	2.63E-15	μCi/ml	1E-13
beta	Station 2	2/27/2017	3/6/2017	15120	ft ³	1.15E-14	2.33E-15	μCi/ml	1E-13
beta	Station 3	2/27/2017	3/6/2017	15120	ft ³	1.25E-14	2.41E-15	μCi/ml	1E-13
beta	Station 4	2/27/2017	3/6/2017	15120	ft ³	1.13E-14	2.32E-15	μCi/ml	1E-13
beta	Station 5	2/27/2017	3/6/2017	15120	ft ³	1.3E-14	2.45E-15	μCi/ml	1E-13
beta	Station 6	2/27/2017	3/6/2017	15120	ft ³	1.27E-14	2.43E-15	μCi/ml	1E-13
beta	Station 7	2/27/2017	3/6/2017	15120	ft ³	1.12E-14	2.31E-15	μCi/ml	1E-13
beta	Station 8	2/27/2017	3/6/2017	15120	ft ³	1.05E-14	2.26E-15	μCi/ml	1E-13
beta	Station 9	2/27/2017	3/6/2017	15120	ft ³	1.22E-14	2.39E-15	μCi/ml	1E-13
beta	Station 1	3/6/2017	3/13/2017	15030	ft ³	1.65E-14	2.86E-15	μCi/ml	1E-13
beta	Station 2	3/6/2017	3/13/2017	15030	ft ³	1.76E-14	2.93E-15	μCi/ml	1E-13
beta	Station 3	3/6/2017	3/13/2017	15030	ft ³	6.39E-15	2.11E-15	μCi/ml	1E-13
beta	Station 4	3/6/2017	3/13/2017	15030	ft ³	1.69E-14	2.88E-15	μCi/ml	1E-13
beta	Station 5	3/6/2017	3/13/2017	15030	ft ³	1.38E-14	2.68E-15	μCi/ml	1E-13
beta	Station 6	3/6/2017	3/13/2017	15030	ft ³	1.54E-14	2.79E-15	μCi/ml	1E-13
beta	Station 7	3/6/2017	3/13/2017	15030	ft ³	1.46E-14	2.73E-15	μCi/ml	1E-13
beta	Station 8	3/6/2017	3/13/2017	15030	ft ³	1.5E-14	2.76E-15	μCi/ml	1E-13
beta	Station 9	3/6/2017	3/13/2017	15030	ft ³	1.46E-14	2.73E-15	μCi/ml	1E-13
beta	Station 1	3/13/2017	3/20/2017	15120	ft ³	2.2E-14	3.14E-15	μCi/ml	1E-13

Environmental Air

Analysis	Location	Start Day	Stop Day	Air Volume	Volume Units	Result	Uncertainty (95% Conf.)	Concentration Units	Investigation Level
beta	Station 2	3/13/2017	3/20/2017	15120	ft ³	2.94E-14	3.54E-15	μCi/ml	1E-13
beta	Station 3	3/13/2017	3/20/2017	15120	ft ³	2.95E-14	3.55E-15	μCi/ml	1E-13
beta	Station 4	3/13/2017	3/20/2017	15120	ft ³	2.05E-14	3.05E-15	μCi/ml	1E-13
beta	Station 5	3/13/2017	3/20/2017	15120	ft ³	2.1E-14	3.08E-15	μCi/ml	1E-13
beta	Station 6	3/13/2017	3/20/2017	15120	ft ³	2.09E-14	3.07E-15	μCi/ml	1E-13
beta	Station 7	3/13/2017	3/20/2017	15120	ft ³	2.02E-14	3.03E-15	μCi/ml	1E-13
beta	Station 8	3/13/2017	3/20/2017	15120	ft ³	1.89E-14	2.95E-15	μCi/ml	1E-13
beta	Station 9	3/13/2017	3/20/2017	15120	ft ³	1.78E-14	2.88E-15	μCi/ml	1E-13
beta	Station 1	3/20/2017	3/27/2017	15120	ft ³	1.87E-14	2.82E-15	μCi/ml	1E-13
beta	Station 2	3/20/2017	3/27/2017	15120	ft ³	1.95E-14	2.87E-15	μCi/ml	1E-13
beta	Station 3	3/20/2017	3/27/2017	15120	ft ³	2.13E-14	2.98E-15	μCi/ml	1E-13
beta	Station 4	3/20/2017	3/27/2017	15120	ft ³	1.84E-14	2.8E-15	μCi/ml	1E-13
beta	Station 5	3/20/2017	3/27/2017	15120	ft ³	2.14E-14	2.98E-15	μCi/ml	1E-13
beta	Station 6	3/20/2017	3/27/2017	15120	ft ³	1.85E-14	2.8E-15	μCi/ml	1E-13
beta	Station 7	3/20/2017	3/27/2017	15120	ft ³	1.82E-14	2.78E-15	μCi/ml	1E-13
beta	Station 8	3/20/2017	3/27/2017	15120	ft ³	1.84E-14	2.8E-15	μCi/ml	1E-13
beta	Station 9	3/20/2017	3/27/2017	15120	ft ³	1.69E-14	2.7E-15	μCi/ml	1E-13
beta	Station 1	3/27/2017	4/3/2017	15120	ft ³	1.43E-14	2.45E-15	μCi/ml	1E-13
beta	Station 2	3/27/2017	4/3/2017	15120	ft ³	1.51E-14	2.51E-15	μCi/ml	1E-13
beta	Station 3	3/27/2017	4/3/2017	15120	ft ³	2.09E-14	2.9E-15	μCi/ml	1E-13
beta	Station 4	3/27/2017	4/3/2017	15120	ft ³	1.78E-14	2.7E-15	μCi/ml	1E-13
beta	Station 5	3/27/2017	4/3/2017	15120	ft ³	1.55E-14	2.53E-15	μCi/ml	1E-13
beta	Station 6	3/27/2017	4/3/2017	15120	ft ³	1.49E-14	2.49E-15	μCi/ml	1E-13
beta	Station 7	3/27/2017	4/3/2017	15120	ft ³	1.67E-14	2.62E-15	μCi/ml	1E-13
beta	Station 8	3/27/2017	4/3/2017	15120	ft ³	1.31E-14	2.36E-15	μCi/ml	1E-13
beta	Station 9	3/27/2017	4/3/2017	15120	ft ³	1.52E-14	2.51E-15	μCi/ml	1E-13
beta	Station 1	4/3/2017	4/10/2017	15120	ft ³	2.78E-14	3.77E-15	μCi/ml	1E-13
beta	Station 2	4/3/2017	4/10/2017	15120	ft ³	1.76E-14	3.24E-15	μCi/ml	1E-13
beta	Station 3	4/3/2017	4/10/2017	15120	ft ³	2.29E-14	3.53E-15	μCi/ml	1E-13
beta	Station 4	4/3/2017	4/10/2017	15120	ft ³	2.15E-14	3.45E-15	μCi/ml	1E-13
beta	Station 5	4/3/2017	4/10/2017	15120	ft ³	2.06E-14	3.41E-15	μCi/ml	1E-13
beta	Station 6	4/3/2017	4/10/2017	15120	ft ³	2E-14	3.38E-15	μCi/ml	1E-13
beta	Station 7	4/3/2017	4/10/2017	15120	ft ³	1.75E-14	3.24E-15	μCi/ml	1E-13
beta	Station 8	4/3/2017	4/10/2017	15120	ft ³	1.76E-14	3.24E-15	μCi/ml	1E-13
beta	Station 9	4/3/2017	4/10/2017	15120	ft ³	1.78E-14	3.26E-15	μCi/ml	1E-13
beta	Station 1	4/10/2017	4/17/2017	15120	ft ³	1.11E-14	2.59E-15	μCi/ml	1E-13
beta	Station 2	4/10/2017	4/17/2017	15120	ft ³	1.57E-14	2.89E-15	μCi/ml	1E-13
beta	Station 3	4/10/2017	4/17/2017	15120	ft ³	1.6E-14	2.91E-15	μCi/ml	1E-13
beta	Station 4	4/10/2017	4/17/2017	15120	ft ³	1.37E-14	2.76E-15	μCi/ml	1E-13
beta	Station 5	4/10/2017	4/17/2017	15120	ft ³	1.68E-14	2.96E-15	μCi/ml	1E-13
beta	Station 6	4/10/2017	4/17/2017	15120	ft ³	1.17E-14	2.63E-15	μCi/ml	1E-13
beta	Station 7	4/10/2017	4/17/2017	15120	ft ³	1.26E-14	2.69E-15	μCi/ml	1E-13
beta	Station 8	4/10/2017	4/17/2017	15120	ft ³	1.39E-14	2.77E-15	μCi/ml	1E-13

Environmental Air

Analysis	Location	Start Day	Stop Day	Air Volume	Volume Units	Result	Uncertainty (95% Conf.)	Concentration Units	Investigation Level
beta	Station 9	4/10/2017	4/17/2017	15120	ft ³	1.21E-14	2.66E-15	μCi/ml	1E-13
beta	Station 1	4/17/2017	4/24/2017	15120	ft ³	1.25E-14	2.65E-15	μCi/ml	1E-13
beta	Station 2	4/17/2017	4/24/2017	15120	ft ³	9.58E-15	2.43E-15	μCi/ml	1E-13
beta	Station 3	4/17/2017	4/24/2017	15120	ft ³	1.13E-14	2.56E-15	μCi/ml	1E-13
beta	Station 4	4/17/2017	4/24/2017	15120	ft ³	1.08E-14	2.53E-15	μCi/ml	1E-13
beta	Station 5	4/17/2017	4/24/2017	15120	ft ³	1.17E-14	2.59E-15	μCi/ml	1E-13
beta	Station 6	4/17/2017	4/24/2017	15120	ft ³	9.77E-15	2.45E-15	μCi/ml	1E-13
beta	Station 7	4/17/2017	4/24/2017	15120	ft ³	1.01E-14	2.48E-15	μCi/ml	1E-13
beta	Station 8	4/17/2017	4/24/2017	15120	ft ³	1.31E-14	2.69E-15	μCi/ml	1E-13
beta	Station 9	4/17/2017	4/24/2017	15120	ft ³	9.01E-15	2.39E-15	μCi/ml	1E-13
beta	Station 1	4/24/2017	5/1/2017	15120	ft ³	1.25E-14	2.51E-15	μCi/ml	1E-13
beta	Station 2	4/24/2017	5/1/2017	15120	ft ³	1.18E-14	2.46E-15	μCi/ml	1E-13
beta	Station 3	4/24/2017	5/1/2017	15120	ft ³	1.5E-14	2.68E-15	μCi/ml	1E-13
beta	Station 4	4/24/2017	5/1/2017	15120	ft ³	1.37E-14	2.59E-15	μCi/ml	1E-13
beta	Station 5	4/24/2017	5/1/2017	15120	ft ³	1.22E-14	2.48E-15	μCi/ml	1E-13
beta	Station 6	4/24/2017	5/1/2017	15120	ft ³	1.01E-14	2.33E-15	μCi/ml	1E-13
beta	Station 7	4/24/2017	5/1/2017	15120	ft ³	1.05E-14	2.36E-15	μCi/ml	1E-13
beta	Station 8	4/24/2017	5/1/2017	15120	ft ³	1.01E-14	2.33E-15	μCi/ml	1E-13
beta	Station 9	4/24/2017	5/1/2017	15120	ft ³	1.42E-14	2.63E-15	μCi/ml	1E-13
beta	Station 1	5/1/2017	5/8/2017	15120	ft ³	1.87E-14	3.27E-15	μCi/ml	1E-13
beta	Station 2	5/1/2017	5/8/2017	15120	ft ³	1.33E-14	2.96E-15	μCi/ml	1E-13
beta	Station 3	5/1/2017	5/8/2017	15120	ft ³	1.65E-14	3.15E-15	μCi/ml	1E-13
beta	Station 4	5/1/2017	5/8/2017	15120	ft ³	1.8E-14	3.23E-15	μCi/ml	1E-13
beta	Station 5	5/1/2017	5/8/2017	15120	ft ³	1.72E-14	3.19E-15	μCi/ml	1E-13
beta	Station 6	5/1/2017	5/8/2017	15120	ft ³	1.7E-14	3.18E-15	μCi/ml	1E-13
beta	Station 7	5/1/2017	5/8/2017	15120	ft ³	1.46E-14	3.04E-15	μCi/ml	1E-13
beta	Station 8	5/1/2017	5/8/2017	15120	ft ³	1.54E-14	3.08E-15	μCi/ml	1E-13
beta	Station 9	5/1/2017	5/8/2017	15120	ft ³	1.29E-14	2.93E-15	μCi/ml	1E-13
beta	Station 1	5/8/2017	5/15/2017	15120	ft ³	2.06E-14	3.08E-15	μCi/ml	1E-13
beta	Station 2	5/8/2017	5/15/2017	15120	ft ³	1.64E-14	2.81E-15	μCi/ml	1E-13
beta	Station 3	5/8/2017	5/15/2017	15120	ft ³	2.41E-14	3.27E-15	μCi/ml	1E-13
beta	Station 4	5/8/2017	5/15/2017	15120	ft ³	1.99E-14	3.04E-15	μCi/ml	1E-13
beta	Station 5	5/8/2017	5/15/2017	15120	ft ³	1.85E-14	2.95E-15	μCi/ml	1E-13
beta	Station 6	5/8/2017	5/15/2017	15120	ft ³	2.27E-14	3.2E-15	μCi/ml	1E-13
beta	Station 7	5/8/2017	5/15/2017	15120	ft ³	1.82E-14	2.93E-15	μCi/ml	1E-13
beta	Station 8	5/8/2017	5/15/2017	15120	ft ³	1.74E-14	2.88E-15	μCi/ml	1E-13
beta	Station 9	5/8/2017	5/15/2017	15120	ft ³	2.02E-14	3.05E-15	μCi/ml	1E-13
beta	Station 1	5/15/2017	5/22/2017	15120	ft ³	2.1E-14	3.18E-15	μCi/ml	1E-13
beta	Station 2	5/15/2017	5/22/2017	15120	ft ³	1.63E-14	2.9E-15	μCi/ml	1E-13
beta	Station 3	5/15/2017	5/22/2017	15120	ft ³	1.77E-14	2.98E-15	μCi/ml	1E-13
beta	Station 4	5/15/2017	5/22/2017	15120	ft ³	1.9E-14	3.06E-15	μCi/ml	1E-13
beta	Station 5	5/15/2017	5/22/2017	15120	ft ³	1.78E-14	2.99E-15	μCi/ml	1E-13
beta	Station 6	5/15/2017	5/22/2017	15120	ft ³	1.62E-14	2.89E-15	μCi/ml	1E-13

Environmental Air

Analysis	Location	Start Day	Stop Day	Air Volume	Volume Units	Result	Uncertainty (95% Conf.)	Concentration Units	Investigation Level
beta	Station 7	5/15/2017	5/22/2017	15120	ft ³	1.54E-14	2.84E-15	μCi/ml	1E-13
beta	Station 8	5/15/2017	5/22/2017	15120	ft ³	1.94E-14	3.08E-15	μCi/ml	1E-13
beta	Station 9	5/15/2017	5/22/2017	15120	ft ³	1.89E-14	3.05E-15	μCi/ml	1E-13
beta	Station 1	5/22/2017	5/30/2017	17280	ft ³	2.64E-14	3.16E-15	μCi/ml	1E-13
beta	Station 2	5/22/2017	5/30/2017	17280	ft ³	2.48E-14	3.07E-15	μCi/ml	1E-13
beta	Station 3	5/22/2017	5/30/2017	17280	ft ³	1.3E-14	2.38E-15	μCi/ml	1E-13
beta	Station 4	5/22/2017	5/30/2017	17280	ft ³	3.1E-14	3.38E-15	μCi/ml	1E-13
beta	Station 5	5/22/2017	5/30/2017	17280	ft ³	2.43E-14	3.05E-15	μCi/ml	1E-13
beta	Station 6	5/22/2017	5/30/2017	17280	ft ³	2.43E-14	3.05E-15	μCi/ml	1E-13
beta	Station 7	5/22/2017	5/30/2017	17280	ft ³	2.27E-14	2.96E-15	μCi/ml	1E-13
beta	Station 8	5/22/2017	5/30/2017	17280	ft ³	2.23E-14	2.94E-15	μCi/ml	1E-13
beta	Station 9	5/22/2017	5/30/2017	17280	ft ³	2.49E-14	3.08E-15	μCi/ml	1E-13
beta	Station 1	5/30/2017	6/5/2017	12960	ft ³	2.69E-14	3.81E-15	μCi/ml	1E-13
beta	Station 2	5/30/2017	6/5/2017	12960	ft ³	2.29E-14	3.58E-15	μCi/ml	1E-13
beta	Station 3	5/30/2017	6/5/2017	12960	ft ³	2.56E-14	3.73E-15	μCi/ml	1E-13
beta	Station 4	5/30/2017	6/5/2017	12960	ft ³	2.29E-14	3.58E-15	μCi/ml	1E-13
beta	Station 5	5/30/2017	6/5/2017	12960	ft ³	2.4E-14	3.64E-15	μCi/ml	1E-13
beta	Station 6	5/30/2017	6/5/2017	12960	ft ³	2.09E-14	3.46E-15	μCi/ml	1E-13
beta	Station 7	5/30/2017	6/5/2017	12960	ft ³	2.69E-14	3.81E-15	μCi/ml	1E-13
beta	Station 8	5/30/2017	6/5/2017	12960	ft ³	2.5E-14	3.7E-15	μCi/ml	1E-13
beta	Station 9	5/30/2017	6/5/2017	12960	ft ³	2.1E-14	3.46E-15	μCi/ml	1E-13
beta	Station 1	6/5/2017	6/12/2017	15120	ft ³	1.89E-14	2.94E-15	μCi/ml	1E-13
beta	Station 2	6/5/2017	6/12/2017	15120	ft ³	1.84E-14	2.9E-15	μCi/ml	1E-13
beta	Station 3	6/5/2017	6/12/2017	15120	ft ³	2.15E-14	3.09E-15	μCi/ml	1E-13
beta	Station 4	6/5/2017	6/12/2017	15120	ft ³	2.49E-14	3.29E-15	μCi/ml	1E-13
beta	Station 5	6/5/2017	6/12/2017	15120	ft ³	2.01E-14	3.01E-15	μCi/ml	1E-13
beta	Station 6	6/5/2017	6/12/2017	15120	ft ³	1.94E-14	2.97E-15	μCi/ml	1E-13
beta	Station 7	6/5/2017	6/12/2017	15120	ft ³	1.75E-14	2.85E-15	μCi/ml	1E-13
beta	Station 8	6/5/2017	6/12/2017	15120	ft ³	2.17E-14	3.1E-15	μCi/ml	1E-13
beta	Station 9	6/5/2017	6/12/2017	15120	ft ³	2.02E-14	3.02E-15	μCi/ml	1E-13
beta	Station 1	6/12/2017	6/19/2017	15120	ft ³	1.38E-14	2.73E-15	μCi/ml	1E-13
beta	Station 2	6/12/2017	6/19/2017	15120	ft ³	1.35E-14	2.71E-15	μCi/ml	1E-13
beta	Station 3	6/12/2017	6/19/2017	15120	ft ³	2.02E-14	3.13E-15	μCi/ml	1E-13
beta	Station 4	6/12/2017	6/19/2017	15120	ft ³	1.54E-14	2.84E-15	μCi/ml	1E-13
beta	Station 5	6/12/2017	6/19/2017	15120	ft ³	1.35E-14	2.71E-15	μCi/ml	1E-13
beta	Station 6	6/12/2017	6/19/2017	15120	ft ³	1.51E-14	2.82E-15	μCi/ml	1E-13
beta	Station 7	6/12/2017	6/19/2017	15120	ft ³	1.21E-14	2.62E-15	μCi/ml	1E-13
beta	Station 8	6/12/2017	6/19/2017	15120	ft ³	1.4E-14	2.75E-15	μCi/ml	1E-13
beta	Station 9	6/12/2017	6/19/2017	15120	ft ³	1.23E-14	2.63E-15	μCi/ml	1E-13
beta	Station 1	6/19/2017	6/26/2017	15120	ft ³	2.61E-14	3.4E-15	μCi/ml	1E-13
beta	Station 2	6/19/2017	6/26/2017	15120	ft ³	2.54E-14	3.36E-15	μCi/ml	1E-13
beta	Station 3	6/19/2017	6/26/2017	15120	ft ³	3.55E-14	3.87E-15	μCi/ml	1E-13
beta	Station 4	6/19/2017	6/26/2017	15120	ft ³	2.88E-14	3.54E-15	μCi/ml	1E-13

Environmental Air

Analysis	Location	Start Day	Stop Day	Air Volume	Volume Units	Result	Uncertainty (95% Conf.)	Concentration Units	Investigation Level
beta	Station 5	6/19/2017	6/26/2017	15120	ft ³	2.55E-14	3.37E-15	μCi/ml	1E-13
beta	Station 6	6/19/2017	6/26/2017	15120	ft ³	2.2E-14	3.17E-15	μCi/ml	1E-13
beta	Station 7	6/19/2017	6/26/2017	15120	ft ³	2.51E-14	3.34E-15	μCi/ml	1E-13
beta	Station 8	6/19/2017	6/26/2017	15120	ft ³	2.58E-14	3.38E-15	μCi/ml	1E-13
beta	Station 9	6/19/2017	6/26/2017	15120	ft ³	2.34E-14	3.25E-15	μCi/ml	1E-13
beta	Station 1	6/26/2017	7/5/2017	19224	ft ³	2.27E-14	2.72E-15	μCi/ml	1E-13
beta	Station 2	6/26/2017	7/5/2017	19224	ft ³	2.06E-14	2.61E-15	μCi/ml	1E-13
beta	Station 3	6/26/2017	7/5/2017	19224	ft ³	2.02E-14	2.59E-15	μCi/ml	1E-13
beta	Station 4	6/26/2017	7/5/2017	19224	ft ³	2.08E-14	2.62E-15	μCi/ml	1E-13
beta	Station 5	6/26/2017	7/5/2017	19224	ft ³	1.89E-14	2.51E-15	μCi/ml	1E-13
beta	Station 6	6/26/2017	7/5/2017	19224	ft ³	1.88E-14	2.51E-15	μCi/ml	1E-13
beta	Station 7	6/26/2017	7/5/2017	19224	ft ³	2.06E-14	2.61E-15	μCi/ml	1E-13
beta	Station 8	6/26/2017	7/5/2017	19224	ft ³	1.98E-14	2.57E-15	μCi/ml	1E-13
beta	Station 9	6/26/2017	7/5/2017	19224	ft ³	1.99E-14	2.57E-15	μCi/ml	1E-13
beta	Station 1	7/5/2017	7/10/2017	10800	ft ³	3.45E-14	4.71E-15	μCi/ml	1E-13
beta	Station 2	7/5/2017	7/10/2017	10800	ft ³	3.29E-14	4.63E-15	μCi/ml	1E-13
beta	Station 3	7/5/2017	7/10/2017	10800	ft ³	2.77E-14	4.33E-15	μCi/ml	1E-13
beta	Station 4	7/5/2017	7/10/2017	10800	ft ³	3.63E-14	4.81E-15	μCi/ml	1E-13
beta	Station 5	7/5/2017	7/10/2017	10800	ft ³	2.79E-14	4.34E-15	μCi/ml	1E-13
beta	Station 6	7/5/2017	7/10/2017	10800	ft ³	3.01E-14	4.47E-15	μCi/ml	1E-13
beta	Station 7	7/5/2017	7/10/2017	10800	ft ³	3.14E-14	4.54E-15	μCi/ml	1E-13
beta	Station 8	7/5/2017	7/10/2017	10800	ft ³	2.69E-14	4.28E-15	μCi/ml	1E-13
beta	Station 9	7/5/2017	7/10/2017	10800	ft ³	2.87E-14	4.39E-15	μCi/ml	1E-13
beta	Station 1	7/10/2017	7/17/2017	15120	ft ³	2.06E-14	3.01E-15	μCi/ml	1E-13
beta	Station 2	7/10/2017	7/17/2017	15120	ft ³	1.98E-14	2.96E-15	μCi/ml	1E-13
beta	Station 3	7/10/2017	7/17/2017	15120	ft ³	2.27E-14	3.13E-15	μCi/ml	1E-13
beta	Station 4	7/10/2017	7/17/2017	15120	ft ³	2.39E-14	3.2E-15	μCi/ml	1E-13
beta	Station 5	7/10/2017	7/17/2017	15120	ft ³	2.03E-14	2.99E-15	μCi/ml	1E-13
beta	Station 6	7/10/2017	7/17/2017	15120	ft ³	2.13E-14	3.05E-15	μCi/ml	1E-13
beta	Station 7	7/10/2017	7/17/2017	15120	ft ³	2.04E-14	3E-15	μCi/ml	1E-13
beta	Station 8	7/10/2017	7/17/2017	15120	ft ³	2.07E-14	3.01E-15	μCi/ml	1E-13
beta	Station 9	7/10/2017	7/17/2017	15120	ft ³	1.75E-14	2.81E-15	μCi/ml	1E-13
beta	Station 1	7/17/2017	7/24/2017	13608	ft ³	2.04E-14	3.25E-15	μCi/ml	1E-13
beta	Station 2	7/17/2017	7/24/2017	15120	ft ³	2.06E-14	3.06E-15	μCi/ml	1E-13
beta	Station 3	7/17/2017	7/24/2017	15120	ft ³	1.99E-14	3.02E-15	μCi/ml	1E-13
beta	Station 4	7/17/2017	7/24/2017	15120	ft ³	2.06E-14	3.06E-15	μCi/ml	1E-13
beta	Station 5	7/17/2017	7/24/2017	15120	ft ³	1.84E-14	2.93E-15	μCi/ml	1E-13
beta	Station 6	7/17/2017	7/24/2017	15120	ft ³	1.99E-14	3.02E-15	μCi/ml	1E-13
beta	Station 7	7/17/2017	7/24/2017	15120	ft ³	1.7E-14	2.84E-15	μCi/ml	1E-13
beta	Station 8	7/17/2017	7/24/2017	15120	ft ³	2.26E-14	3.18E-15	μCi/ml	1E-13
beta	Station 9	7/17/2017	7/24/2017	13608	ft ³	2.05E-14	3.26E-15	μCi/ml	1E-13
beta	Station 1	7/24/2017	7/31/2017	13608	ft ³	2.28E-14	3.18E-15	μCi/ml	1E-13
beta	Station 2	7/24/2017	7/31/2017	13608	ft ³	2.17E-14	3.12E-15	μCi/ml	1E-13

Environmental Air

Analysis	Location	Start Day	Stop Day	Air Volume	Volume Units	Result	Uncertainty (95% Conf.)	Concentration Units	Investigation Level
beta	Station 3	7/24/2017	7/31/2017	13608	ft ³	2.11E-14	3.08E-15	μCi/ml	1E-13
beta	Station 4	7/24/2017	7/31/2017	13608	ft ³	2.15E-14	3.1E-15	μCi/ml	1E-13
beta	Station 5	7/24/2017	7/31/2017	13608	ft ³	1.97E-14	3E-15	μCi/ml	1E-13
beta	Station 6	7/24/2017	7/31/2017	13608	ft ³	2.08E-14	3.07E-15	μCi/ml	1E-13
beta	Station 7	7/24/2017	7/31/2017	13608	ft ³	1.95E-14	2.99E-15	μCi/ml	1E-13
beta	Station 8	7/24/2017	7/31/2017	13608	ft ³	2.17E-14	3.12E-15	μCi/ml	1E-13
beta	Station 9	7/24/2017	7/31/2017	13608	ft ³	2.77E-14	3.18E-15	μCi/ml	1E-13
beta	Station 1	7/31/2017	8/7/2017	13608	ft ³	3.65E-14	3.98E-15	μCi/ml	1E-13
beta	Station 2	7/31/2017	8/7/2017	13608	ft ³	3.35E-14	3.85E-15	μCi/ml	1E-13
beta	Station 3	7/31/2017	8/7/2017	13608	ft ³	3.48E-14	3.9E-15	μCi/ml	1E-13
beta	Station 4	7/31/2017	8/7/2017	13608	ft ³	3.64E-14	3.98E-15	μCi/ml	1E-13
beta	Station 5	7/31/2017	8/7/2017	13608	ft ³	3.7E-14	4.01E-15	μCi/ml	1E-13
beta	Station 6	7/31/2017	8/7/2017	13608	ft ³	3.13E-14	3.74E-15	μCi/ml	1E-13
beta	Station 7	7/31/2017	8/7/2017	13608	ft ³	3.02E-14	3.69E-15	μCi/ml	1E-13
beta	Station 8	7/31/2017	8/7/2017	13608	ft ³	3.24E-14	3.79E-15	μCi/ml	1E-13
beta	Station 9	7/31/2017	8/7/2017	13608	ft ³	3.18E-14	3.76E-15	μCi/ml	1E-13
beta	Station 1	8/7/2017	8/14/2017	13608	ft ³	3.82E-14	3.96E-15	μCi/ml	1E-13
beta	Station 2	8/7/2017	8/14/2017	13608	ft ³	3.75E-14	3.93E-15	μCi/ml	1E-13
beta	Station 3	8/7/2017	8/14/2017	13608	ft ³	4.14E-14	4.1E-15	μCi/ml	1E-13
beta	Station 4	8/7/2017	8/14/2017	13608	ft ³	3.83E-14	3.96E-15	μCi/ml	1E-13
beta	Station 5	8/7/2017	8/14/2017	13608	ft ³	3.55E-14	3.83E-15	μCi/ml	1E-13
beta	Station 6	8/7/2017	8/14/2017	13608	ft ³	3.53E-14	3.82E-15	μCi/ml	1E-13
beta	Station 7	8/7/2017	8/14/2017	13608	ft ³	3.55E-14	3.83E-15	μCi/ml	1E-13
beta	Station 8	8/7/2017	8/14/2017	13608	ft ³	3.66E-14	3.88E-15	μCi/ml	1E-13
beta	Station 9	8/7/2017	8/14/2017	13608	ft ³	3.44E-14	3.78E-15	μCi/ml	1E-13
beta	Station 1	8/14/2017	8/21/2017	15120	ft ³	2.63E-14	3.32E-15	μCi/ml	1E-13
beta	Station 2	8/14/2017	8/21/2017	15120	ft ³	2.12E-14	3.03E-15	μCi/ml	1E-13
beta	Station 3	8/14/2017	8/21/2017	15120	ft ³	2.87E-14	3.45E-15	μCi/ml	1E-13
beta	Station 4	8/14/2017	8/21/2017	15120	ft ³	2.7E-14	3.36E-15	μCi/ml	1E-13
beta	Station 5	8/14/2017	8/21/2017	15120	ft ³	2.43E-14	3.21E-15	μCi/ml	1E-13
beta	Station 6	8/14/2017	8/21/2017	15120	ft ³	2.37E-14	3.18E-15	μCi/ml	1E-13
beta	Station 7	8/14/2017	8/21/2017	15120	ft ³	1.97E-14	2.94E-15	μCi/ml	1E-13
beta	Station 8	8/14/2017	8/21/2017	15120	ft ³	2.21E-14	3.09E-15	μCi/ml	1E-13
beta	Station 9	8/14/2017	8/21/2017	15120	ft ³	2.11E-14	3.03E-15	μCi/ml	1E-13
beta	Station 1	8/21/2017	8/28/2017	15120	ft ³	3.01E-14	3.67E-15	μCi/ml	1E-13
beta	Station 2	8/21/2017	8/28/2017	15120	ft ³	2.7E-14	3.51E-15	μCi/ml	1E-13
beta	Station 3	8/21/2017	8/28/2017	15120	ft ³	3.27E-14	3.8E-15	μCi/ml	1E-13
beta	Station 4	8/21/2017	8/28/2017	15120	ft ³	3.34E-14	3.83E-15	μCi/ml	1E-13
beta	Station 5	8/21/2017	8/28/2017	15120	ft ³	3.51E-14	3.91E-15	μCi/ml	1E-13
beta	Station 6	8/21/2017	8/28/2017	15120	ft ³	2.85E-14	3.59E-15	μCi/ml	1E-13
beta	Station 7	8/21/2017	8/28/2017	15120	ft ³	2.65E-14	3.49E-15	μCi/ml	1E-13
beta	Station 8	8/21/2017	8/28/2017	15120	ft ³	2.7E-14	3.51E-15	μCi/ml	1E-13
beta	Station 9	8/21/2017	8/28/2017	15120	ft ³	2.48E-14	3.4E-15	μCi/ml	1E-13

Environmental Air

Analysis	Location	Start Day	Stop Day	Air Volume	Volume Units	Result	Uncertainty (95% Conf.)	Concentration Units	Investigation Level
beta	Station 1	8/28/2017	9/5/2017	17280	ft ³	4.32E-14	3.96E-15	μCi/ml	1E-13
beta	Station 2	8/28/2017	9/5/2017	17280	ft ³	3.22E-14	3.49E-15	μCi/ml	1E-13
beta	Station 3	8/28/2017	9/5/2017	17280	ft ³	4.1E-14	3.87E-15	μCi/ml	1E-13
beta	Station 4	8/28/2017	9/5/2017	17280	ft ³	3.88E-14	3.78E-15	μCi/ml	1E-13
beta	Station 5	8/28/2017	9/5/2017	17280	ft ³	4.15E-14	3.89E-15	μCi/ml	1E-13
beta	Station 6	8/28/2017	9/5/2017	17280	ft ³	3.82E-14	3.75E-15	μCi/ml	1E-13
beta	Station 7	8/28/2017	9/5/2017	17280	ft ³	3.44E-14	3.58E-15	μCi/ml	1E-13
beta	Station 8	8/28/2017	9/5/2017	17280	ft ³	3.81E-14	3.74E-15	μCi/ml	1E-13
beta	Station 9	8/28/2017	9/5/2017	17280	ft ³	3.6E-14	3.65E-15	μCi/ml	1E-13
beta	Station 1	9/5/2017	9/11/2017	12960	ft ³	3.42E-14	4.06E-15	μCi/ml	1E-13
beta	Station 2	9/5/2017	9/11/2017	12960	ft ³	2.81E-14	3.72E-15	μCi/ml	1E-13
beta	Station 3	9/5/2017	9/11/2017	12960	ft ³	3.17E-14	3.92E-15	μCi/ml	1E-13
beta	Station 4	9/5/2017	9/11/2017	12960	ft ³	3.41E-14	4.05E-15	μCi/ml	1E-13
beta	Station 5	9/5/2017	9/11/2017	12960	ft ³	3.52E-14	4.11E-15	μCi/ml	1E-13
beta	Station 6	9/5/2017	9/11/2017	12960	ft ³	3.28E-14	3.98E-15	μCi/ml	1E-13
beta	Station 7	9/5/2017	9/11/2017	12960	ft ³	2.98E-14	3.82E-15	μCi/ml	1E-13
beta	Station 8	9/5/2017	9/11/2017	12960	ft ³	3.61E-14	4.16E-15	μCi/ml	1E-13
beta	Station 9	9/5/2017	9/11/2017	12960	ft ³	3.73E-14	4.22E-15	μCi/ml	1E-13
beta	Station 1	9/11/2017	9/18/2017	15120	ft ³	2.85E-14	3.55E-15	μCi/ml	1E-13
beta	Station 2	9/11/2017	9/18/2017	15120	ft ³	2.1E-14	3.14E-15	μCi/ml	1E-13
beta	Station 3	9/11/2017	9/18/2017	15120	ft ³	2.64E-14	3.44E-15	μCi/ml	1E-13
beta	Station 4	9/11/2017	9/18/2017	15120	ft ³	2.7E-14	3.47E-15	μCi/ml	1E-13
beta	Station 5	9/11/2017	9/18/2017	15120	ft ³	3.03E-14	3.64E-15	μCi/ml	1E-13
beta	Station 6	9/11/2017	9/18/2017	15120	ft ³	2.72E-14	3.48E-15	μCi/ml	1E-13
beta	Station 7	9/11/2017	9/18/2017	15120	ft ³	2.23E-14	3.22E-15	μCi/ml	1E-13
beta	Station 8	9/11/2017	9/18/2017	15120	ft ³	2.49E-14	3.36E-15	μCi/ml	1E-13
beta	Station 9	9/11/2017	9/18/2017	15120	ft ³	2.37E-14	3.3E-15	μCi/ml	1E-13
beta	Station 1	9/18/2017	9/25/2017	15120	ft ³	1.73E-14	3.01E-15	μCi/ml	1E-13
beta	Station 2	9/18/2017	9/25/2017	15120	ft ³	1.36E-14	2.78E-15	μCi/ml	1E-13
beta	Station 3	9/18/2017	9/25/2017	15120	ft ³	1.93E-14	3.13E-15	μCi/ml	1E-13
beta	Station 4	9/18/2017	9/25/2017	15120	ft ³	1.54E-14	2.89E-15	μCi/ml	1E-13
beta	Station 5	9/18/2017	9/25/2017	15120	ft ³	1.77E-14	3.04E-15	μCi/ml	1E-13
beta	Station 6	9/18/2017	9/25/2017	15120	ft ³	1.39E-14	2.8E-15	μCi/ml	1E-13
beta	Station 7	9/18/2017	9/25/2017	15120	ft ³	1.41E-14	2.81E-15	μCi/ml	1E-13
beta	Station 8	9/18/2017	9/25/2017	15120	ft ³	1.53E-14	2.89E-15	μCi/ml	1E-13
beta	Station 9	9/18/2017	9/25/2017	15120	ft ³	1.5E-14	2.87E-15	μCi/ml	1E-13
beta	Station 1	9/25/2017	10/2/2017	15120	ft ³	2.77E-14	3.55E-15	μCi/ml	1E-13
beta	Station 2	9/25/2017	10/2/2017	15120	ft ³	2.41E-14	3.36E-15	μCi/ml	1E-13
beta	Station 3	9/25/2017	10/2/2017	15120	ft ³	3.04E-14	3.69E-15	μCi/ml	1E-13
beta	Station 4	9/25/2017	10/2/2017	15120	ft ³	2.49E-14	3.4E-15	μCi/ml	1E-13
beta	Station 5	9/25/2017	10/2/2017	15120	ft ³	2.94E-14	3.64E-15	μCi/ml	1E-13
beta	Station 6	9/25/2017	10/2/2017	15120	ft ³	2.66E-14	3.49E-15	μCi/ml	1E-13
beta	Station 7	9/25/2017	10/2/2017	15120	ft ³	2.49E-14	3.4E-15	μCi/ml	1E-13

Environmental Air

Analysis	Location	Start Day	Stop Day	Air Volume	Volume Units	Result	Uncertainty (95% Conf.)	Concentration Units	Investigation Level
beta	Station 8	9/25/2017	10/2/2017	15120	ft ³	2.59E-14	3.46E-15	μCi/ml	1E-13
beta	Station 9	9/25/2017	10/2/2017	15120	ft ³	2.26E-14	3.28E-15	μCi/ml	1E-13
beta	Station 1	10/2/2017	10/9/2017	14760	ft ³	2.84E-14	3.55E-15	μCi/ml	1E-13
beta	Station 2	10/2/2017	10/9/2017	14760	ft ³	2.72E-14	3.48E-15	μCi/ml	1E-13
beta	Station 3	10/2/2017	10/9/2017	14760	ft ³	2.86E-14	3.56E-15	μCi/ml	1E-13
beta	Station 4	10/2/2017	10/9/2017	14760	ft ³	3.09E-14	3.67E-15	μCi/ml	1E-13
beta	Station 5	10/2/2017	10/9/2017	14760	ft ³	2.88E-14	3.57E-15	μCi/ml	1E-13
beta	Station 6	10/2/2017	10/9/2017	14760	ft ³	2.49E-14	3.35E-15	μCi/ml	1E-13
beta	Station 7	10/2/2017	10/9/2017	14760	ft ³	2.48E-14	3.35E-15	μCi/ml	1E-13
beta	Station 8	10/2/2017	10/9/2017	14760	ft ³	2.64E-14	3.44E-15	μCi/ml	1E-13
beta	Station 9	10/2/2017	10/9/2017	14760	ft ³	2.75E-14	3.5E-15	μCi/ml	1E-13
beta	Station 1	10/9/2017	10/16/2017	15120	ft ³	2.87E-14	3.51E-15	μCi/ml	1E-13
beta	Station 2	10/9/2017	10/16/2017	15120	ft ³	2.86E-14	3.51E-15	μCi/ml	1E-13
beta	Station 3	10/9/2017	10/16/2017	15120	ft ³	2.92E-14	3.54E-15	μCi/ml	1E-13
beta	Station 4	10/9/2017	10/16/2017	15120	ft ³	3.31E-14	3.74E-15	μCi/ml	1E-13
beta	Station 5	10/9/2017	10/16/2017	15120	ft ³	3.22E-14	3.69E-15	μCi/ml	1E-13
beta	Station 6	10/9/2017	10/16/2017	15120	ft ³	2.94E-14	3.55E-15	μCi/ml	1E-13
beta	Station 7	10/9/2017	10/16/2017	15120	ft ³	2.7E-14	3.42E-15	μCi/ml	1E-13
beta	Station 8	10/9/2017	10/16/2017	15120	ft ³	2.54E-14	3.34E-15	μCi/ml	1E-13
beta	Station 9	10/9/2017	10/16/2017	15120	ft ³	2.45E-14	3.28E-15	μCi/ml	1E-13
beta	Station 1	10/16/2017	10/23/2017	15120	ft ³	1.8E-14	3.03E-15	μCi/ml	1E-13
beta	Station 2	10/16/2017	10/23/2017	15120	ft ³	1.99E-14	3.15E-15	μCi/ml	1E-13
beta	Station 3	10/16/2017	10/23/2017	15120	ft ³	2.83E-14	3.6E-15	μCi/ml	1E-13
beta	Station 4	10/16/2017	10/23/2017	15120	ft ³	2.47E-14	3.41E-15	μCi/ml	1E-13
beta	Station 5	10/16/2017	10/23/2017	15120	ft ³	2.12E-14	3.22E-15	μCi/ml	1E-13
beta	Station 6	10/16/2017	10/23/2017	15120	ft ³	1.83E-14	3.05E-15	μCi/ml	1E-13
beta	Station 7	10/16/2017	10/23/2017	15120	ft ³	1.7E-14	2.97E-15	μCi/ml	1E-13
beta	Station 8	10/16/2017	10/23/2017	15120	ft ³	1.99E-14	3.15E-15	μCi/ml	1E-13
beta	Station 9	10/16/2017	10/23/2017	15120	ft ³	1.86E-14	3.07E-15	μCi/ml	1E-13
beta	Station 1	10/23/2017	10/30/2017	15120	ft ³	3.36E-14	3.73E-15	μCi/ml	1E-13
beta	Station 2	10/23/2017	10/30/2017	15120	ft ³	3.08E-14	3.59E-15	μCi/ml	1E-13
beta	Station 3	10/23/2017	10/30/2017	15120	ft ³	3.48E-14	3.79E-15	μCi/ml	1E-13
beta	Station 4	10/23/2017	10/30/2017	15120	ft ³	2.78E-14	3.44E-15	μCi/ml	1E-13
beta	Station 5	10/23/2017	10/30/2017	15120	ft ³	3.21E-14	3.66E-15	μCi/ml	1E-13
beta	Station 6	10/23/2017	10/30/2017	15120	ft ³	2.96E-14	3.53E-15	μCi/ml	1E-13
beta	Station 7	10/23/2017	10/30/2017	15120	ft ³	2.84E-14	3.47E-15	μCi/ml	1E-13
beta	Station 8	10/23/2017	10/30/2017	15120	ft ³	3.16E-14	3.63E-15	μCi/ml	1E-13
beta	Station 9	10/23/2017	10/30/2017	15120	ft ³	2.65E-14	3.36E-15	μCi/ml	1E-13
beta	Station 1	10/30/2017	11/6/2017	15120	ft ³	2.37E-14	3.31E-15	μCi/ml	1E-13
beta	Station 2	10/30/2017	11/6/2017	15120	ft ³	2.17E-14	3.2E-15	μCi/ml	1E-13
beta	Station 3	10/30/2017	11/6/2017	15120	ft ³	2.33E-14	3.29E-15	μCi/ml	1E-13
beta	Station 4	10/30/2017	11/6/2017	15120	ft ³	2.13E-14	3.17E-15	μCi/ml	1E-13
beta	Station 5	10/30/2017	11/6/2017	15120	ft ³	2.83E-14	3.55E-15	μCi/ml	1E-13

Environmental Air

Analysis	Location	Start Day	Stop Day	Air Volume	Volume Units	Result	Uncertainty (95% Conf.)	Concentration Units	Investigation Level
beta	Station 6	10/30/2017	11/6/2017	15120	ft ³	1.95E-14	3.06E-15	µCi/ml	1E-13
beta	Station 7	10/30/2017	11/6/2017	15120	ft ³	1.84E-14	3E-15	µCi/ml	1E-13
beta	Station 8	10/30/2017	11/6/2017	15120	ft ³	1.86E-14	3.01E-15	µCi/ml	1E-13
beta	Station 9	10/30/2017	11/6/2017	15120	ft ³	2.16E-14	3.19E-15	µCi/ml	1E-13
beta	Station 1	11/6/2017	11/13/2017	15120	ft ³	4.4E-14	4.4E-15	µCi/ml	1E-13
beta	Station 2	11/6/2017	11/13/2017	15120	ft ³	3.61E-14	4.05E-15	µCi/ml	1E-13
beta	Station 3	11/6/2017	11/13/2017	15120	ft ³	3.91E-14	4.19E-15	µCi/ml	1E-13
beta	Station 4	11/6/2017	11/13/2017	15120	ft ³	3.73E-14	4.11E-15	µCi/ml	1E-13
beta	Station 5	11/6/2017	11/13/2017	15120	ft ³	3.89E-14	4.18E-15	µCi/ml	1E-13
beta	Station 6	11/6/2017	11/13/2017	15120	ft ³	3.87E-14	4.17E-15	µCi/ml	1E-13
beta	Station 7	11/6/2017	11/13/2017	15120	ft ³	3.59E-14	4.04E-15	µCi/ml	1E-13
beta	Station 8	11/6/2017	11/13/2017	15120	ft ³	3.78E-14	4.13E-15	µCi/ml	1E-13
beta	Station 9	11/6/2017	11/13/2017	15120	ft ³	2.9E-14	3.71E-15	µCi/ml	1E-13
beta	Station 1	11/13/2017	11/20/2017	15120	ft ³	1.47E-14	2.78E-15	µCi/ml	1E-13
beta	Station 2	11/13/2017	11/20/2017	15120	ft ³	1.38E-14	2.72E-15	µCi/ml	1E-13
beta	Station 3	11/13/2017	11/20/2017	15120	ft ³	1.51E-14	2.81E-15	µCi/ml	1E-13
beta	Station 4	11/13/2017	11/20/2017	15120	ft ³	1.27E-14	2.65E-15	µCi/ml	1E-13
beta	Station 5	11/13/2017	11/20/2017	15120	ft ³	1.19E-14	2.59E-15	µCi/ml	1E-13
beta	Station 6	11/13/2017	11/20/2017	15120	ft ³	9.3E-15	2.4E-15	µCi/ml	1E-13
beta	Station 7	11/13/2017	11/20/2017	15120	ft ³	1.16E-14	2.57E-15	µCi/ml	1E-13
beta	Station 8	11/13/2017	11/20/2017	15120	ft ³	1.29E-14	2.66E-15	µCi/ml	1E-13
beta	Station 9	11/13/2017	11/20/2017	15120	ft ³	1.02E-14	2.47E-15	µCi/ml	1E-13
beta	Station 1	11/20/2017	11/27/2017	15120	ft ³	2.19E-14	3.04E-15	µCi/ml	1E-13
beta	Station 2	11/20/2017	11/27/2017	15120	ft ³	2.03E-14	2.95E-15	µCi/ml	1E-13
beta	Station 3	11/20/2017	11/27/2017	15120	ft ³	2.14E-14	3.01E-15	µCi/ml	1E-13
beta	Station 4	11/20/2017	11/27/2017	15120	ft ³	2.2E-14	3.06E-15	µCi/ml	1E-13
beta	Station 5	11/20/2017	11/27/2017	15120	ft ³	1.93E-14	2.88E-15	µCi/ml	1E-13
beta	Station 6	11/20/2017	11/27/2017	15120	ft ³	2.04E-14	2.96E-15	µCi/ml	1E-13
beta	Station 7	11/20/2017	11/27/2017	15120	ft ³	1.92E-14	2.88E-15	µCi/ml	1E-13
beta	Station 8	11/20/2017	11/27/2017	15120	ft ³	1.97E-14	2.91E-15	µCi/ml	1E-13
beta	Station 9	11/20/2017	11/27/2017	15120	ft ³	1.56E-14	2.64E-15	µCi/ml	1E-13
beta	Station 1	11/27/2017	12/4/2017	15120	ft ³	1.95E-14	2.98E-15	µCi/ml	1E-13
beta	Station 2	11/27/2017	12/4/2017	15120	ft ³	1.64E-14	2.78E-15	µCi/ml	1E-13
beta	Station 3	11/27/2017	12/4/2017	15120	ft ³	2.21E-14	3.14E-15	µCi/ml	1E-13
beta	Station 4	11/27/2017	12/4/2017	15120	ft ³	1.62E-14	2.77E-15	µCi/ml	1E-13
beta	Station 5	11/27/2017	12/4/2017	15120	ft ³	2.08E-14	3.06E-15	µCi/ml	1E-13
beta	Station 6	11/27/2017	12/4/2017	15120	ft ³	1.86E-14	2.93E-15	µCi/ml	1E-13
beta	Station 7	11/27/2017	12/4/2017	15120	ft ³	1.89E-14	2.94E-15	µCi/ml	1E-13
beta	Station 8	11/27/2017	12/4/2017	15120	ft ³	1.83E-14	2.91E-15	µCi/ml	1E-13
beta	Station 9	11/27/2017	12/4/2017	15120	ft ³	1.38E-14	2.61E-15	µCi/ml	1E-13
beta	Station 1	12/4/2017	12/11/2017	15120	ft ³	4.46E-14	4.28E-15	µCi/ml	1E-13
beta	Station 2	12/4/2017	12/11/2017	15120	ft ³	4.1E-14	4.12E-15	µCi/ml	1E-13
beta	Station 3	12/4/2017	12/11/2017	15120	ft ³	5.14E-14	4.56E-15	µCi/ml	1E-13

Environmental Air

Analysis	Location	Start Day	Stop Day	Air Volume	Volume Units	Result	Uncertainty (95% Conf.)	Concentration Units	Investigation Level
beta	Station 4	12/4/2017	12/11/2017	15120	ft ³	3.63E-14	3.9E-15	μCi/ml	1E-13
beta	Station 5	12/4/2017	12/11/2017	15120	ft ³	4.67E-14	4.37E-15	μCi/ml	1E-13
beta	Station 6	12/4/2017	12/11/2017	15120	ft ³	4.49E-14	4.29E-15	μCi/ml	1E-13
beta	Station 7	12/4/2017	12/11/2017	15120	ft ³	4.48E-14	4.28E-15	μCi/ml	1E-13
beta	Station 8	12/4/2017	12/11/2017	15120	ft ³	3.83E-14	3.99E-15	μCi/ml	1E-13
beta	Station 9	12/4/2017	12/11/2017	15120	ft ³	3.73E-14	3.95E-15	μCi/ml	1E-13
beta	Station 1	12/11/2017	12/18/2017	15120	ft ³	7.84E-14	5.52E-15	μCi/ml	1E-13
beta	Station 2	12/11/2017	12/18/2017	15120	ft ³	8.09E-14	5.6E-15	μCi/ml	1E-13
beta	Station 3	12/11/2017	12/18/2017	15120	ft ³	8.56E-14	5.75E-15	μCi/ml	1E-13
beta	Station 4	12/11/2017	12/18/2017	15120	ft ³	7.57E-14	5.43E-15	μCi/ml	1E-13
beta	Station 5	12/11/2017	12/18/2017	15120	ft ³	8.86E-14	5.85E-15	μCi/ml	1E-13
beta	Station 6	12/11/2017	12/18/2017	15120	ft ³	8.1E-14	5.6E-15	μCi/ml	1E-13
beta	Station 7	12/11/2017	12/18/2017	15120	ft ³	7.38E-14	5.36E-15	μCi/ml	1E-13
beta	Station 8	12/11/2017	12/18/2017	15120	ft ³	8.02E-14	5.58E-15	μCi/ml	1E-13
beta	Station 9	12/11/2017	12/18/2017	15120	ft ³	6.58E-14	5.08E-15	μCi/ml	1E-13
beta	Station 1	12/18/2017	12/27/2017	19440	ft ³	3.22E-14	3.17E-15	μCi/ml	1E-13
beta	Station 2	12/18/2017	12/27/2017	19440	ft ³	3.23E-14	3.17E-15	μCi/ml	1E-13
beta	Station 3	12/18/2017	12/27/2017	19440	ft ³	3.52E-14	3.3E-15	μCi/ml	1E-13
beta	Station 4	12/18/2017	12/27/2017	19440	ft ³	2.72E-14	2.93E-15	μCi/ml	1E-13
beta	Station 5	12/18/2017	12/27/2017	19440	ft ³	3.23E-14	3.17E-15	μCi/ml	1E-13
beta	Station 6	12/18/2017	12/27/2017	19440	ft ³	2.92E-14	3.03E-15	μCi/ml	1E-13
beta	Station 7	12/18/2017	12/27/2017	19440	ft ³	2.89E-14	3.01E-15	μCi/ml	1E-13
beta	Station 8	12/18/2017	12/27/2017	19440	ft ³	3.01E-14	3.07E-15	μCi/ml	1E-13
beta	Station 9	12/18/2017	12/27/2017	19440	ft ³	2.85E-14	3E-15	μCi/ml	1E-13
beta	Station 1	12/27/2017	1/2/2018	12960	ft ³	6.03E-14	5.4E-15	μCi/ml	1E-13
beta	Station 2	12/27/2017	1/2/2018	12960	ft ³	5.38E-14	5.13E-15	μCi/ml	1E-13
beta	Station 3	12/27/2017	1/2/2018	12960	ft ³	6.39E-14	5.54E-15	μCi/ml	1E-13
beta	Station 4	12/27/2017	1/2/2018	12960	ft ³	5.99E-14	5.38E-15	μCi/ml	1E-13
beta	Station 5	12/27/2017	1/2/2018	12960	ft ³	6.21E-14	5.47E-15	μCi/ml	1E-13
beta	Station 6	12/27/2017	1/2/2018	12960	ft ³	6.18E-14	5.45E-15	μCi/ml	1E-13
beta	Station 7	12/27/2017	1/2/2018	12960	ft ³	5.07E-14	5E-15	μCi/ml	1E-13
beta	Station 8	12/27/2017	1/2/2018	12960	ft ³	6.23E-14	5.48E-15	μCi/ml	1E-13
beta	Station 9	12/27/2017	1/2/2018	12960	ft ³	5.52E-14	5.19E-15	μCi/ml	1E-13
H-3	Station 1	1/3/2017	2/6/2017	6.98	m ³	3.53E-12	4.3E-13	μCi/ml	2E-11
H-3	Station 2	1/3/2017	2/6/2017	7.13	m ³	2.27E-12	3.4E-13	μCi/ml	2E-11
H-3	Station 5	1/3/2017	2/6/2017	7.13	m ³	2.51E-12	3.8E-13	μCi/ml	2E-11
H-3	Station 1	4/3/2017	5/8/2017	6.98	m ³	8.17E-12	8.5E-13	μCi/ml	2E-11
H-3	Station 2	4/3/2017	5/8/2017	7.13	m ³	9.12E-12	9E-13	μCi/ml	2E-11
H-3	Station 5	4/3/2017	5/8/2017	7.13	m ³	1.69E-11	1.2E-12	μCi/ml	2E-11
H-3	Station 1	7/5/2017	8/7/2017	6.98	m ³	1.84E-12	4.2E-13	μCi/ml	2E-11
H-3	Station 2	7/5/2017	8/7/2017	7.13	m ³	7.42E-12	8.3E-13	μCi/ml	2E-11
H-3	Station 5	7/5/2017	8/7/2017	7.13	m ³	8.82E-12	9.8E-13	μCi/ml	2E-11
H-3	Station 1	10/2/2017	11/6/2017	7.53	m ³	1.57E-12	6.9E-13	μCi/ml	2E-11

Environmental Air

Analysis	Location	Start Day	Stop Day	Air Volume	Volume Units	Result	Uncertainty (95% Conf.)	Concentration Units	Investigation Level
H-3	Station 2	10/2/2017	11/6/2017	7.53	m ³	1.35E-12	5.3E-13	μCi/ml	2E-11
H-3	Station 5	10/2/2017	11/6/2017	7.53	m ³	3.23E-12	8E-13	μCi/ml	2E-11

Radioactivity in Soil

Location	Sample Date	Result	Uncertainty	Units	Parameter	Investigation Level
NE Corner	3/2/2017	-7.07E-04	1.60E-02	pCi/g	CO-60	0.3
NW Corner	3/2/2017	-1.31E-04	6.80E-03	pCi/g	CO-60	0.3
Station 1	3/2/2017	-8.19E-04	7.60E-03	pCi/g	CO-60	0.3
Station 2	3/2/2017	-1.97E-03	6.80E-03	pCi/g	CO-60	0.3
Station 3	3/2/2017	3.12E-04	1.70E-02	pCi/g	CO-60	0.3
Station 4	3/2/2017	-2.71E-03	5.80E-03	pCi/g	CO-60	0.3
Station 5	3/2/2017	-2.12E-03	6.20E-03	pCi/g	CO-60	0.3
Station 6	3/2/2017	7.89E-04	6.00E-03	pCi/g	CO-60	0.3
Station 7	3/2/2017	1.85E-03	6.60E-03	pCi/g	CO-60	0.3
Station 8	3/2/2017	1.20E-03	6.80E-03	pCi/g	CO-60	0.3
Station 9	3/2/2017	-4.91E-04	6.40E-03	pCi/g	CO-60	0.3
NE Corner	3/2/2017	2.38E-02	1.40E-02	pCi/g	CS-137	0.25
NW Corner	3/2/2017	7.19E-02	1.40E-02	pCi/g	CS-137	0.25
Station 1	3/2/2017	7.58E-02	1.80E-02	pCi/g	CS-137	0.25
Station 2	3/2/2017	-3.67E-03	5.70E-03	pCi/g	CS-137	0.25
Station 3	3/2/2017	1.17E-02	1.40E-02	pCi/g	CS-137	0.25
Station 4	3/2/2017	-1.65E-03	5.40E-03	pCi/g	CS-137	0.25
Station 5	3/2/2017	1.67E-04	5.60E-03	pCi/g	CS-137	0.25
Station 6	3/2/2017	1.19E-02	6.60E-03	pCi/g	CS-137	0.25
Station 7	3/2/2017	-2.01E-03	6.50E-03	pCi/g	CS-137	0.25
Station 8	3/2/2017	7.36E-05	6.20E-03	pCi/g	CS-137	0.25
Station 9	3/2/2017	2.08E-02	9.10E-03	pCi/g	CS-137	0.25
NE Corner	3/2/2017	1.97E+01	3.20E+00	pCi/g	Gross Beta	35
NW Corner	3/2/2017	2.14E+01	3.50E+00	pCi/g	Gross Beta	35
Station 1	3/2/2017	1.93E+01	3.10E+00	pCi/g	Gross Beta	35
Station 2	3/2/2017	1.68E+01	2.80E+00	pCi/g	Gross Beta	35
Station 3	3/2/2017	1.81E+01	3.10E+00	pCi/g	Gross Beta	35
Station 4	3/2/2017	1.72E+01	2.90E+00	pCi/g	Gross Beta	35
Station 5	3/2/2017	1.76E+01	2.90E+00	pCi/g	Gross Beta	35
Station 6	3/2/2017	2.18E+01	3.40E+00	pCi/g	Gross Beta	35
Station 7	3/2/2017	2.05E+01	3.30E+00	pCi/g	Gross Beta	35
Station 8	3/2/2017	1.91E+01	3.20E+00	pCi/g	Gross Beta	35
Station 9	3/2/2017	1.90E+01	3.20E+00	pCi/g	Gross Beta	35
NE Corner	3/2/2017	0.00E+00	1.70E-03	pCi/g	PU-238	0.03
NW Corner	3/2/2017	2.03E-03	6.20E-03	pCi/g	PU-238	0.03
Station 1	3/2/2017	4.91E-04	2.20E-03	pCi/g	PU-238	0.03
Station 2	3/2/2017	2.66E-03	6.80E-03	pCi/g	PU-238	0.03
Station 3	3/2/2017	-3.67E-03	4.60E-03	pCi/g	PU-238	0.03
Station 4	3/2/2017	1.23E-03	4.60E-03	pCi/g	PU-238	0.03
Station 5	3/2/2017	0.00E+00	6.30E-03	pCi/g	PU-238	0.03
Station 6	3/2/2017	-7.32E-03	5.00E-03	pCi/g	PU-238	0.03
Station 7	3/2/2017	0.00E+00	5.20E-03	pCi/g	PU-238	0.03
Station 8	3/2/2017	3.23E-03	7.00E-03	pCi/g	PU-238	0.03

Radioactivity in Soil

Location	Sample Date	Result	Uncertainty	Units	Parameter	Investigation Level
Station 9	3/2/2017	1.56E-03	5.20E-03	pCi/g	PU-238	0.03
NE Corner	3/2/2017	4.72E-03	4.10E-03	pCi/g	PU-239/240	0.03
NE Corner	3/2/2017	6.07E-03	5.40E-03	pCi/g	PU-239/240	0.03
Station 1	3/2/2017	9.32E-03	4.90E-03	pCi/g	PU-239/240	0.03
Station 2	3/2/2017	-6.63E-04	1.90E-03	pCi/g	PU-239/240	0.03
Station 3	3/2/2017	6.11E-04	1.70E-03	pCi/g	PU-239/240	0.03
Station 4	3/2/2017	-6.15E-04	2.10E-03	pCi/g	PU-239/240	0.03
Station 5	3/2/2017	2.82E-03	4.00E-03	pCi/g	PU-239/240	0.03
Station 6	3/2/2017	1.83E-03	2.50E-03	pCi/g	PU-239/240	0.03
Station 7	3/2/2017	-5.30E-04	2.40E-03	pCi/g	PU-239/240	0.03
Station 8	3/2/2017	0.00E+00	1.80E-03	pCi/g	PU-239/240	0.03
Station 9	3/2/2017	3.64E-03	3.00E-03	pCi/g	PU-239/240	0.03
NE Corner	3/2/2017	3.36E-01	7.60E-02	pCi/g	Total U	1
NW Corner	3/2/2017	3.07E-01	6.05E-02	pCi/g	Total U	1
Station 1	3/2/2017	2.61E-01	6.43E-02	pCi/g	Total U	1
Station 2	3/2/2017	2.44E-01	5.73E-02	pCi/g	Total U	1
Station 3	3/2/2017	2.86E-01	6.47E-02	pCi/g	Total U	1
Station 4	3/2/2017	6.71E-01	1.89E-01	pCi/g	Total U	1
Station 5	3/2/2017	2.74E-01	5.71E-02	pCi/g	Total U	1
Station 6	3/2/2017	3.00E-01	7.03E-02	pCi/g	Total U	1
Station 7	3/2/2017	3.49E-01	6.60E-02	pCi/g	Total U	1
Station 8	3/2/2017	2.88E-01	6.34E-02	pCi/g	Total U	1
Station 9	3/2/2017	3.58E-01	7.07E-02	pCi/g	Total U	1
NE Corner	10/11/2017	8.47E-03	2.20E-02	pCi/g	CO-60	0.3
NW Corner	10/11/2017	1.61E-02	2.20E-02	pCi/g	CO-60	0.3
Station 1	10/11/2017	1.79E-02	2.20E-02	pCi/g	CO-60	0.3
Station 2	10/11/2017	2.45E-02	1.70E-02	pCi/g	CO-60	0.3
Station 3	10/11/2017	3.80E-03	1.70E-02	pCi/g	CO-60	0.3
Station 4	10/11/2017	5.79E-03	1.80E-02	pCi/g	CO-60	0.3
Station 5	10/11/2017	-1.66E-02	1.90E-02	pCi/g	CO-60	0.3
Station 6	10/11/2017	1.54E-02	1.60E-02	pCi/g	CO-60	0.3
Station 7	10/11/2017	8.73E-03	1.80E-02	pCi/g	CO-60	0.3
Station 8	10/11/2017	-2.16E-02	1.80E-02	pCi/g	CO-60	0.3
Station 9	10/11/2017	-2.67E-03	1.70E-02	pCi/g	CO-60	0.3
NE Corner	10/11/2017	7.74E-03	5.90E-03	pCi/g	CS-137	0.25
NW Corner	10/11/2017	4.59E-02	7.60E-03	pCi/g	CS-137	0.25
Station 1	10/11/2017	7.57E-02	1.40E-02	pCi/g	CS-137	0.25
Station 2	10/11/2017	-4.69E-03	1.80E-02	pCi/g	CS-137	0.25
Station 3	10/11/2017	-4.62E-03	1.10E-02	pCi/g	CS-137	0.25
Station 4	10/11/2017	5.17E-03	1.00E-02	pCi/g	CS-137	0.25
Station 5	10/11/2017	7.61E-03	6.20E-03	pCi/g	CS-137	0.25
Station 6	10/11/2017	1.13E-02	1.30E-02	pCi/g	CS-137	0.25
Station 7	10/11/2017	-1.09E-02	1.80E-02	pCi/g	CS-137	0.25

Radioactivity in Soil

Location	Sample Date	Result	Uncertainty	Units	Parameter	Investigation Level
Station 8	10/11/2017	1.16E-02	6.50E-03	pCi/g	CS-137	0.25
Station 9	10/11/2017	1.04E-02	1.20E-02	pCi/g	CS-137	0.25
NE Corner	10/11/2017	2.28E+01	3.60E+00	pCi/g	Gross Beta	35
NW Corner	10/11/2017	2.27E+01	3.70E+00	pCi/g	Gross Beta	35
Station 1	10/11/2017	1.77E+01	2.90E+00	pCi/g	Gross Beta	35
Station 2	10/11/2017	1.91E+01	3.20E+00	pCi/g	Gross Beta	35
Station 3	10/11/2017	1.76E+01	3.00E+00	pCi/g	Gross Beta	35
Station 4	10/11/2017	2.12E+01	3.30E+00	pCi/g	Gross Beta	35
Station 5	10/11/2017	1.97E+01	3.20E+00	pCi/g	Gross Beta	35
Station 6	10/11/2017	2.11E+01	3.40E+00	pCi/g	Gross Beta	35
Station 7	10/11/2017	2.01E+01	3.30E+00	pCi/g	Gross Beta	35
Station 8	10/11/2017	2.10E+01	3.40E+00	pCi/g	Gross Beta	35
Station 9	10/11/2017	2.10E+01	3.40E+00	pCi/g	Gross Beta	35
NE Corner	10/11/2017	-6.94E-04	2.80E-03	pCi/g	PU-238	0.03
NW Corner	10/11/2017	-1.28E-03	2.20E-03	pCi/g	PU-238	0.03
Station 1	10/11/2017	-1.39E-03	1.40E-03	pCi/g	PU-238	0.03
Station 2	10/11/2017	1.39E-04	1.10E-03	pCi/g	PU-238	0.03
Station 3	10/11/2017	-4.45E-04	1.30E-03	pCi/g	PU-238	0.03
Station 4	10/11/2017	-1.67E-04	9.00E-04	pCi/g	PU-238	0.03
Station 5	10/11/2017	-1.29E-03	2.50E-03	pCi/g	PU-238	0.03
Station 6	10/11/2017	-8.18E-04	2.10E-03	pCi/g	PU-238	0.03
Station 7	10/11/2017	-2.05E-03	1.80E-03	pCi/g	PU-238	0.03
Station 8	10/11/2017	-3.27E-03	2.30E-03	pCi/g	PU-238	0.03
Station 9	10/11/2017	-3.77E-03	2.50E-03	pCi/g	PU-238	0.03
NE Corner	10/11/2017	2.08E-03	2.10E-03	pCi/g	PU-239/240	0.03
NW Corner	10/11/2017	5.24E-03	3.00E-03	pCi/g	PU-239/240	0.03
Station 1	10/11/2017	9.30E-03	4.20E-03	pCi/g	PU-239/240	0.03
Station 2	10/11/2017	-7.65E-04	2.00E-03	pCi/g	PU-239/240	0.03
Station 3	10/11/2017	-1.04E-03	1.50E-03	pCi/g	PU-239/240	0.03
Station 4	10/11/2017	-5.02E-04	1.00E-03	pCi/g	PU-239/240	0.03
Station 5	10/11/2017	1.06E-03	1.60E-03	pCi/g	PU-239/240	0.03
Station 6	10/11/2017	1.19E-03	1.60E-03	pCi/g	PU-239/240	0.03
Station 7	10/11/2017	1.52E-02	5.30E-03	pCi/g	PU-239/240	0.03
Station 8	10/11/2017	1.43E-02	5.10E-03	pCi/g	PU-239/240	0.03
Station 9	10/11/2017	-2.27E-03	1.50E-03	pCi/g	PU-239/240	0.03
NE Corner	10/11/2017	2.69E-01	8.55E-02	pCi/g	Total U	1
NW corner	10/11/2017	3.01E-01	8.11E-02	pCi/g	Total U	1
Station 1	10/11/2017	2.26E-01	7.58E-02	pCi/g	Total U	1
Station 2	10/11/2017	7.05E-01	1.24E-01	pCi/g	Total U	1
Station 3	10/11/2017	1.14E+00	1.72E-01	pCi/g	Total U	1
Station 3	10/11/2017	8.38E-01	6.20E-02	pCi/g	Total U	1
Station 4	10/11/2017	3.99E-01	1.05E-01	pCi/g	Total U	1
Station 5	10/11/2017	3.61E-02	2.82E-02	pCi/g	Total U	1

Radioactivity in Soil

Location	Sample Date	Result	Uncertainty	Units	Parameter	Investigation Level
Station 6	10/11/2017	2.83E-01	7.87E-02	pCi/g	Total U	1
Station 7	10/11/2017	4.69E-01	9.98E-02	pCi/g	Total U	1
Station 8	10/11/2017	3.87E-01	1.07E-01	pCi/g	Total U	1
Station 9	10/11/2017	2.45E-01	9.02E-02	pCi/g	Total U	1
Station 3	12/21/2017	2.87E-01	6.21E-02	pCi/g	Total U	1

Environmental Vegetation

Location	Sample_date	Result	Uncertainty	Units	Parameter	Investigation Level
Northeast Corner	8/6/2013	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Northeast Corner	8/6/2013	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Northeast Corner	8/6/2013	2.00E+01	5.00E-01	pCi/g	Gross Beta	100
Northeast Corner	8/6/2013	-1.30E-03	1.50E-03	pCi/g	PU-238	0.02
Northeast Corner	8/6/2013	-4.00E-04	9.00E-04	pCi/g	PU-239/240	0.02
Northeast Corner	8/6/2013	1.50E-02	3.00E-03	pCi/g	Total U	0.25
Northeast Corner	7/24/2014	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Northeast Corner	7/24/2014	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Northeast Corner	7/24/2014	1.42E+01	3.00E-01	pCi/g	Gross Beta	100
Northeast Corner	7/24/2014	6.00E-04	6.00E-04	pCi/g	PU-238	0.02
Northeast Corner	7/24/2014	-1.00E-04	5.00E-04	pCi/g	PU-239/240	0.02
Northeast Corner	7/24/2014	9.00E-03	1.41E-03	pCi/g	Total U	0.25
Northeast Corner	6/24/2015	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Northeast Corner	6/24/2015	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Northeast Corner	6/24/2015	6.60E+01	1.80E+00	pCi/g	Gross Beta	100
Northeast Corner	6/24/2015	0.00E+00	2.00E-03	pCi/g	PU-238	0.02
Northeast Corner	6/24/2015	1.20E-03	1.40E-03	pCi/g	PU-239/240	0.02
Northeast Corner	6/24/2015	6.00E-03	5.39E-03	pCi/g	Total U	0.25
Northeast Corner	7/7/2016	8.89E-04	5.50E-02	pCi/g	CO-60	0.1
Northeast Corner	7/7/2016	2.69E-02	4.70E-02	pCi/g	CS-137	0.2
Northeast Corner	7/7/2016	4.82E+01	6.60E+00	pCi/g	Gross Beta	100
Northeast Corner	7/7/2016	-7.09E-04	1.50E-03	pCi/g	PU-238	0.02
Northeast Corner	7/7/2016	1.30E-03	1.50E-03	pCi/g	Pu-239/240	0.02
Northeast Corner	7/7/2016	2.47E-03	1.24E-02	pCi/g	Total U	0.25
Northeast Corner	8/1/2017	5.79E-03	7.40E-02	pCi/g	CO-60	0.1
Northeast Corner	8/1/2017	-6.86E-04	5.50E-02	pCi/g	CS-137	0.2
Northeast Corner	8/1/2017	1.61E+01	2.50E+00	pCi/g	Gross Beta	100
Northeast Corner	8/1/2017	-1.06E-03	1.40E-03	pCi/g	PU-238	0.02
Northeast Corner	8/1/2017	2.65E-04	6.70E-04	pCi/g	Pu-239/240	0.02
Northeast Corner	8/1/2017	1.95E-02	1.05E-02	pCi/g	Total U	0.25
Northwest Corner	8/6/2013	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Northwest Corner	8/6/2013	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Northwest Corner	8/6/2013	2.32E+01	5.00E-01	pCi/g	Gross Beta	100
Northwest Corner	8/6/2013	0.00E+00	5.00E-04	pCi/g	PU-238	0.02
Northwest Corner	8/6/2013	1.00E-04	5.00E-04	pCi/g	PU-239/240	0.02
Northwest Corner	8/6/2013	1.80E-02	3.00E-03	pCi/g	Total U	0.25
Northwest Corner	7/24/2014	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Northwest Corner	7/24/2014	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Northwest Corner	7/24/2014	1.16E+01	3.00E-01	pCi/g	Gross Beta	100
Northwest Corner	7/24/2014	0.00E+00	5.00E-04	pCi/g	PU-238	0.02
Northwest Corner	7/24/2014	0.00E+00	3.00E-04	pCi/g	PU-239/240	0.02
Northwest Corner	7/24/2014	1.40E-02	2.24E-03	pCi/g	Total U	0.25
Northwest Corner	6/24/2015	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Northwest Corner	6/24/2015	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Northwest Corner	6/24/2015	3.28E+01	1.00E+00	pCi/g	Gross Beta	100
Northwest Corner	6/24/2015	0.00E+00	8.00E-04	pCi/g	PU-238	0.02

Environmental Vegetation

Location	Sample_date	Result	Uncertainty	Units	Parameter	Investigation Level
Northwest Corner	6/24/2015	3.00E-04	6.00E-04	pCi/g	PU-239/240	0.02
Northwest Corner	6/24/2015	9.00E-03	5.10E-03	pCi/g	Total U	0.25
Northwest Corner	7/7/2016	1.23E-02	6.00E-02	pCi/g	CO-60	0.1
Northwest Corner	7/7/2016	-1.06E-03	4.60E-02	pCi/g	CS-137	0.2
Northwest Corner	7/7/2016	3.98E+01	5.60E+00	pCi/g	Gross Beta	100
Northwest Corner	7/7/2016	5.73E-04	2.10E-03	pCi/g	PU-238	0.02
Northwest Corner	7/7/2016	2.53E-03	2.20E-03	pCi/g	Pu-239/240	0.02
Northwest Corner	7/7/2016	1.13E-01	3.13E-02	pCi/g	Total U	0.25
Northwest Corner	8/1/2017	1.07E-02	6.90E-02	pCi/g	CO-60	0.1
Northwest Corner	8/1/2017	2.40E-02	5.90E-02	pCi/g	CS-137	0.2
Northwest Corner	8/1/2017	1.24E+01	1.90E+00	pCi/g	Gross Beta	100
Northwest Corner	8/1/2017	-4.81E-04	1.50E-03	pCi/g	PU-238	0.02
Northwest Corner	8/1/2017	2.40E-04	5.20E-04	pCi/g	Pu-239/240	0.02
Northwest Corner	8/1/2017	1.02E-02	7.55E-03	pCi/g	Total U	0.25
Reactor Vessel Head	8/8/2013	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Reactor Vessel Head	8/8/2013	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Reactor Vessel Head	8/8/2013	8.10E-01	9.00E-02	pCi/g	Gross Beta	100
Reactor Vessel Head	8/8/2013	8.10E-01	9.00E-02	pCi/g	H-3	
Reactor Vessel Head	8/8/2013	0.00E+00	1.00E-03	pCi/g	PU-238	0.02
Reactor Vessel Head	8/8/2013	0.00E+00	1.00E-03	pCi/g	PU-239/240	0.02
Reactor Vessel Head	8/8/2013	1.20E-02	2.83E-03	pCi/g	Total U	0.25
Reactor Vessel Head	7/30/2014	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Reactor Vessel Head	7/30/2014	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Reactor Vessel Head	7/30/2014	3.47E+01	6.00E-01	pCi/g	Gross Beta	100
Reactor Vessel Head	7/30/2014	1.61E+00	1.15E-01	pCi/g	H-3	
Reactor Vessel Head	7/30/2014	0.00E+00	1.00E-03	pCi/g	PU-238	0.02
Reactor Vessel Head	7/30/2014	0.00E+00	1.00E-03	pCi/g	PU-239/240	0.02
Reactor Vessel Head	7/30/2014	1.00E-02	4.36E-03	pCi/g	Total U	0.25
Reactor Vessel Head	6/24/2015	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Reactor Vessel Head	6/24/2015	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Reactor Vessel Head	6/24/2015	5.33E+01	1.70E+00	pCi/g	Gross Beta	100
Reactor Vessel Head	6/24/2015	6.08E-01	8.00E-02	pCi/g	H-3	
Reactor Vessel Head	6/24/2015	-1.00E-03	2.00E-03	pCi/g	PU-238	0.02
Reactor Vessel Head	6/24/2015	0.00E+00	2.00E-03	pCi/g	PU-239/240	0.02
Reactor Vessel Head	6/24/2015	3.20E-02	7.87E-03	pCi/g	Total U	0.25
Reactor Vessel Head	7/7/2016	6.98E-03	3.80E-02	pCi/g	CO-60	0.1
Reactor Vessel Head	7/7/2016	-1.65E-02	3.40E-02	pCi/g	CS-137	0.2
Reactor Vessel Head	7/7/2016	2.19E+01	3.50E+00	pCi/g	Gross Beta	100
Reactor Vessel Head	7/7/2016	6.77E-01	3.90E-01	pCi/g	H-3	
Reactor Vessel Head	7/7/2016	-5.04E-04	2.00E-03	pCi/g	PU-238	0.02
Reactor Vessel Head	7/7/2016	2.73E-03	2.10E-03	pCi/g	Pu-239/240	0.02
Reactor Vessel Head	7/7/2016	2.18E-02	9.89E-03	pCi/g	Total U	0.25
Reactor Vessel Head	7/27/2017	-3.55E-02	6.30E-02	pCi/g	CO-60	0.1
Reactor Vessel Head	7/27/2017	-3.52E-02	4.70E-02	pCi/g	CS-137	0.2
Reactor Vessel Head	7/27/2017	2.29E+01	3.50E+00	pCi/g	Gross Beta	100
Reactor Vessel Head	7/27/2017	2.65E+00	4.40E-01	pCi/g	H-3	

Environmental Vegetation

Location	Sample_date	Result	Uncertainty	Units	Parameter	Investigation Level
Reactor Vessel Head	7/27/2017	-7.50E-05	6.50E-04	pCi/g	PU-238	0.02
Reactor Vessel Head	7/27/2017	-3.74E-04	1.10E-03	pCi/g	Pu-239/240	0.02
Reactor Vessel Head	7/27/2017	1.46E-02	8.93E-03	pCi/g	Total U	0.25
Station 1	8/6/2013	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Station 1	8/6/2013	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Station 1	8/6/2013	1.63E+01	3.00E-01	pCi/g	Gross Beta	100
Station 1	8/6/2013	-1.00E-04	4.00E-04	pCi/g	PU-238	0.02
Station 1	8/6/2013	2.00E-04	3.00E-04	pCi/g	PU-239/240	0.02
Station 1	8/6/2013	1.30E-02	2.00E-03	pCi/g	Total U	0.25
Station 1	7/24/2014	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Station 1	7/24/2014	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Station 1	7/24/2014	1.50E+01	3.00E-01	pCi/g	Gross Beta	100
Station 1	7/24/2014	-3.00E-04	3.00E-04	pCi/g	PU-238	0.02
Station 1	7/24/2014	2.00E-04	2.00E-04	pCi/g	PU-239/240	0.02
Station 1	7/24/2014	1.40E-02	1.41E-03	pCi/g	Total U	0.25
Station 1	6/24/2015	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Station 1	6/24/2015	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Station 1	6/24/2015	8.76E+01	2.20E+00	pCi/g	Gross Beta	100
Station 1	6/24/2015	-1.40E-03	2.00E-03	pCi/g	PU-238	0.02
Station 1	6/24/2015	-3.00E-04	1.20E-03	pCi/g	PU-239/240	0.02
Station 1	6/24/2015	2.00E-03	4.12E-03	pCi/g	Total U	0.25
Station 1	7/7/2016	1.36E-02	5.90E-02	pCi/g	CO-60	0.1
Station 1	7/7/2016	-9.67E-03	4.90E-02	pCi/g	CS-137	0.2
Station 1	7/7/2016	2.37E+01	3.80E+00	pCi/g	Gross Beta	100
Station 1	7/7/2016	5.85E-04	2.70E-03	pCi/g	PU-238	0.02
Station 1	7/7/2016	1.85E-03	2.30E-03	pCi/g	Pu-239/240	0.02
Station 1	7/7/2016	6.00E-03	1.60E-02	pCi/g	Total U	0.25
Station 1	8/1/2017	7.31E-02	4.50E-02	pCi/g	CO-60	0.1
Station 1	8/1/2017	1.91E-02	4.20E-02	pCi/g	CS-137	0.2
Station 1	8/1/2017	8.86E+00	1.50E+00	pCi/g	Gross Beta	100
Station 1	8/1/2017	-1.23E-04	1.60E-03	pCi/g	PU-238	0.02
Station 1	8/1/2017	4.08E-05	4.70E-04	pCi/g	Pu-239/240	0.02
Station 1	8/1/2017	1.36E-02	9.27E-03	pCi/g	Total U	0.25
Station 2	8/6/2013	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Station 2	8/6/2013	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Station 2	8/6/2013	3.94E+01	9.00E-01	pCi/g	Gross Beta	100
Station 2	8/6/2013	0.00E+00	1.10E-03	pCi/g	PU-238	0.02
Station 2	8/6/2013	-5.00E-04	9.00E-04	pCi/g	PU-239/240	0.02
Station 2	8/6/2013	1.90E-02	4.00E-03	pCi/g	Total U	0.25
Station 2	7/24/2014	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Station 2	7/24/2014	3.00E-02	1.00E-02	pCi/g	CS-137	0.2
Station 2	7/24/2014	6.72E+01	1.20E+00	pCi/g	Gross Beta	100
Station 2	7/24/2014	-6.00E-04	1.30E-03	pCi/g	PU-238	0.02
Station 2	7/24/2014	2.00E-04	7.00E-04	pCi/g	PU-239/240	0.02
Station 2	7/24/2014	2.50E-02	5.10E-03	pCi/g	Total U	0.25
Station 2	6/24/2015	0.00E+00	0.00E+00	pCi/g	CO-60	0.1

Environmental Vegetation

Location	Sample_date	Result	Uncertainty	Units	Parameter	Investigation Level
Station 2	6/24/2015	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Station 2	6/24/2015	2.93E+01	1.00E+00	pCi/g	Gross Beta	100
Station 2	6/24/2015	-2.60E-03	1.80E-03	pCi/g	PU-238	0.02
Station 2	6/24/2015	9.00E-04	9.00E-04	pCi/g	PU-239/240	0.02
Station 2	6/24/2015	2.20E-02	8.06E-03	pCi/g	Total U	0.25
Station 2	7/7/2016	-4.34E-02	7.40E-02	pCi/g	CO-60	0.1
Station 2	7/7/2016	5.19E-02	6.30E-02	pCi/g	CS-137	0.2
Station 2	7/7/2016	2.27E+01	3.70E+00	pCi/g	Gross Beta	100
Station 2	7/7/2016	-6.81E-04	1.70E-03	pCi/g	PU-238	0.02
Station 2	7/7/2016	1.51E-03	1.60E-03	pCi/g	Pu-239/240	0.02
Station 2	7/7/2016	2.60E-02	1.21E-02	pCi/g	Total U	0.25
Station 2	8/1/2017	-5.40E-02	8.50E-02	pCi/g	CO-60	0.1
Station 2	8/1/2017	6.59E-02	6.70E-02	pCi/g	CS-137	0.2
Station 2	8/1/2017	1.51E+01	2.40E+00	pCi/g	Gross Beta	100
Station 2	8/1/2017	-1.70E-03	1.20E-03	pCi/g	PU-238	0.02
Station 2	8/1/2017	-1.89E-04	5.40E-04	pCi/g	Pu-239/240	0.02
Station 2	8/1/2017	8.15E-03	6.61E-03	pCi/g	Total U	0.25
Station 3	8/6/2013	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Station 3	8/6/2013	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Station 3	8/6/2013	3.58E+01	9.00E-01	pCi/g	Gross Beta	100
Station 3	8/6/2013	-9.00E-04	9.00E-04	pCi/g	PU-238	0.02
Station 3	8/6/2013	5.00E-04	8.00E-04	pCi/g	PU-239/240	0.02
Station 3	8/6/2013	2.40E-02	4.00E-03	pCi/g	Total U	0.25
Station 3	7/24/2014	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Station 3	7/24/2014	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Station 3	7/24/2014	3.29E+01	8.00E-01	pCi/g	Gross Beta	100
Station 3	7/24/2014	-1.00E-03	1.30E-03	pCi/g	PU-238	0.02
Station 3	7/24/2014	-5.00E-04	1.00E-03	pCi/g	PU-239/240	0.02
Station 3	7/24/2014	4.00E-02	5.10E-03	pCi/g	Total U	0.25
Station 3	6/24/2015	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Station 3	6/24/2015	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Station 3	6/24/2015	4.55E+01	1.50E+00	pCi/g	Gross Beta	100
Station 3	6/24/2015	2.00E-04	1.20E-03	pCi/g	PU-238	0.02
Station 3	6/24/2015	-5.00E-04	9.00E-04	pCi/g	PU-239/240	0.02
Station 3	6/24/2015	2.30E-02	7.35E-03	pCi/g	Total U	0.25
Station 3	7/7/2016	-1.61E-02	7.10E-02	pCi/g	CO-60	0.1
Station 3	7/7/2016	3.93E-03	5.90E-02	pCi/g	CS-137	0.2
Station 3	7/7/2016	2.60E+01	4.10E+00	pCi/g	Gross Beta	100
Station 3	7/7/2016	-1.14E-03	2.10E-03	pCi/g	PU-238	0.02
Station 3	7/7/2016	8.13E-04	1.20E-03	pCi/g	Pu-239/240	0.02
Station 3	7/7/2016	3.03E-02	1.69E-02	pCi/g	Total U	0.25
Station 3	8/1/2017	9.32E-03	7.40E-02	pCi/g	CO-60	0.1
Station 3	8/1/2017	1.37E-02	5.60E-02	pCi/g	CS-137	0.2
Station 3	8/1/2017	2.93E+01	4.50E+00	pCi/g	Gross Beta	100
Station 3	8/1/2017	-3.13E-03	3.40E-03	pCi/g	PU-238	0.02
Station 3	8/1/2017	1.36E-04	1.60E-03	pCi/g	Pu-239/240	0.02

Environmental Vegetation

Location	Sample_date	Result	Uncertainty	Units	Parameter	Investigation Level
Station 3	8/1/2017	3.12E-02	1.22E-02	pCi/g	Total U	0.25
Station 4	8/6/2013	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Station 4	8/6/2013	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Station 4	8/6/2013	3.78E+01	9.00E-01	pCi/g	Gross Beta	100
Station 4	8/6/2013	-4.00E-04	8.00E-04	pCi/g	PU-238	0.02
Station 4	8/6/2013	4.00E-04	8.00E-04	pCi/g	PU-239/240	0.02
Station 4	8/6/2013	1.70E-02	3.00E-03	pCi/g	Total U	0.25
Station 4	7/24/2014	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Station 4	7/24/2014	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Station 4	7/24/2014	5.54E+01	1.10E+00	pCi/g	Gross Beta	100
Station 4	7/24/2014	-5.00E-04	1.50E-03	pCi/g	PU-238	0.02
Station 4	7/24/2014	5.00E-04	1.00E-03	pCi/g	PU-239/240	0.02
Station 4	7/24/2014	1.90E-02	5.10E-03	pCi/g	Total U	0.25
Station 4	6/24/2015	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Station 4	6/24/2015	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Station 4	6/24/2015	5.06E+01	1.50E+00	pCi/g	Gross Beta	100
Station 4	6/24/2015	-2.00E-04	9.00E-04	pCi/g	PU-238	0.02
Station 4	6/24/2015	8.00E-04	1.00E-03	pCi/g	PU-239/240	0.02
Station 4	6/24/2015	1.30E-02	5.92E-03	pCi/g	Total U	0.25
Station 4	7/7/2016	-1.26E-02	5.90E-02	pCi/g	CO-60	0.1
Station 4	7/7/2016	1.80E-02	4.30E-02	pCi/g	CS-137	0.2
Station 4	7/7/2016	2.95E+01	4.50E+00	pCi/g	Gross Beta	100
Station 4	7/7/2016	-9.52E-04	1.50E-03	pCi/g	PU-238	0.02
Station 4	7/7/2016	2.46E-03	2.20E-03	pCi/g	Pu-239/240	0.02
Station 4	7/7/2016	3.09E-02	1.34E-02	pCi/g	Total U	0.25
Station 4	8/1/2017	-1.25E-02	1.10E-01	pCi/g	CO-60	0.1
Station 4	8/1/2017	4.10E-02	7.80E-02	pCi/g	CS-137	0.2
Station 4	8/1/2017	3.76E+01	5.70E+00	pCi/g	Gross Beta	100
Station 4	8/1/2017	6.90E-05	2.20E-03	pCi/g	PU-238	0.02
Station 4	8/1/2017	2.07E-04	7.40E-04	pCi/g	Pu-239/240	0.02
Station 4	8/1/2017	2.35E-02	9.80E-03	pCi/g	Total U	0.25
Station 5	8/6/2013	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Station 5	8/6/2013	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Station 5	8/6/2013	3.47E+01	8.00E-01	pCi/g	Gross Beta	100
Station 5	8/6/2013	0.00E+00	5.00E-04	pCi/g	PU-238	0.02
Station 5	8/6/2013	-4.00E-04	8.00E-04	pCi/g	PU-239/240	0.02
Station 5	8/6/2013	1.60E-02	3.00E-03	pCi/g	Total U	0.25
Station 5	7/24/2014	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Station 5	7/24/2014	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Station 5	7/24/2014	3.50E+01	8.00E-01	pCi/g	Gross Beta	100
Station 5	7/24/2014	0.00E+00	1.00E-03	pCi/g	PU-238	0.02
Station 5	7/24/2014	4.00E-04	8.00E-04	pCi/g	PU-239/240	0.02
Station 5	7/24/2014	2.50E-02	4.36E-03	pCi/g	Total U	0.25
Station 5	6/24/2015	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Station 5	6/24/2015	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Station 5	6/24/2015	5.39E+01	1.60E+00	pCi/g	Gross Beta	100

Environmental Vegetation

Location	Sample_date	Result	Uncertainty	Units	Parameter	Investigation Level
Station 5	6/24/2015	2.00E-04	1.20E-03	pCi/g	PU-238	0.02
Station 5	6/24/2015	2.00E-04	1.20E-03	pCi/g	PU-239/240	0.02
Station 5	6/24/2015	1.70E-02	6.71E-03	pCi/g	Total U	0.25
Station 5	7/7/2016	7.57E-02	6.20E-02	pCi/g	CO-60	0.1
Station 5	7/7/2016	3.12E-02	4.50E-02	pCi/g	CS-137	0.2
Station 5	7/7/2016	3.30E+01	4.50E+00	pCi/g	Gross Beta	100
Station 5	7/7/2016	2.30E-04	1.50E-03	pCi/g	PU-238	0.02
Station 5	7/7/2016	2.30E-04	1.50E-03	pCi/g	Pu-239/240	0.02
Station 5	7/7/2016	2.48E-02	1.53E-02	pCi/g	Total U	0.25
Station 5	8/1/2017	4.14E-02	1.00E-01	pCi/g	CO-60	0.1
Station 5	8/1/2017	8.39E-03	7.50E-02	pCi/g	CS-137	0.2
Station 5	8/1/2017	1.81E+01	2.70E+00	pCi/g	Gross Beta	100
Station 5	8/1/2017	-2.96E-04	6.00E-04	pCi/g	PU-238	0.02
Station 5	8/1/2017	-6.89E-04	7.20E-04	pCi/g	Pu-239/240	0.02
Station 5	8/1/2017	-3.37E-04	6.40E-03	pCi/g	Total U	0.25
Station 6	8/6/2013	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Station 6	8/6/2013	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Station 6	8/6/2013	3.33E+01	8.00E-01	pCi/g	Gross Beta	100
Station 6	8/6/2013	0.00E+00	1.00E-03	pCi/g	PU-238	0.02
Station 6	8/6/2013	-2.00E-04	9.00E-04	pCi/g	PU-239/240	0.02
Station 6	8/6/2013	1.50E-02	3.00E-03	pCi/g	Total U	0.25
Station 6	7/24/2014	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Station 6	7/24/2014	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Station 6	7/24/2014	3.58E+01	8.00E-01	pCi/g	Gross Beta	100
Station 6	7/24/2014	2.00E-04	1.00E-03	pCi/g	PU-238	0.02
Station 6	7/24/2014	2.00E-04	1.00E-03	pCi/g	PU-239/240	0.02
Station 6	7/24/2014	1.20E-02	3.00E-03	pCi/g	Total U	0.25
Station 6	6/24/2015	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Station 6	6/24/2015	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Station 6	6/24/2015	3.70E+01	1.20E+00	pCi/g	Gross Beta	100
Station 6	6/24/2015	7.00E-04	8.00E-04	pCi/g	PU-238	0.02
Station 6	6/24/2015	3.00E-04	7.00E-04	pCi/g	PU-239/240	0.02
Station 6	6/24/2015	8.00E-03	4.36E-03	pCi/g	Total U	0.25
Station 6	7/7/2016	4.50E-02	6.80E-02	pCi/g	CO-60	0.1
Station 6	7/7/2016	5.11E-03	5.30E-02	pCi/g	CS-137	0.2
Station 6	7/7/2016	2.90E+01	4.60E+00	pCi/g	Gross Beta	100
Station 6	7/7/2016	7.89E-05	2.10E-03	pCi/g	PU-238	0.02
Station 6	7/7/2016	9.45E-04	1.70E-03	pCi/g	Pu-239/240	0.02
Station 6	7/7/2016	1.89E-02	1.02E-02	pCi/g	Total U	0.25
Station 6	8/1/2017	3.18E-02	7.30E-02	pCi/g	CO-60	0.1
Station 6	8/1/2017	-1.38E-02	6.40E-02	pCi/g	CS-137	0.2
Station 6	8/1/2017	4.27E+01	6.60E+00	pCi/g	Gross Beta	100
Station 6	8/1/2017	1.91E-03	1.70E-03	pCi/g	PU-238	0.02
Station 6	8/1/2017	3.38E-03	2.00E-03	pCi/g	PU-238	0.02
Station 6	8/1/2017	-5.51E-05	2.40E-04	pCi/g	PU-238	0.02
Station 6	8/1/2017	3.95E-02	8.40E-03	pCi/g	Pu-239/240	0.02

Environmental Vegetation

Location	Sample_date	Result	Uncertainty	Units	Parameter	Investigation Level
Station 6	8/1/2017	4.16E-02	8.30E-03	pCi/g	Pu-239/240	0.02
Station 6	8/1/2017	2.75E-04	3.60E-04	pCi/g	Pu-239/240	0.02
Station 6	8/1/2017	4.83E-03	6.37E-03	pCi/g	Total U	0.25
Station 6 Grab	10/25/2017	-1.92E-02	5.50E-02	PCI/G	CO-60	0.1
Station 6 Grab	10/25/2017	1.04E-02	2.90E-02	PCI/G	CS-137	0.2
Station 6 Grab	10/25/2017	-1.17E-03	2.10E-03	PCI/G	PU-238	0.02
Station 6 Grab	10/25/2017	5.56E-04	1.20E-03	PCI/G	Pu-239/240	0.02
Station 7	8/6/2013	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Station 7	8/6/2013	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Station 7	8/6/2013	3.21E+01	7.00E-01	pCi/g	Gross Beta	100
Station 7	8/6/2013	0.00E+00	1.00E-03	pCi/g	PU-238	0.02
Station 7	8/6/2013	2.00E-04	5.00E-04	pCi/g	PU-239/240	0.02
Station 7	8/6/2013	1.40E-02	3.00E-03	pCi/g	Total U	0.25
Station 7	7/24/2014	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Station 7	7/24/2014	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Station 7	7/24/2014	7.91E+01	1.40E+00	pCi/g	Gross Beta	100
Station 7	7/24/2014	4.00E-04	7.00E-04	pCi/g	PU-238	0.02
Station 7	7/24/2014	4.00E-04	7.00E-04	pCi/g	PU-239/240	0.02
Station 7	7/24/2014	1.10E-02	2.83E-03	pCi/g	Total U	0.25
Station 7	6/24/2015	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Station 7	6/24/2015	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Station 7	6/24/2015	5.02E+01	1.50E+00	pCi/g	Gross Beta	100
Station 7	6/24/2015	1.40E-03	1.50E-03	pCi/g	PU-238	0.02
Station 7	6/24/2015	1.00E-03	1.10E-03	pCi/g	PU-239/240	0.02
Station 7	6/24/2015	7.00E-03	4.69E-03	pCi/g	Total U	0.25
Station 7	7/7/2016	-2.51E-02	5.90E-02	pCi/g	CO-60	0.1
Station 7	7/7/2016	-2.10E-03	4.80E-02	pCi/g	CS-137	0.2
Station 7	7/7/2016	4.55E+01	6.50E+00	pCi/g	Gross Beta	100
Station 7	7/7/2016	1.43E-04	1.70E-03	pCi/g	PU-238	0.02
Station 7	7/7/2016	1.49E-03	1.70E-03	pCi/g	Pu-239/240	0.02
Station 7	7/7/2016	9.72E-03	7.08E-03	pCi/g	Total U	0.25
Station 7	8/1/2017	1.39E-02	9.80E-02	pCi/g	CO-60	0.1
Station 7	8/1/2017	6.39E-02	7.60E-02	pCi/g	CS-137	0.2
Station 7	8/1/2017	5.29E+01	7.90E+00	pCi/g	Gross Beta	100
Station 7	8/1/2017	-3.37E-04	7.80E-04	pCi/g	PU-238	0.02
Station 7	8/1/2017	-8.41E-04	8.90E-04	pCi/g	Pu-239/240	0.02
Station 7	8/1/2017	4.47E-03	4.77E-03	pCi/g	Total U	0.25
Station 8	8/6/2013	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Station 8	8/6/2013	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Station 8	8/6/2013	2.45E+01	6.00E-01	pCi/g	Gross Beta	100
Station 8	8/6/2013	0.00E+00	4.00E-04	pCi/g	PU-238	0.02
Station 8	8/6/2013	3.00E-04	6.00E-04	pCi/g	PU-239/240	0.02
Station 8	8/6/2013	1.30E-02	3.00E-03	pCi/g	Total U	0.25
Station 8	7/24/2014	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Station 8	7/24/2014	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Station 8	7/24/2014	2.66E+01	7.00E-01	pCi/g	Gross Beta	100

Environmental Vegetation

Location	Sample_date	Result	Uncertainty	Units	Parameter	Investigation Level
Station 8	7/24/2014	4.00E-04	5.00E-04	pCi/g	PU-238	0.02
Station 8	7/24/2014	-2.00E-04	5.00E-04	pCi/g	PU-239/240	0.02
Station 8	7/24/2014	1.80E-02	2.83E-03	pCi/g	Total U	0.25
Station 8	6/24/2015	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Station 8	6/24/2015	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Station 8	6/24/2015	3.65E+01	1.30E+00	pCi/g	Gross Beta	100
Station 8	6/24/2015	2.00E-04	1.40E-03	pCi/g	PU-238	0.02
Station 8	6/24/2015	-2.00E-04	1.10E-03	pCi/g	PU-239/240	0.02
Station 8	6/24/2015	7.00E-03	4.36E-03	pCi/g	Total U	0.25
Station 8	7/7/2016	3.39E-02	6.20E-02	pCi/g	CO-60	0.1
Station 8	7/7/2016	-7.73E-03	4.90E-02	pCi/g	CS-137	0.2
Station 8	7/7/2016	5.06E+01	7.70E+00	pCi/g	Gross Beta	100
Station 8	7/7/2016	1.28E-03	1.90E-03	pCi/g	PU-238	0.02
Station 8	7/7/2016	1.20E-03	1.70E-03	pCi/g	Pu-239/240	0.02
Station 8	7/7/2016	1.88E-02	9.56E-03	pCi/g	Total U	0.25
Station 8	8/1/2017	1.97E-02	8.00E-02	pCi/g	CO-60	0.1
Station 8	8/1/2017	9.26E-04	6.20E-02	pCi/g	CS-137	0.2
Station 8	8/1/2017	2.77E+01	4.10E+00	pCi/g	Gross Beta	100
Station 8	8/1/2017	-6.46E-04	7.60E-04	pCi/g	PU-238	0.02
Station 8	8/1/2017	-1.88E-03	1.10E-03	pCi/g	Pu-239/240	0.02
Station 8	8/1/2017	1.87E-02	1.02E-02	pCi/g	Total U	0.25
Station 9	8/6/2013	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Station 9	8/6/2013	3.00E-02	1.00E-02	pCi/g	CS-137	0.2
Station 9	8/6/2013	5.18E+01	1.10E+00	pCi/g	Gross Beta	100
Station 9	8/6/2013	9.00E-04	1.10E-03	pCi/g	PU-238	0.02
Station 9	8/6/2013	-2.00E-04	1.00E-03	pCi/g	PU-239/240	0.02
Station 9	8/6/2013	1.20E-02	3.00E-03	pCi/g	Total U	0.25
Station 9	7/24/2014	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Station 9	7/24/2014	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Station 9	7/24/2014	3.73E+01	9.00E-01	pCi/g	Gross Beta	100
Station 9	7/24/2014	0.00E+00	1.00E-03	pCi/g	PU-238	0.02
Station 9	7/24/2014	0.00E+00	6.00E-04	pCi/g	PU-239/240	0.02
Station 9	7/24/2014	1.60E-02	4.36E-03	pCi/g	Total U	0.25
Station 9	6/24/2015	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Station 9	6/24/2015	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Station 9	6/24/2015	3.87E+01	1.30E+00	pCi/g	Gross Beta	100
Station 9	6/24/2015	7.00E-04	1.10E-03	pCi/g	PU-238	0.02
Station 9	6/24/2015	7.00E-04	1.10E-03	pCi/g	PU-239/240	0.02
Station 9	6/24/2015	4.00E-03	4.69E-03	pCi/g	Total U	0.25
Station 9	7/7/2016	-1.36E-03	5.70E-02	pCi/g	CO-60	0.1
Station 9	7/7/2016	2.74E-02	5.50E-02	pCi/g	CS-137	0.2
Station 9	7/7/2016	1.52E+01	2.20E+00	pCi/g	Gross Beta	100
Station 9	7/7/2016	7.59E-04	1.70E-03	pCi/g	PU-238	0.02
Station 9	7/7/2016	2.76E-04	1.10E-03	pCi/g	Pu-239/240	0.02
Station 9	7/7/2016	2.59E-02	2.66E-02	pCi/g	Total U	0.25
Station 9	8/1/2017	3.50E-02	9.40E-02	pCi/g	CO-60	0.1

Environmental Vegetation

Location	Sample_date	Result	Uncertainty	Units	Parameter	Investigation Level
Station 9	8/1/2017	5.10E-02	7.00E-02	pCi/g	CS-137	0.2
Station 9	8/1/2017	4.78E+01	7.00E+00	pCi/g	Gross Beta	100
Station 9	8/1/2017	-1.63E-04	7.00E-04	pCi/g	PU-238	0.02
Station 9	8/1/2017	4.33E-04	8.00E-04	pCi/g	Pu-239/240	0.02
Station 9	8/1/2017	8.92E-03	9.93E-03	pCi/g	Total U	0.25
Trench 1	8/8/2013	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Trench 1	8/8/2013	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Trench 1	8/8/2013	2.58E+01	1.00E+00	pCi/g	Gross Beta	100
Trench 1	8/8/2013	2.26E+01	1.11E+00	pCi/g	H-3	
Trench 1	8/8/2013	0.00E+00	1.00E-03	pCi/g	PU-238	0.02
Trench 1	8/8/2013	0.00E+00	1.00E-03	pCi/g	PU-239/240	0.02
Trench 1	8/8/2013	5.90E-02	5.74E-03	pCi/g	Total U	0.25
Trench 1	6/24/2015	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Trench 1	6/24/2015	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Trench 1	6/24/2015	5.40E+01	1.60E+00	pCi/g	Gross Beta	100
Trench 1	6/24/2015	3.27E-01	7.50E-02	pCi/g	H-3	
Trench 1	6/24/2015	0.00E+00	2.00E-03	pCi/g	PU-238	0.02
Trench 1	6/24/2015	-2.00E-03	2.00E-03	pCi/g	PU-239/240	0.02
Trench 1	6/24/2015	2.80E-02	8.72E-03	pCi/g	Total U	0.25
Trench 1	7/7/2016	-5.89E-03	3.30E-02	pCi/g	CO-60	0.1
Trench 1	7/7/2016	2.60E-02	2.70E-02	pCi/g	CS-137	0.2
Trench 1	7/7/2016	2.48E+01	3.70E+00	pCi/g	Gross Beta	100
Trench 1	7/7/2016	8.41E+00	9.40E-01	pCi/g	H-3	
Trench 1	7/7/2016	-1.61E-04	1.40E-03	pCi/g	PU-238	0.02
Trench 1	7/7/2016	4.24E-04	1.70E-03	pCi/g	PU-238	0.02
Trench 1	7/7/2016	2.78E-02	7.80E-03	pCi/g	Pu-239/240	0.02
Trench 1	7/7/2016	3.18E-02	8.70E-03	pCi/g	Pu-239/240	0.02
Trench 1	7/7/2016	1.29E-01	2.42E-02	pCi/g	Total U	0.25
Trench 1	10/6/2016	-4.76E-04	9.50E-04	pCi/g	PU-238	0.02
Trench 1	10/6/2016	9.17E-03	3.80E-03	pCi/g	Pu-239/240	0.02
Trench 1	7/26/2017	2.60E-02	6.20E-02	pCi/g	CO-60	0.1
Trench 1	7/26/2017	2.04E-02	6.00E-02	pCi/g	CO-60	0.1
Trench 1	7/26/2017	-1.37E-02	5.60E-02	pCi/g	CS-137	0.2
Trench 1	7/26/2017	6.34E-03	3.80E-02	pCi/g	CS-137	0.2
Trench 1	7/26/2017	1.22E+01	2.00E+00	pCi/g	Gross Beta	100
Trench 1	7/26/2017	1.31E+01	9.80E-01	pCi/g	H-3	
Trench 1	7/26/2017	1.35E-04	1.20E-03	pCi/g	PU-238	0.02
Trench 1	7/26/2017	-1.37E-04	1.50E-03	pCi/g	PU-238	0.02
Trench 1	7/26/2017	3.36E-05	3.90E-04	pCi/g	Pu-239/240	0.02
Trench 1	7/26/2017	-1.83E-04	5.30E-04	pCi/g	Pu-239/240	0.02
Trench 1	7/26/2017	2.85E-02	1.42E-02	pCi/g	Total U	0.25
Trench 10	8/8/2013	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Trench 10	8/8/2013	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Trench 10	8/8/2013	4.22E+01	1.30E+00	pCi/g	Gross Beta	100
Trench 10	8/8/2013	6.77E+00	6.11E-01	pCi/g	H-3	
Trench 10	8/8/2013	3.00E-03	2.00E-03	pCi/g	PU-238	0.02

Environmental Vegetation

Location	Sample_date	Result	Uncertainty	Units	Parameter	Investigation Level
Trench 10	8/8/2013	2.00E-03	2.00E-03	pCi/g	PU-239/240	0.02
Trench 10	8/8/2013	6.90E-02	6.40E-03	pCi/g	Total U	0.25
Trench 10	7/30/2014	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Trench 10	7/30/2014	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Trench 10	7/30/2014	1.57E+01	3.00E-01	pCi/g	Gross Beta	100
Trench 10	7/30/2014	3.50E+02	3.36E+00	pCi/g	H-3	
Trench 10	7/30/2014	0.00E+00	0.00E+00	pCi/g	PU-238	0.02
Trench 10	7/30/2014	0.00E+00	0.00E+00	pCi/g	PU-239/240	0.02
Trench 10	7/30/2014	2.20E-02	5.10E-03	pCi/g	Total U	0.25
Trench 10	6/24/2015	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Trench 10	6/24/2015	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Trench 10	6/24/2015	1.95E+01	7.00E-01	pCi/g	Gross Beta	100
Trench 10	6/24/2015	1.75E+01	8.88E-01	pCi/g	H-3	
Trench 10	6/24/2015	-1.00E-03	1.00E-03	pCi/g	PU-238	0.02
Trench 10	6/24/2015	-1.00E-03	2.00E-03	pCi/g	PU-239/240	0.02
Trench 10	6/24/2015	2.60E-02	5.10E-03	pCi/g	Total U	0.25
Trench 10	7/7/2016	2.59E-02	4.10E-02	pCi/g	CO-60	0.1
Trench 10	7/7/2016	1.12E-02	2.90E-02	pCi/g	CS-137	0.2
Trench 10	7/7/2016	1.37E+01	2.10E+00	pCi/g	Gross Beta	100
Trench 10	7/7/2016	2.49E+02	1.40E+01	pCi/g	H-3	
Trench 10	7/7/2016	2.84E-04	2.00E-03	pCi/g	PU-238	0.02
Trench 10	7/7/2016	8.50E-04	1.50E-03	pCi/g	Pu-239/240	0.02
Trench 10	7/7/2016	2.30E-02	1.26E-02	pCi/g	Total U	0.25
Trench 10	7/27/2017	-4.40E-03	1.60E-02	pCi/g	CO-60	0.1
Trench 10	7/27/2017	1.07E-03	1.30E-02	pCi/g	CS-137	0.2
Trench 10	7/27/2017	1.63E+01	2.50E+00	pCi/g	Gross Beta	100
Trench 10	7/27/2017	9.20E+00	9.60E-01	pCi/g	H-3	
Trench 10	7/27/2017	-3.91E-04	1.20E-03	pCi/g	PU-238	0.02
Trench 10	7/27/2017	7.09E-04	9.30E-04	pCi/g	Pu-239/240	0.02
Trench 10	7/27/2017	1.70E-02	7.95E-03	pCi/g	Total U	0.25
Trench 11	8/8/2013	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Trench 11	8/8/2013	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Trench 11	8/8/2013	5.92E+01	1.70E+00	pCi/g	Gross Beta	100
Trench 11	8/8/2013	8.35E-01	8.80E-02	pCi/g	H-3	
Trench 11	8/8/2013	-1.00E-03	2.00E-03	pCi/g	PU-238	0.02
Trench 11	8/8/2013	0.00E+00	1.00E-03	pCi/g	PU-239/240	0.02
Trench 11	8/8/2013	1.30E-02	3.74E-03	pCi/g	Total U	0.25
Trench 11	7/30/2014	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Trench 11	7/30/2014	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Trench 11	7/30/2014	4.62E+01	7.00E-01	pCi/g	Gross Beta	100
Trench 11	7/30/2014	4.33E+00	1.70E-01	pCi/g	H-3	
Trench 11	7/30/2014	0.00E+00	1.00E-03	pCi/g	PU-238	0.02
Trench 11	7/30/2014	1.00E-03	1.00E-03	pCi/g	PU-239/240	0.02
Trench 11	7/30/2014	3.00E-03	3.00E-03	pCi/g	Total U	0.25
Trench 11	6/24/2015	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Trench 11	6/24/2015	0.00E+00	0.00E+00	pCi/g	CS-137	0.2

Environmental Vegetation

Location	Sample_date	Result	Uncertainty	Units	Parameter	Investigation Level
Trench 11	6/24/2015	3.28E+01	1.10E+00	pCi/g	Gross Beta	100
Trench 11	6/24/2015	7.12E-01	8.50E-02	pCi/g	H-3	
Trench 11	6/24/2015	-1.00E-03	2.00E-03	pCi/g	PU-238	0.02
Trench 11	6/24/2015	-1.00E-03	2.00E-03	pCi/g	PU-239/240	0.02
Trench 11	6/24/2015	1.90E-02	1.62E-02	pCi/g	Total U	0.25
Trench 11	7/7/2016	2.50E-03	3.60E-02	pCi/g	CO-60	0.1
Trench 11	7/7/2016	-1.36E-02	3.10E-02	pCi/g	CS-137	0.2
Trench 11	7/7/2016	4.24E+01	6.50E+00	pCi/g	Gross Beta	100
Trench 11	7/7/2016	2.77E+00	6.70E-01	pCi/g	H-3	
Trench 11	7/7/2016	-9.29E-04	1.60E-03	pCi/g	PU-238	0.02
Trench 11	7/7/2016	4.42E-03	2.80E-03	pCi/g	Pu-239/240	0.02
Trench 11	7/7/2016	1.28E-02	6.87E-03	pCi/g	Total U	0.25
Trench 11	7/26/2017	3.13E-03	2.00E-02	pCi/g	CO-60	0.1
Trench 11	7/26/2017	4.42E-03	2.00E-02	pCi/g	CS-137	0.2
Trench 11	7/26/2017	1.79E+01	2.60E+00	pCi/g	Gross Beta	100
Trench 11	7/26/2017	1.16E+01	1.00E+00	pCi/g	H-3	
Trench 11	7/26/2017	-2.17E-03	1.80E-03	pCi/g	PU-238	0.02
Trench 11	7/26/2017	6.98E-05	8.00E-04	pCi/g	Pu-239/240	0.02
Trench 11	7/26/2017	5.58E-02	1.49E-02	pCi/g	Total U	0.25
Trench 12A	8/8/2013	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Trench 12A	8/8/2013	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Trench 12A	8/8/2013	2.59E+01	9.00E-01	pCi/g	Gross Beta	100
Trench 12A	8/8/2013	7.01E+00	6.85E-01	pCi/g	H-3	
Trench 12A	8/8/2013	0.00E+00	1.00E-03	pCi/g	PU-238	0.02
Trench 12A	8/8/2013	0.00E+00	1.00E-03	pCi/g	PU-239/240	0.02
Trench 12A	8/8/2013	1.30E-02	3.00E-03	pCi/g	Total U	0.25
Trench 12A	7/30/2014	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Trench 12A	7/30/2014	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Trench 12A	7/30/2014	4.53E+01	7.00E-01	pCi/g	Gross Beta	100
Trench 12A	7/30/2014	1.22E+01	8.39E-01	pCi/g	H-3	
Trench 12A	7/30/2014	1.00E-03	1.00E-03	pCi/g	PU-238	0.02
Trench 12A	7/30/2014	0.00E+00	1.00E-03	pCi/g	PU-239/240	0.02
Trench 12A	7/30/2014	8.00E-03	3.74E-03	pCi/g	Total U	0.25
Trench 12A	6/24/2015	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Trench 12A	6/24/2015	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Trench 12A	6/24/2015	3.39E+01	1.10E+00	pCi/g	Gross Beta	100
Trench 12A	6/24/2015	4.15E+00	1.59E-01	pCi/g	H-3	
Trench 12A	6/24/2015	-2.00E-03	2.00E-03	pCi/g	PU-238	0.02
Trench 12A	6/24/2015	0.00E+00	1.00E-03	pCi/g	PU-239/240	0.02
Trench 12A	6/24/2015	7.00E-03	3.74E-03	pCi/g	Total U	0.25
Trench 12A	7/7/2016	6.78E-03	2.30E-02	pCi/g	CO-60	0.1
Trench 12A	7/7/2016	-1.07E-02	1.60E-02	pCi/g	CS-137	0.2
Trench 12A	7/7/2016	3.86E+01	5.70E+00	pCi/g	Gross Beta	100
Trench 12A	7/7/2016	1.75E+01	1.60E+00	pCi/g	H-3	
Trench 12A	7/7/2016	-4.52E-04	1.40E-03	pCi/g	PU-238	0.02
Trench 12A	7/7/2016	3.76E-03	2.50E-03	pCi/g	Pu-239/240	0.02

Environmental Vegetation

Location	Sample_date	Result	Uncertainty	Units	Parameter	Investigation Level
Trench 12A	7/7/2016	2.80E-02	1.18E-02	pCi/g	Total U	0.25
Trench 12A	7/27/2017	-2.89E-02	5.80E-02	pCi/g	CO-60	0.1
Trench 12A	7/27/2017	-6.63E-03	4.20E-02	pCi/g	CS-137	0.2
Trench 12A	7/27/2017	2.34E+01	3.50E+00	pCi/g	Gross Beta	100
Trench 12A	7/27/2017	4.49E+00	6.40E-01	pCi/g	H-3	
Trench 12A	7/27/2017	-7.44E-04	1.10E-03	pCi/g	PU-238	0.02
Trench 12A	7/27/2017	8.66E-04	9.60E-04	pCi/g	Pu-239/240	0.02
Trench 12A	7/27/2017	5.80E-03	7.24E-03	pCi/g	Total U	0.25
Trench 13	8/8/2013	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Trench 13	8/8/2013	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Trench 13	8/8/2013	1.74E+00	9.60E-02	pCi/g	Gross Beta	100
Trench 13	8/8/2013	1.74E+00	9.60E-02	pCi/g	H-3	
Trench 13	8/8/2013	0.00E+00	1.00E-03	pCi/g	PU-238	0.02
Trench 13	8/8/2013	1.00E-03	1.00E-03	pCi/g	PU-239/240	0.02
Trench 13	8/8/2013	3.00E-02	2.83E-03	pCi/g	Total U	0.25
Trench 13	7/30/2014	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Trench 13	7/30/2014	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Trench 13	7/30/2014	1.72E+01	3.00E-01	pCi/g	Gross Beta	100
Trench 13	7/30/2014	1.50E+02	2.22E+00	pCi/g	H-3	
Trench 13	7/30/2014	0.00E+00	0.00E+00	pCi/g	PU-238	0.02
Trench 13	7/30/2014	0.00E+00	0.00E+00	pCi/g	PU-239/240	0.02
Trench 13	7/30/2014	6.00E-03	1.41E-03	pCi/g	Total U	0.25
Trench 13	6/24/2015	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Trench 13	6/24/2015	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Trench 13	6/24/2015	5.26E+01	1.50E+00	pCi/g	Gross Beta	100
Trench 13	6/24/2015	2.12E+02	3.24E+00	pCi/g	H-3	
Trench 13	6/24/2015	0.00E+00	2.00E-03	pCi/g	PU-238	0.02
Trench 13	6/24/2015	1.00E-03	1.00E-03	pCi/g	PU-239/240	0.02
Trench 13	6/24/2015	9.00E-03	5.10E-03	pCi/g	Total U	0.25
Trench 13	7/7/2016	3.78E-02	5.70E-02	pCi/g	CO-60	0.1
Trench 13	7/7/2016	2.00E-02	4.70E-02	pCi/g	CS-137	0.2
Trench 13	7/7/2016	9.43E+00	1.80E+00	pCi/g	Gross Beta	100
Trench 13	7/7/2016	1.76E+01	1.70E+00	pCi/g	H-3	
Trench 13	7/7/2016	9.05E-04	2.00E-03	pCi/g	PU-238	0.02
Trench 13	7/7/2016	3.29E-04	1.30E-03	pCi/g	Pu-239/240	0.02
Trench 13	7/7/2016	2.13E-02	9.75E-03	pCi/g	Total U	0.25
Trench 13	7/27/2017	-2.82E-02	4.90E-02	pCi/g	CO-60	0.1
Trench 13	7/27/2017	2.38E-02	3.10E-02	pCi/g	CS-137	0.2
Trench 13	7/27/2017	1.90E+01	2.90E+00	pCi/g	Gross Beta	100
Trench 13	7/27/2017	4.28E+01	2.20E+00	pCi/g	H-3	
Trench 13	7/27/2017	-3.53E-03	2.40E-03	pCi/g	PU-238	0.02
Trench 13	7/27/2017	9.72E-04	1.80E-03	pCi/g	Pu-239/240	0.02
Trench 13	7/27/2017	9.85E-03	5.98E-03	pCi/g	Total U	0.25
Trench 14	8/8/2013	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Trench 14	8/8/2013	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Trench 14	8/8/2013	1.78E+01	6.00E-01	pCi/g	Gross Beta	100

Environmental Vegetation

Location	Sample_date	Result	Uncertainty	Units	Parameter	Investigation Level
Trench 14	8/8/2013	2.64E+03	9.68E+00	pCi/g	H-3	
Trench 14	8/8/2013	0.00E+00	1.00E-03	pCi/g	PU-238	0.02
Trench 14	8/8/2013	1.00E-03	1.00E-03	pCi/g	PU-239/240	0.02
Trench 14	8/8/2013	1.20E-02	1.41E-03	pCi/g	Total U	0.25
Trench 14	7/30/2014	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Trench 14	7/30/2014	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Trench 14	7/30/2014	8.85E+01	1.10E+00	pCi/g	Gross Beta	100
Trench 14	7/30/2014	1.63E+01	8.72E-01	pCi/g	H-3	
Trench 14	7/30/2014	-2.00E-03	2.00E-03	pCi/g	PU-238	0.02
Trench 14	7/30/2014	-1.00E-03	2.00E-03	pCi/g	PU-239/240	0.02
Trench 14	7/30/2014	6.00E-03	3.74E-03	pCi/g	Total U	0.25
Trench 14	6/24/2015	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Trench 14	6/24/2015	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Trench 14	6/24/2015	1.94E+01	7.00E-01	pCi/g	Gross Beta	100
Trench 14	6/24/2015	7.02E+02	4.99E+00	pCi/g	H-3	
Trench 14	6/24/2015	0.00E+00	1.00E-03	pCi/g	PU-238	0.02
Trench 14	6/24/2015	-1.00E-03	1.00E-03	pCi/g	PU-239/240	0.02
Trench 14	6/24/2015	1.00E-02	3.00E-03	pCi/g	Total U	0.25
Trench 14	7/7/2016	1.80E-02	3.60E-02	pCi/g	CO-60	0.1
Trench 14	7/7/2016	2.14E-02	2.70E-02	pCi/g	CS-137	0.2
Trench 14	7/7/2016	5.06E+01	7.20E+00	pCi/g	Gross Beta	100
Trench 14	7/7/2016	2.17E+02	1.20E+01	pCi/g	H-3	
Trench 14	7/7/2016	-5.34E-04	1.70E-03	pCi/g	PU-238	0.02
Trench 14	7/7/2016	1.83E-03	2.00E-03	pCi/g	Pu-239/240	0.02
Trench 14	7/7/2016	1.14E-02	7.13E-03	pCi/g	Total U	0.25
Trench 14	7/27/2017	1.75E-03	1.70E-02	pCi/g	CO-60	0.1
Trench 14	7/27/2017	4.11E-02	5.80E-02	pCi/g	CO-60	0.1
Trench 14	7/27/2017	6.35E-03	1.50E-02	pCi/g	CS-137	0.2
Trench 14	7/27/2017	1.93E-03	4.10E-02	pCi/g	CS-137	0.2
Trench 14	7/27/2017	4.08E+01	6.00E+00	pCi/g	Gross Beta	100
Trench 14	7/27/2017	1.82E+01	2.70E+00	pCi/g	Gross Beta	100
Trench 14	7/27/2017	1.97E+01	1.20E+00	pCi/g	H-3	
Trench 14	7/27/2017	2.71E+02	1.20E+01	pCi/g	H-3	
Trench 14	7/27/2017	-4.10E-05	5.00E-04	pCi/g	PU-238	0.02
Trench 14	7/27/2017	-3.88E-04	6.30E-04	pCi/g	PU-238	0.02
Trench 14	7/27/2017	4.09E-05	8.30E-04	pCi/g	Pu-239/240	0.02
Trench 14	7/27/2017	3.88E-04	1.10E-03	pCi/g	Pu-239/240	0.02
Trench 14	7/27/2017	1.52E-02	7.28E-03	pCi/g	Total U	0.25
Trench 14 Grab	7/30/2014	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Trench 14 Grab	7/30/2014	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Trench 14 Grab	7/30/2014	1.78E+01	3.00E-01	pCi/g	Gross Beta	100
Trench 14 Grab	7/30/2014	1.57E+03	6.85E+00	pCi/g	H-3	
Trench 14 Grab	7/30/2014	0.00E+00	0.00E+00	pCi/g	PU-238	0.02
Trench 14 Grab	7/30/2014	0.00E+00	0.00E+00	pCi/g	PU-239/240	0.02
Trench 14 Grab	7/30/2014	5.00E-03	1.41E-03	pCi/g	Total U	0.25
Trench 16	8/8/2013	0.00E+00	0.00E+00	pCi/g	CO-60	0.1

Environmental Vegetation

Location	Sample_date	Result	Uncertainty	Units	Parameter	Investigation Level
Trench 16	8/8/2013	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Trench 16	8/8/2013	1.59E+00	9.80E-02	pCi/g	Gross Beta	100
Trench 16	8/8/2013	1.59E+00	9.80E-02	pCi/g	H-3	
Trench 16	8/8/2013	0.00E+00	1.00E-03	pCi/g	PU-238	0.02
Trench 16	8/8/2013	0.00E+00	1.00E-03	pCi/g	PU-239/240	0.02
Trench 16	8/8/2013	1.30E-02	1.41E-03	pCi/g	Total U	0.25
Trench 16	7/30/2014	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Trench 16	7/30/2014	2.02E+01	3.00E-01	pCi/g	Gross Beta	100
Trench 16	7/30/2014	1.88E+01	7.60E-01	pCi/g	H-3	
Trench 16	7/30/2014	0.00E+00	0.00E+00	pCi/g	PU-238	0.02
Trench 16	7/30/2014	0.00E+00	0.00E+00	pCi/g	PU-239/240	0.02
Trench 16	7/30/2014	1.20E-02	3.74E-03	pCi/g	Total U	0.25
Trench 16	6/24/2015	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Trench 16	6/24/2015	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Trench 16	6/24/2015	5.52E+01	1.70E+00	pCi/g	Gross Beta	100
Trench 16	6/24/2015	7.98E+00	7.48E-01	pCi/g	H-3	
Trench 16	6/24/2015	-1.00E-03	2.00E-03	pCi/g	PU-238	0.02
Trench 16	6/24/2015	-1.00E-03	1.00E-03	pCi/g	PU-239/240	0.02
Trench 16	6/24/2015	8.00E-03	3.74E-03	pCi/g	Total U	0.25
Trench 16	7/7/2016	2.74E-02	5.70E-02	pCi/g	CO-60	0.1
Trench 16	7/7/2016	-2.19E-02	4.60E-02	pCi/g	CS-137	0.2
Trench 16	7/7/2016	1.91E+01	2.80E+00	pCi/g	Gross Beta	100
Trench 16	7/7/2016	2.37E+01	1.80E+00	pCi/g	H-3	
Trench 16	7/7/2016	-1.53E-03	2.20E-03	pCi/g	PU-238	0.02
Trench 16	7/7/2016	3.27E-03	2.70E-03	pCi/g	Pu-239/240	0.02
Trench 16	7/7/2016	3.00E-03	2.00E-03	pCi/g	Total U	0.25
Trench 16	7/27/2017	-3.36E-02	6.00E-02	pCi/g	CO-60	0.1
Trench 16	7/27/2017	-1.39E-02	5.90E-02	pCi/g	CO-60	0.1
Trench 16	7/27/2017	4.19E-01	6.20E-02	pCi/g	CS-137	0.2
Trench 16	7/27/2017	4.00E-01	6.00E-02	pCi/g	CS-137	0.2
Trench 16	7/27/2017	2.05E+01	3.00E+00	pCi/g	Gross Beta	100
Trench 16	7/27/2017	3.52E+02	1.40E+01	pCi/g	H-3	
Trench 16	7/27/2017	-3.37E-04	1.00E-03	pCi/g	PU-238	0.02
Trench 16	7/27/2017	-2.80E-04	1.50E-03	pCi/g	Pu-239/240	0.02
Trench 16	7/27/2017	5.23E-02	1.54E-02	pCi/g	Total U	0.25
Trench 16 Grab	11/1/2017	6.71E-03	4.30E-02	PCI/G	CO-60	0.1
Trench 16 Grab	11/1/2017	1.92E-03	3.20E-02	PCI/G	CS-137	0.2
Trench 16 Grab	11/1/2017	1.37E+01	2.10E+00	PCI/G	Gross Beta	100
Trench 2	8/8/2013	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Trench 2	8/8/2013	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Trench 2	8/8/2013	3.14E+01	1.00E+00	pCi/g	Gross Beta	100
Trench 2	8/8/2013	9.53E-01	8.40E-02	pCi/g	H-3	
Trench 2	8/8/2013	1.00E-03	1.00E-03	pCi/g	PU-238	0.02
Trench 2	8/8/2013	0.00E+00	0.00E+00	pCi/g	PU-239/240	0.02
Trench 2	8/8/2013	1.50E-02	3.00E-03	pCi/g	Total U	0.25
Trench 2	6/24/2015	0.00E+00	0.00E+00	pCi/g	CO-60	0.1

Environmental Vegetation

Location	Sample_date	Result	Uncertainty	Units	Parameter	Investigation Level
Trench 2	6/24/2015	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Trench 2	6/24/2015	6.44E+01	1.80E+00	pCi/g	Gross Beta	100
Trench 2	6/24/2015	6.39E-01	8.00E-02	pCi/g	H-3	
Trench 2	6/24/2015	0.00E+00	1.00E-03	pCi/g	PU-238	0.02
Trench 2	6/24/2015	0.00E+00	2.00E-03	pCi/g	PU-239/240	0.02
Trench 2	6/24/2015	7.00E-03	5.39E-03	pCi/g	Total U	0.25
Trench 2	7/7/2016	9.30E-03	3.10E-02	pCi/g	CO-60	0.1
Trench 2	7/7/2016	2.13E-02	2.30E-02	pCi/g	CS-137	0.2
Trench 2	7/7/2016	2.30E+01	3.40E+00	pCi/g	Gross Beta	100
Trench 2	7/7/2016	1.06E+00	5.40E-01	pCi/g	H-3	
Trench 2	7/7/2016	2.00E-04	2.90E-03	pCi/g	PU-238	0.02
Trench 2	7/7/2016	9.58E-03	4.70E-03	pCi/g	Pu-239/240	0.02
Trench 2	7/7/2016	2.46E-02	1.18E-02	pCi/g	Total U	0.25
Trench 2	7/26/2017	-1.19E-03	5.10E-02	pCi/g	CO-60	0.1
Trench 2	7/26/2017	-2.95E-02	3.70E-02	pCi/g	CS-137	0.2
Trench 2	7/26/2017	1.88E+01	2.90E+00	pCi/g	Gross Beta	100
Trench 2	7/26/2017	1.74E+00	4.10E-01	pCi/g	H-3	
Trench 2	7/26/2017	-7.08E-04	1.30E-03	pCi/g	PU-238	0.02
Trench 2	7/26/2017	6.56E-04	9.00E-04	pCi/g	Pu-239/240	0.02
Trench 2	7/26/2017	7.86E-03	7.21E-03	pCi/g	Total U	0.25
Trench 3	8/8/2013	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Trench 3	8/8/2013	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Trench 3	8/8/2013	2.85E+01	9.00E-01	pCi/g	Gross Beta	100
Trench 3	8/8/2013	1.59E+00	1.04E-01	pCi/g	H-3	
Trench 3	8/8/2013	0.00E+00	0.00E+00	pCi/g	PU-238	0.02
Trench 3	8/8/2013	0.00E+00	1.00E-03	pCi/g	PU-239/240	0.02
Trench 3	8/8/2013	3.70E-02	4.36E-03	pCi/g	Total U	0.25
Trench 3	6/24/2015	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Trench 3	6/24/2015	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Trench 3	6/24/2015	3.14E+01	1.20E+00	pCi/g	Gross Beta	100
Trench 3	6/24/2015	1.00E-01	6.00E-02	pCi/g	H-3	
Trench 3	6/24/2015	-1.00E-03	1.00E-03	pCi/g	PU-238	0.02
Trench 3	6/24/2015	1.00E-03	1.00E-03	pCi/g	PU-239/240	0.02
Trench 3	6/24/2015	3.50E-02	8.54E-03	pCi/g	Total U	0.25
Trench 4	8/8/2013	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Trench 4	8/8/2013	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Trench 4	8/8/2013	2.95E+01	7.00E-01	pCi/g	Gross Beta	100
Trench 4	8/8/2013	4.62E+01	1.53E+00	pCi/g	H-3	
Trench 4	8/8/2013	1.00E-03	2.00E-03	pCi/g	PU-238	0.02
Trench 4	8/8/2013	3.00E-03	2.00E-03	pCi/g	PU-239/240	0.02
Trench 4	7/30/2014	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Trench 4	7/30/2014	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Trench 4	7/30/2014	3.66E+01	8.00E-01	pCi/g	Gross Beta	100
Trench 4	7/30/2014	4.16E+01	1.48E+00	pCi/g	H-3	
Trench 4	7/30/2014	0.00E+00	1.00E-03	pCi/g	PU-238	0.02
Trench 4	7/30/2014	0.00E+00	1.00E-03	pCi/g	PU-239/240	0.02

Environmental Vegetation

Location	Sample_date	Result	Uncertainty	Units	Parameter	Investigation Level
Trench 4	7/30/2014	3.40E-02	4.36E-03	pCi/g	Total U	0.25
Trench 4	6/24/2015	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Trench 4	6/24/2015	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Trench 4	6/24/2015	5.69E+01	1.60E+00	pCi/g	Gross Beta	100
Trench 4	6/24/2015	9.74E+01	2.32E+00	pCi/g	H-3	
Trench 4	6/24/2015	0.00E+00	1.00E-03	pCi/g	PU-238	0.02
Trench 4	6/24/2015	0.00E+00	1.00E-03	pCi/g	PU-239/240	0.02
Trench 4	6/24/2015	1.60E-02	5.92E-03	pCi/g	Total U	0.25
Trench 4	7/7/2016	2.04E-02	3.20E-02	pCi/g	CO-60	0.1
Trench 4	7/7/2016	7.16E-03	2.70E-02	pCi/g	CS-137	0.2
Trench 4	7/7/2016	2.68E+01	4.10E+00	pCi/g	Gross Beta	100
Trench 4	7/7/2016	2.40E+01	2.40E+00	pCi/g	H-3	
Trench 4	7/7/2016	-3.47E-04	2.10E-03	pCi/g	PU-238	0.02
Trench 4	7/7/2016	-1.64E-03	1.40E-03	pCi/g	PU-238	0.02
Trench 4	7/7/2016	1.54E-02	5.60E-03	pCi/g	Pu-239/240	0.02
Trench 4	7/7/2016	1.25E-02	5.40E-03	pCi/g	Pu-239/240	0.02
Trench 4	7/7/2016	5.45E-02	1.45E-02	pCi/g	Total U	0.25
Trench 4	7/27/2017	-1.46E-02	2.60E-02	pCi/g	CO-60	0.1
Trench 4	7/27/2017	1.69E-03	2.50E-02	pCi/g	CS-137	0.2
Trench 4	7/27/2017	2.48E+01	4.00E+00	pCi/g	Gross Beta	100
Trench 4	7/27/2017	4.63E+02	1.80E+01	pCi/g	H-3	
Trench 4	7/27/2017	5.44E+02	2.10E+01	pCi/g	H-3	
Trench 4	7/27/2017	-3.26E-04	6.60E-04	pCi/g	PU-238	0.02
Trench 4	7/27/2017	-4.89E-04	7.90E-04	pCi/g	Pu-239/240	0.02
Trench 4	7/27/2017	2.50E-02	9.98E-03	pCi/g	Total U	0.25
Trench 4A	8/8/2013	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Trench 4A	8/8/2013	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Trench 4A	8/8/2013	2.32E+01	8.00E-01	pCi/g	Gross Beta	100
Trench 4A	8/8/2013	4.29E-01	6.30E-02	pCi/g	H-3	
Trench 4A	8/8/2013	0.00E+00	1.00E-03	pCi/g	PU-238	0.02
Trench 4A	8/8/2013	0.00E+00	1.00E-03	pCi/g	PU-239/240	0.02
Trench 4A	8/8/2013	1.90E-02	3.00E-03	pCi/g	Total U	0.25
Trench 4B	8/8/2013	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Trench 4B	8/8/2013	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Trench 4B	8/8/2013	2.50E+01	9.00E-01	pCi/g	Gross Beta	100
Trench 4B	8/8/2013	2.00E-01	5.80E-02	pCi/g	H-3	
Trench 4B	8/8/2013	0.00E+00	1.00E-03	pCi/g	PU-238	0.02
Trench 4B	8/8/2013	0.00E+00	1.00E-03	pCi/g	PU-239/240	0.02
Trench 4B	8/8/2013	2.80E-02	3.61E-03	pCi/g	Total U	0.25
Trench 4B	7/30/2014	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Trench 4B	7/30/2014	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Trench 4B	7/30/2014	7.38E+01	1.40E+00	pCi/g	Gross Beta	100
Trench 4B	7/30/2014	1.89E-01	6.00E-02	pCi/g	H-3	
Trench 4B	7/30/2014	-1.00E-03	1.00E-03	pCi/g	PU-238	0.02
Trench 4B	7/30/2014	0.00E+00	1.00E-03	pCi/g	PU-239/240	0.02
Trench 4B	7/30/2014	9.00E-03	4.90E-03	pCi/g	Total U	0.25

Environmental Vegetation

Location	Sample_date	Result	Uncertainty	Units	Parameter	Investigation Level
Trench 4B	6/24/2015	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Trench 4B	6/24/2015	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Trench 4B	6/24/2015	7.51E+01	2.00E+00	pCi/g	Gross Beta	100
Trench 4B	6/24/2015	9.90E-02	5.80E-02	pCi/g	H-3	
Trench 4B	6/24/2015	-1.00E-03	1.00E-03	pCi/g	PU-238	0.02
Trench 4B	6/24/2015	0.00E+00	1.00E-03	pCi/g	PU-239/240	0.02
Trench 4B	6/24/2015	1.60E-02	6.48E-03	pCi/g	Total U	0.25
Trench 5	8/8/2013	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Trench 5	8/8/2013	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Trench 5	8/8/2013	3.20E+01	1.00E+00	pCi/g	Gross Beta	100
Trench 5	8/8/2013	2.27E+02	3.37E+00	pCi/g	H-3	
Trench 5	8/8/2013	1.00E-03	1.00E-03	pCi/g	PU-238	0.02
Trench 5	8/8/2013	0.00E+00	1.00E-03	pCi/g	PU-239/240	0.02
Trench 5	8/8/2013	3.20E-02	4.36E-03	pCi/g	Total U	0.25
Trench 5	7/30/2014	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Trench 5	7/30/2014	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Trench 5	7/30/2014	3.84E+01	8.00E-01	pCi/g	Gross Beta	100
Trench 5	7/30/2014	4.31E+02	4.67E+00	pCi/g	H-3	
Trench 5	7/30/2014	0.00E+00	2.00E-03	pCi/g	PU-238	0.02
Trench 5	7/30/2014	0.00E+00	1.00E-03	pCi/g	PU-239/240	0.02
Trench 5	7/30/2014	3.60E-02	5.10E-03	pCi/g	Total U	0.25
Trench 5	6/24/2015	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Trench 5	6/24/2015	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Trench 5	6/24/2015	3.63E+01	1.30E+00	pCi/g	Gross Beta	100
Trench 5	6/24/2015	1.67E+01	1.04E+00	pCi/g	H-3	
Trench 5	6/24/2015	1.00E-03	2.00E-03	pCi/g	PU-238	0.02
Trench 5	6/24/2015	-3.00E-03	3.00E-03	pCi/g	PU-239/240	0.02
Trench 5	6/24/2015	1.80E-02	6.16E-03	pCi/g	Total U	0.25
Trench 5	7/7/2016	-1.79E-03	3.40E-02	pCi/g	CO-60	0.1
Trench 5	7/7/2016	1.63E-02	2.80E-02	pCi/g	CS-137	0.2
Trench 5	7/7/2016	1.53E+01	2.40E+00	pCi/g	Gross Beta	100
Trench 5	7/7/2016	3.34E+03	1.90E+02	pCi/g	H-3	
Trench 5	7/7/2016	3.69E-03	3.60E-03	pCi/g	PU-238	0.02
Trench 5	7/7/2016	4.69E-03	3.70E-03	pCi/g	Pu-239/240	0.02
Trench 5	7/7/2016	5.87E-02	1.52E-02	pCi/g	Total U	0.25
Trench 5	7/27/2017	-1.16E-02	2.00E-02	pCi/g	CO-60	0.1
Trench 5	7/27/2017	4.78E-04	1.60E-02	pCi/g	CS-137	0.2
Trench 5	7/27/2017	3.02E+01	4.60E+00	pCi/g	Gross Beta	100
Trench 5	7/27/2017	2.45E+01	3.80E+00	pCi/g	Gross Beta	100
Trench 5	7/27/2017	3.30E+02	1.30E+01	pCi/g	H-3	
Trench 5	7/27/2017	-4.97E-04	6.90E-04	pCi/g	PU-238	0.02
Trench 5	7/27/2017	-4.96E-04	6.80E-04	pCi/g	Pu-239/240	0.02
Trench 5	7/27/2017	5.64E-02	1.73E-02	pCi/g	Total U	0.25
Trench 6	8/8/2013	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Trench 6	8/8/2013	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Trench 6	8/8/2013	3.12E+01	8.00E-01	pCi/g	Gross Beta	100

Environmental Vegetation

Location	Sample_date	Result	Uncertainty	Units	Parameter	Investigation Level
Trench 6	8/8/2013	3.61E+00	1.46E-01	pCi/g	H-3	
Trench 6	8/8/2013	1.00E-03	1.00E-03	pCi/g	PU-238	0.02
Trench 6	8/8/2013	2.00E-03	1.00E-03	pCi/g	PU-239/240	0.02
Trench 6	8/8/2013	6.50E-02	6.48E-03	pCi/g	Total U	0.25
Trench 6	7/30/2014	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Trench 6	7/30/2014	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Trench 6	7/30/2014	6.31E+01	1.20E+00	pCi/g	Gross Beta	100
Trench 6	7/30/2014	3.16E+01	1.27E+00	pCi/g	H-3	
Trench 6	7/30/2014	0.00E+00	2.00E-03	pCi/g	PU-238	0.02
Trench 6	7/30/2014	-1.00E-03	2.00E-03	pCi/g	PU-239/240	0.02
Trench 6	7/30/2014	2.90E-02	5.74E-03	pCi/g	Total U	0.25
Trench 6	6/24/2015	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Trench 6	6/24/2015	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Trench 6	6/24/2015	6.07E+01	1.60E+00	pCi/g	Gross Beta	100
Trench 6	6/24/2015	3.24E+01	1.35E+00	pCi/g	H-3	
Trench 6	6/24/2015	1.00E-03	3.00E-03	pCi/g	PU-238	0.02
Trench 6	6/24/2015	0.00E+00	1.00E-03	pCi/g	PU-239/240	0.02
Trench 6	6/24/2015	4.70E-02	1.02E-02	pCi/g	Total U	0.25
Trench 6	7/7/2016	2.76E-02	2.50E-02	pCi/g	CO-60	0.1
Trench 6	7/7/2016	1.36E-02	1.70E-02	pCi/g	CS-137	0.2
Trench 6	7/7/2016	1.56E+01	2.40E+00	pCi/g	Gross Beta	100
Trench 6	7/7/2016	1.69E+01	1.80E+00	pCi/g	H-3	
Trench 6	7/7/2016	2.07E-04	1.40E-03	pCi/g	PU-238	0.02
Trench 6	7/7/2016	9.70E-03	4.00E-03	pCi/g	Pu-239/240	0.02
Trench 6	7/7/2016	9.68E-02	2.11E-02	pCi/g	Total U	0.25
Trench 6	7/26/2017	-3.07E-02	6.40E-02	pCi/g	CO-60	0.1
Trench 6	7/26/2017	9.49E-03	4.00E-02	pCi/g	CS-137	0.2
Trench 6	7/26/2017	1.77E+01	2.70E+00	pCi/g	Gross Beta	100
Trench 6	7/26/2017	1.06E+03	4.10E+01	pCi/g	H-3	
Trench 6	7/26/2017	-1.14E-04	9.80E-04	pCi/g	PU-238	0.02
Trench 6	7/26/2017	2.95E-03	2.50E-03	pCi/g	Pu-239/240	0.02
Trench 6	7/26/2017	6.86E-02	1.86E-02	pCi/g	Total U	0.25
Trench 7	8/8/2013	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Trench 7	8/8/2013	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Trench 7	8/8/2013	3.07E+01	1.00E+00	pCi/g	Gross Beta	100
Trench 7	8/8/2013	2.83E+01	1.20E+00	pCi/g	H-3	
Trench 7	8/8/2013	0.00E+00	1.00E-03	pCi/g	PU-238	0.02
Trench 7	8/8/2013	2.00E-03	1.00E-03	pCi/g	PU-239/240	0.02
Trench 7	8/8/2013	4.30E-02	5.74E-03	pCi/g	Total U	0.25
Trench 7	7/30/2014	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Trench 7	7/30/2014	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Trench 7	7/30/2014	3.93E+01	1.00E+00	pCi/g	Gross Beta	100
Trench 7	7/30/2014	5.39E+01	1.64E+00	pCi/g	H-3	
Trench 7	7/30/2014	0.00E+00	3.00E-03	pCi/g	PU-238	0.02
Trench 7	7/30/2014	0.00E+00	2.00E-03	pCi/g	PU-239/240	0.02
Trench 7	7/30/2014	3.60E-02	5.74E-03	pCi/g	Total U	0.25

Environmental Vegetation

Location	Sample_date	Result	Uncertainty	Units	Parameter	Investigation Level
Trench 7	6/24/2015	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Trench 7	6/24/2015	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Trench 7	6/24/2015	3.20E+01	1.10E+00	pCi/g	Gross Beta	100
Trench 7	6/24/2015	2.37E+00	1.20E-01	pCi/g	H-3	
Trench 7	6/24/2015	0.00E+00	2.00E-03	pCi/g	PU-238	0.02
Trench 7	6/24/2015	1.00E-03	2.00E-03	pCi/g	PU-239/240	0.02
Trench 7	6/24/2015	8.00E-03	3.74E-03	pCi/g	Total U	0.25
Trench 7	7/7/2016	-1.89E-02	3.60E-02	pCi/g	CO-60	0.1
Trench 7	7/7/2016	2.40E-02	2.90E-02	pCi/g	CS-137	0.2
Trench 7	7/7/2016	2.72E+01	4.10E+00	pCi/g	Gross Beta	100
Trench 7	7/7/2016	4.12E+01	2.90E+00	pCi/g	H-3	
Trench 7	7/7/2016	1.70E-03	3.80E-03	pCi/g	PU-238	0.02
Trench 7	7/7/2016	7.08E-03	5.00E-03	pCi/g	Pu-239/240	0.02
Trench 7	7/7/2016	3.32E-02	1.09E-02	pCi/g	Total U	0.25
Trench 7	7/27/2017	-1.84E-02	6.30E-02	pCi/g	CO-60	0.1
Trench 7	7/27/2017	5.38E-04	4.50E-02	pCi/g	CS-137	0.2
Trench 7	7/27/2017	2.09E+01	3.40E+00	pCi/g	Gross Beta	100
Trench 7	7/27/2017	4.11E+01	2.30E+00	pCi/g	H-3	
Trench 7	7/27/2017	-6.09E-04	7.20E-04	pCi/g	PU-238	0.02
Trench 7	7/27/2017	-7.60E-04	1.50E-03	pCi/g	Pu-239/240	0.02
Trench 7	7/27/2017	2.42E-02	1.23E-02	pCi/g	Total U	0.25
Trench 7A	8/8/2013	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Trench 7A	8/8/2013	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Trench 7A	8/8/2013	1.79E+01	6.00E-01	pCi/g	Gross Beta	100
Trench 7A	8/8/2013	6.50E-02	3.50E-02	pCi/g	H-3	
Trench 7A	8/8/2013	1.00E-03	1.00E-03	pCi/g	PU-238	0.02
Trench 7A	8/8/2013	2.00E-03	1.00E-03	pCi/g	PU-239/240	0.02
Trench 7A	8/8/2013	4.00E-02	4.36E-03	pCi/g	Total U	0.25
Trench 7A	7/30/2014	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Trench 7A	7/30/2014	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Trench 7A	7/30/2014	1.59E+01	4.00E-01	pCi/g	Gross Beta	100
Trench 7A	7/30/2014	1.50E-01	4.10E-02	pCi/g	H-3	
Trench 7A	7/30/2014	-1.00E-03	1.00E-03	pCi/g	PU-238	0.02
Trench 7A	7/30/2014	1.00E-03	1.00E-03	pCi/g	PU-239/240	0.02
Trench 7A	7/30/2014	1.90E-02	3.00E-03	pCi/g	Total U	0.25
Trench 7A	6/24/2015	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Trench 7A	6/24/2015	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Trench 7A	6/24/2015	1.95E+01	7.00E-01	pCi/g	Gross Beta	100
Trench 7A	6/24/2015	9.80E-02	4.70E-02	pCi/g	H-3	
Trench 7A	6/24/2015	1.00E-03	1.00E-03	pCi/g	PU-238	0.02
Trench 7A	6/24/2015	0.00E+00	1.00E-03	pCi/g	PU-239/240	0.02
Trench 7A	6/24/2015	2.40E-02	5.10E-03	pCi/g	Total U	0.25
Trench 7A	7/7/2016	8.11E-03	3.30E-02	pCi/g	CO-60	0.1
Trench 7A	7/7/2016	2.17E-02	2.50E-02	pCi/g	CS-137	0.2
Trench 7A	7/7/2016	1.70E+01	2.70E+00	pCi/g	Gross Beta	100
Trench 7A	7/7/2016	2.99E-01	3.20E-01	pCi/g	H-3	

Environmental Vegetation

Location	Sample_date	Result	Uncertainty	Units	Parameter	Investigation Level
Trench 7A	7/7/2016	8.58E-04	2.30E-03	pCi/g	PU-238	0.02
Trench 7A	7/7/2016	3.12E-03	2.30E-03	pCi/g	Pu-239/240	0.02
Trench 7A	7/7/2016	1.59E-02	8.98E-03	pCi/g	Total U	0.25
Trench 7A	7/27/2017	5.97E-03	5.70E-02	pCi/g	CO-60	0.1
Trench 7A	7/27/2017	-7.82E-03	5.20E-02	pCi/g	CS-137	0.2
Trench 7A	7/27/2017	1.81E+01	2.80E+00	pCi/g	Gross Beta	100
Trench 7A	7/27/2017	2.34E+00	3.70E-01	pCi/g	H-3	
Trench 7A	7/27/2017	9.11E-05	7.40E-04	pCi/g	PU-238	0.02
Trench 7A	7/27/2017	2.18E-03	1.50E-03	pCi/g	Pu-239/240	0.02
Trench 7A	7/27/2017	1.55E-02	1.75E-02	pCi/g	Total U	0.25
Trench 8	8/8/2013	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Trench 8	8/8/2013	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Trench 8	8/8/2013	2.75E+01	9.00E-01	pCi/g	Gross Beta	100
Trench 8	8/8/2013	2.35E+01	1.08E+00	pCi/g	H-3	
Trench 8	8/8/2013	0.00E+00	1.00E-03	pCi/g	PU-238	0.02
Trench 8	8/8/2013	0.00E+00	1.00E-03	pCi/g	PU-239/240	0.02
Trench 8	8/8/2013	4.20E-02	4.36E-03	pCi/g	Total U	0.25
Trench 8	7/30/2014	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Trench 8	7/30/2014	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Trench 8	7/30/2014	5.03E+01	1.00E+00	pCi/g	Gross Beta	100
Trench 8	7/30/2014	3.10E+01	1.27E+00	pCi/g	H-3	
Trench 8	7/30/2014	2.00E-03	2.00E-03	pCi/g	PU-238	0.02
Trench 8	7/30/2014	-1.00E-03	2.00E-03	pCi/g	PU-239/240	0.02
Trench 8	7/30/2014	1.50E-02	3.00E-03	pCi/g	Total U	0.25
Trench 8	6/24/2015	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Trench 8	6/24/2015	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Trench 8	6/24/2015	3.95E+01	1.30E+00	pCi/g	Gross Beta	100
Trench 8	6/24/2015	6.18E+00	7.41E-01	pCi/g	H-3	
Trench 8	6/24/2015	-2.00E-03	2.00E-03	pCi/g	PU-238	0.02
Trench 8	6/24/2015	-1.00E-03	2.00E-03	pCi/g	PU-239/240	0.02
Trench 8	6/24/2015	2.20E-02	7.14E-03	pCi/g	Total U	0.25
Trench 8	7/7/2016	1.30E-02	3.60E-02	pCi/g	CO-60	0.1
Trench 8	7/7/2016	2.20E-03	2.50E-02	pCi/g	CS-137	0.2
Trench 8	7/7/2016	2.12E+01	3.50E+00	pCi/g	Gross Beta	100
Trench 8	7/7/2016	3.48E+01	2.40E+00	pCi/g	H-3	
Trench 8	7/7/2016	-8.12E-05	2.20E-03	pCi/g	PU-238	0.02
Trench 8	7/7/2016	1.86E-03	1.90E-03	pCi/g	Pu-239/240	0.02
Trench 8	7/7/2016	5.99E-02	1.56E-02	pCi/g	Total U	0.25
Trench 8	7/27/2017	3.36E-02	7.70E-02	pCi/g	CO-60	0.1
Trench 8	7/27/2017	9.17E-03	5.50E-02	pCi/g	CS-137	0.2
Trench 8	7/27/2017	1.44E+01	2.30E+00	pCi/g	Gross Beta	100
Trench 8	7/27/2017	1.25E+01	9.50E-01	pCi/g	H-3	
Trench 8	7/27/2017	-1.71E-03	1.50E-03	pCi/g	PU-238	0.02
Trench 8	7/27/2017	2.70E-04	6.90E-04	pCi/g	Pu-239/240	0.02
Trench 8	7/27/2017	6.92E-02	1.71E-02	pCi/g	Total U	0.25
Trench 9	8/8/2013	0.00E+00	0.00E+00	pCi/g	CO-60	0.1

Environmental Vegetation

Location	Sample_date	Result	Uncertainty	Units	Parameter	Investigation Level
Trench 9	8/8/2013	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Trench 9	8/8/2013	2.56E+01	9.00E-01	pCi/g	Gross Beta	100
Trench 9	8/8/2013	8.92E+00	7.54E-01	pCi/g	H-3	
Trench 9	8/8/2013	-1.00E-03	2.00E-03	pCi/g	PU-238	0.02
Trench 9	8/8/2013	0.00E+00	1.00E-03	pCi/g	PU-239/240	0.02
Trench 9	8/8/2013	1.30E-02	3.00E-03	pCi/g	Total U	0.25
Trench 9	7/30/2014	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Trench 9	7/30/2014	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Trench 9	7/30/2014	4.03E+01	6.00E-01	pCi/g	Gross Beta	100
Trench 9	7/30/2014	3.46E+00	1.55E-01	pCi/g	H-3	
Trench 9	7/30/2014	0.00E+00	1.00E-03	pCi/g	PU-238	0.02
Trench 9	7/30/2014	0.00E+00	1.00E-03	pCi/g	PU-239/240	0.02
Trench 9	7/30/2014	2.50E-02	4.36E-03	pCi/g	Total U	0.25
Trench 9	6/24/2015	0.00E+00	0.00E+00	pCi/g	CO-60	0.1
Trench 9	6/24/2015	0.00E+00	0.00E+00	pCi/g	CS-137	0.2
Trench 9	6/24/2015	3.87E+01	1.20E+00	pCi/g	Gross Beta	100
Trench 9	6/24/2015	8.96E+00	7.88E-01	pCi/g	H-3	
Trench 9	6/24/2015	1.00E-03	1.00E-03	pCi/g	PU-238	0.02
Trench 9	6/24/2015	0.00E+00	1.00E-03	pCi/g	PU-239/240	0.02
Trench 9	6/24/2015	1.00E-02	5.39E-03	pCi/g	Total U	0.25
Trench 9	7/7/2016	2.69E-02	3.90E-02	pCi/g	CO-60	0.1
Trench 9	7/7/2016	1.00E-02	3.10E-02	pCi/g	CS-137	0.2
Trench 9	7/7/2016	2.52E+01	3.90E+00	pCi/g	Gross Beta	100
Trench 9	7/7/2016	2.54E+00	4.70E-01	pCi/g	H-3	
Trench 9	7/7/2016	7.48E-04	2.10E-03	pCi/g	PU-238	0.02
Trench 9	7/7/2016	4.20E-03	3.60E-03	pCi/g	Pu-239/240	0.02
Trench 9	7/7/2016	6.79E-02	1.64E-02	pCi/g	Total U	0.25
Trench 9	7/27/2017	-1.60E-02	6.00E-02	pCi/g	CO-60	0.1
Trench 9	7/27/2017	5.68E-03	3.80E-02	pCi/g	CS-137	0.2
Trench 9	7/27/2017	1.34E+01	2.10E+00	pCi/g	Gross Beta	100
Trench 9	7/27/2017	2.13E+01	1.30E+00	pCi/g	H-3	
Trench 9	7/27/2017	-1.46E-03	1.40E-03	pCi/g	PU-238	0.02
Trench 9	7/27/2017	4.84E-04	8.00E-04	pCi/g	Pu-239/240	0.02
Trench 9	7/27/2017	8.98E-03	7.12E-03	pCi/g	Total U	0.25

Environmental Groundwater

Location	Sample_date	Result	Uncertainty	Units	Parameter	Investigation Level
Well 10	3/15/2017	-6.33E-01	6.60E+00	pCi/l	C-14	250
Well 10	5/24/2017	-9.56E+00	6.00E+00	pCi/l	C-14	250
Well 10	8/16/2017	-6.77E+00	5.60E+00	pCi/l	C-14	250
Well 10	11/15/2017	-5.90E+00	6.10E+00	pCi/l	C-14	250
Well 13	3/13/2017	-1.70E+00	6.50E+00	pCi/l	C-14	250
Well 13	5/22/2017	-9.12E+00	6.00E+00	pCi/l	C-14	250
Well 13	8/14/2017	-8.80E+00	5.50E+00	pCi/l	C-14	250
Well 13	11/13/2017	-1.97E+00	6.20E+00	pCi/l	C-14	250
Well 3	3/16/2017	5.52E+01	8.40E+00	pCi/l	C-14	250
Well 3	5/25/2017	5.04E+01	8.20E+00	pCi/l	C-14	250
Well 3	8/17/2017	5.01E+01	7.70E+00	pCi/l	C-14	250
Well 3	11/16/2017	6.89E+01	8.60E+00	pCi/l	C-14	250
Well 4	3/15/2017	4.39E+01	8.00E+00	pCi/l	C-14	250
Well 4	5/24/2017	3.03E+01	7.30E+00	pCi/l	C-14	250
Well 4	8/16/2017	3.74E+01	7.20E+00	pCi/l	C-14	250
Well 4	11/15/2017	4.71E+01	7.80E+00	pCi/l	C-14	250
Well 5	3/14/2017	9.03E+01	9.50E+00	pCi/l	C-14	250
Well 5	5/23/2017	7.95E+01	9.50E+00	pCi/l	C-14	250
Well 5	8/15/2017	7.84E+01	9.00E+00	pCi/l	C-14	250
Well 5	11/14/2017	1.05E+02	9.70E+00	pCi/l	C-14	250
Well 6	3/13/2017	2.11E+00	6.60E+00	pCi/l	C-14	250
Well 6	5/22/2017	-6.28E+00	6.10E+00	pCi/l	C-14	250
Well 6	8/14/2017	-2.07E+00	5.80E+00	pCi/l	C-14	250
Well 6	11/13/2017	4.47E+00	6.50E+00	pCi/l	C-14	250
Well 7	3/15/2017	-3.18E+00	6.50E+00	pCi/l	C-14	250
Well 7	5/24/2017	-1.44E+01	5.80E+00	pCi/l	C-14	250
Well 7	8/16/2017	-9.74E-01	5.80E+00	pCi/l	C-14	250
Well 7	11/15/2017	-9.30E+00	6.00E+00	pCi/l	C-14	250
Well 8	3/14/2017	-5.44E+00	6.40E+00	pCi/l	C-14	250
Well 8	5/23/2017	-6.93E+00	6.00E+00	pCi/l	C-14	250
Well 8	8/15/2017	2.90E-01	5.90E+00	pCi/l	C-14	250
Well 8	11/14/2017	5.01E+00	6.50E+00	pCi/l	C-14	250
Well 9	3/13/2017	8.91E-01	6.60E+00	pCi/l	C-14	250
Well 9	5/22/2017	-4.62E+00	6.10E+00	pCi/l	C-14	250
Well 9	8/14/2017	-2.68E+00	5.80E+00	pCi/l	C-14	250
Well 9	11/13/2017	1.73E+00	6.40E+00	pCi/l	C-14	250
Well 10	3/15/2017	3.16E-01	1.20E+00	pCi/l	CO-60	6
Well 10	5/24/2017	-1.80E-01	1.30E+00	pCi/l	CO-60	6
Well 10	8/16/2017	-9.11E-01	5.00E+00	pCi/l	CO-60	6
Well 10	11/15/2017	-3.16E-01	4.00E+00	pCi/l	CO-60	6
Well 13	3/13/2017	-4.73E-01	1.20E+00	pCi/l	CO-60	6
Well 13	5/22/2017	-6.79E-01	1.30E+00	pCi/l	CO-60	6
Well 13	8/14/2017	-9.03E-01	1.40E+00	pCi/l	CO-60	6
Well 13	11/13/2017	-5.15E-02	4.60E+00	pCi/l	CO-60	6
Well 3	3/16/2017	1.14E-01	1.20E+00	pCi/l	CO-60	6
Well 3	5/25/2017	-3.57E-01	1.20E+00	pCi/l	CO-60	6
Well 3	8/17/2017	5.63E-02	1.50E+00	pCi/l	CO-60	6
Well 3	11/16/2017	-5.67E+00	5.20E+00	pCi/l	CO-60	6
Well 4	3/15/2017	-7.14E-01	1.40E+00	pCi/l	CO-60	6
Well 4	5/24/2017	-4.68E-01	1.70E+00	pCi/l	CO-60	6

Environmental Groundwater

Location	Sample_date	Result	Uncertainty	Units	Parameter	Investigation Level
Well 4	8/16/2017	2.22E+00	3.40E+00	pCi/l	CO-60	6
Well 4	11/15/2017	2.31E-01	1.20E+00	pCi/l	CO-60	6
Well 5	3/14/2017	6.36E-01	1.20E+00	pCi/l	CO-60	6
Well 5	5/23/2017	4.74E-01	1.20E+00	pCi/l	CO-60	6
Well 5	8/15/2017	1.40E-01	1.60E+00	pCi/l	CO-60	6
Well 5	11/14/2017	6.77E-01	1.60E+00	pCi/l	CO-60	6
Well 6	3/13/2017	2.90E-01	1.60E+00	pCi/l	CO-60	6
Well 6	5/22/2017	-1.12E+00	1.20E+00	pCi/l	CO-60	6
Well 6	8/14/2017	6.48E-01	1.50E+00	pCi/l	CO-60	6
Well 6	11/13/2017	1.81E+00	3.40E+00	pCi/l	CO-60	6
Well 7	3/15/2017	-1.95E-01	1.90E+00	pCi/l	CO-60	6
Well 7	5/24/2017	-2.31E-02	1.50E+00	pCi/l	CO-60	6
Well 7	8/16/2017	3.18E+00	3.70E+00	pCi/l	CO-60	6
Well 7	11/15/2017	2.67E+00	2.90E+00	pCi/l	CO-60	6
Well 8	3/14/2017	1.93E-02	1.30E+00	pCi/l	CO-60	6
Well 8	5/23/2017	-3.92E-02	1.30E+00	pCi/l	CO-60	6
Well 8	8/15/2017	1.27E+00	1.60E+00	pCi/l	CO-60	6
Well 8	11/14/2017	-1.14E+00	1.20E+00	pCi/l	CO-60	6
Well 9	3/13/2017	-6.05E-01	1.80E+00	pCi/l	CO-60	6
Well 9	5/22/2017	8.87E-01	1.40E+00	pCi/l	CO-60	6
Well 9	8/14/2017	6.99E-01	1.30E+00	pCi/l	CO-60	6
Well 9	11/13/2017	5.61E-01	1.20E+00	pCi/l	CO-60	6
Well 10	3/15/2017	8.10E-02	1.10E+00	pCi/l	CS-137	7
Well 10	5/24/2017	-2.82E-01	1.10E+00	pCi/l	CS-137	7
Well 10	8/16/2017	-1.61E+00	4.70E+00	pCi/l	CS-137	7
Well 10	11/15/2017	-5.04E-01	3.20E+00	pCi/l	CS-137	7
Well 13	3/13/2017	-1.32E-01	1.10E+00	pCi/l	CS-137	7
Well 13	5/22/2017	-8.60E-01	1.10E+00	pCi/l	CS-137	7
Well 13	8/14/2017	-1.01E-01	1.40E+00	pCi/l	CS-137	7
Well 13	11/13/2017	-1.22E+00	4.50E+00	pCi/l	CS-137	7
Well 3	3/16/2017	-3.10E-01	1.10E+00	pCi/l	CS-137	7
Well 3	5/25/2017	-4.16E-01	1.10E+00	pCi/l	CS-137	7
Well 3	8/17/2017	-1.36E-01	1.70E+00	pCi/l	CS-137	7
Well 3	11/16/2017	3.62E+00	4.10E+00	pCi/l	CS-137	7
Well 4	3/15/2017	9.57E-01	1.20E+00	pCi/l	CS-137	7
Well 4	5/24/2017	-5.05E-01	1.80E+00	pCi/l	CS-137	7
Well 4	8/16/2017	1.81E+00	2.50E+00	pCi/l	CS-137	7
Well 4	11/15/2017	4.42E-03	1.10E+00	pCi/l	CS-137	7
Well 5	3/14/2017	7.30E-01	1.10E+00	pCi/l	CS-137	7
Well 5	5/23/2017	5.13E-01	1.10E+00	pCi/l	CS-137	7
Well 5	8/15/2017	7.17E-01	1.70E+00	pCi/l	CS-137	7
Well 5	11/14/2017	-1.54E-01	1.50E+00	pCi/l	CS-137	7
Well 6	3/13/2017	1.24E+00	1.60E+00	pCi/l	CS-137	7
Well 6	5/22/2017	1.95E-01	1.10E+00	pCi/l	CS-137	7
Well 6	8/14/2017	9.43E-01	1.60E+00	pCi/l	CS-137	7
Well 6	11/13/2017	1.52E+00	2.40E+00	pCi/l	CS-137	7
Well 7	3/15/2017	-5.25E-01	1.70E+00	pCi/l	CS-137	7
Well 7	5/24/2017	-6.96E-01	1.30E+00	pCi/l	CS-137	7
Well 7	8/16/2017	1.59E+00	3.00E+00	pCi/l	CS-137	7
Well 7	11/15/2017	-7.63E-01	2.60E+00	pCi/l	CS-137	7

Environmental Groundwater

Location	Sample_date	Result	Uncertainty	Units	Parameter	Investigation Level
Well 8	3/14/2017	-2.28E-01	1.00E+00	pCi/l	CS-137	7
Well 8	5/23/2017	-1.78E-01	1.20E+00	pCi/l	CS-137	7
Well 8	8/15/2017	-1.20E+00	1.70E+00	pCi/l	CS-137	7
Well 8	11/14/2017	-9.83E-03	1.10E+00	pCi/l	CS-137	7
Well 9	3/13/2017	2.15E-01	1.70E+00	pCi/l	CS-137	7
Well 9	5/22/2017	9.70E-02	1.30E+00	pCi/l	CS-137	7
Well 9	8/14/2017	-2.40E-01	1.20E+00	pCi/l	CS-137	7
Well 9	11/13/2017	-3.61E-01	1.10E+00	pCi/l	CS-137	7
Well 10	3/15/2017	1.13E+00	1.20E+00	pCi/l	Gross Alpha	12
Well 10	5/24/2017	9.92E-01	8.20E-01	pCi/l	Gross Alpha	12
Well 10	8/16/2017	6.08E-01	8.00E-01	pCi/l	Gross Alpha	12
Well 10	11/15/2017	1.17E+00	1.00E+00	pCi/l	Gross Alpha	12
Well 13	3/13/2017	-2.72E-01	1.20E+00	pCi/l	Gross Alpha	12
Well 13	5/22/2017	6.91E-01	5.60E-01	pCi/l	Gross Alpha	12
Well 13	8/14/2017	7.91E-01	7.30E-01	pCi/l	Gross Alpha	12
Well 13	11/13/2017	2.36E+00	1.20E+00	pCi/l	Gross Alpha	12
Well 3	3/16/2017	1.45E+00	9.60E-01	pCi/l	Gross Alpha	12
Well 3	5/25/2017	6.25E-01	6.90E-01	pCi/l	Gross Alpha	12
Well 3	8/17/2017	1.12E+00	7.40E-01	pCi/l	Gross Alpha	12
Well 3	11/16/2017	2.28E+00	1.10E+00	pCi/l	Gross Alpha	12
Well 4	3/15/2017	1.34E+00	1.10E+00	pCi/l	Gross Alpha	12
Well 4	5/24/2017	8.12E-01	9.70E-01	pCi/l	Gross Alpha	12
Well 4	8/16/2017	7.85E-01	8.70E-01	pCi/l	Gross Alpha	12
Well 4	11/15/2017	2.47E+00	1.30E+00	pCi/l	Gross Alpha	12
Well 5	3/14/2017	1.66E+00	1.00E+00	pCi/l	Gross Alpha	12
Well 5	5/23/2017	6.53E-01	8.40E-01	pCi/l	Gross Alpha	12
Well 5	8/15/2017	1.13E+00	8.80E-01	pCi/l	Gross Alpha	12
Well 5	11/14/2017	2.00E+00	1.10E+00	pCi/l	Gross Alpha	12
Well 6	3/13/2017	1.36E+00	1.00E+00	pCi/l	Gross Alpha	12
Well 6	5/22/2017	4.96E-01	5.60E-01	pCi/l	Gross Alpha	12
Well 6	8/14/2017	1.71E+00	8.70E-01	pCi/l	Gross Alpha	12
Well 6	11/13/2017	8.54E-01	8.90E-01	pCi/l	Gross Alpha	12
Well 7	3/15/2017	3.66E-01	9.80E-01	pCi/l	Gross Alpha	12
Well 7	5/24/2017	1.72E+00	8.90E-01	pCi/l	Gross Alpha	12
Well 7	8/16/2017	9.65E-01	8.00E-01	pCi/l	Gross Alpha	12
Well 7	11/15/2017	1.62E+00	1.10E+00	pCi/l	Gross Alpha	12
Well 8	3/14/2017	6.08E-01	1.10E+00	pCi/l	Gross Alpha	12
Well 8	5/23/2017	1.85E+00	9.60E-01	pCi/l	Gross Alpha	12
Well 8	8/15/2017	1.34E+00	8.50E-01	pCi/l	Gross Alpha	12
Well 8	11/14/2017	1.26E+00	1.10E+00	pCi/l	Gross Alpha	12
Well 9	3/13/2017	7.79E-01	9.40E-01	pCi/l	Gross Alpha	12
Well 9	5/22/2017	1.49E+00	6.80E-01	pCi/l	Gross Alpha	12
Well 9	8/14/2017	8.93E-01	7.40E-01	pCi/l	Gross Alpha	12
Well 9	11/13/2017	1.38E+00	1.20E+00	pCi/l	Gross Alpha	12
Well 10	3/15/2017	8.54E+00	1.80E+00	pCi/l	Gross Beta	12
Well 10	5/24/2017	8.79E+00	1.90E+00	pCi/l	Gross Beta	12
Well 10	8/16/2017	9.03E+00	1.90E+00	pCi/l	Gross Beta	12
Well 10	11/15/2017	8.91E+00	1.80E+00	pCi/l	Gross Beta	12
Well 13	3/13/2017	9.63E+00	2.00E+00	pCi/l	Gross Beta	12
Well 13	5/22/2017	1.32E+01	2.30E+00	pCi/l	Gross Beta	12

Environmental Groundwater

Location	Sample_date	Result	Uncertainty	Units	Parameter	Investigation Level
Well 13	8/14/2017	1.02E+01	2.00E+00	pCi/l	Gross Beta	12
Well 13	11/13/2017	9.99E+00	2.00E+00	pCi/l	Gross Beta	12
Well 3	3/16/2017	6.50E+00	1.60E+00	pCi/l	Gross Beta	12
Well 3	5/25/2017	7.37E+00	1.80E+00	pCi/l	Gross Beta	12
Well 3	8/17/2017	5.85E+00	1.50E+00	pCi/l	Gross Beta	12
Well 3	11/16/2017	8.50E+00	1.90E+00	pCi/l	Gross Beta	12
Well 4	3/15/2017	7.42E+00	1.70E+00	pCi/l	Gross Beta	12
Well 4	5/24/2017	8.35E+00	1.70E+00	pCi/l	Gross Beta	12
Well 4	8/16/2017	7.85E+00	1.70E+00	pCi/l	Gross Beta	12
Well 4	11/15/2017	7.74E+00	1.80E+00	pCi/l	Gross Beta	12
Well 5	3/14/2017	9.15E+00	1.90E+00	pCi/l	Gross Beta	12
Well 5	5/23/2017	6.30E+00	1.60E+00	pCi/l	Gross Beta	12
Well 5	8/15/2017	8.25E+00	1.70E+00	pCi/l	Gross Beta	12
Well 5	11/14/2017	8.89E+00	1.70E+00	pCi/l	Gross Beta	12
Well 6	3/13/2017	8.86E+00	2.00E+00	pCi/l	Gross Beta	12
Well 6	5/22/2017	1.13E+01	2.10E+00	pCi/l	Gross Beta	12
Well 6	8/14/2017	9.53E+00	1.90E+00	pCi/l	Gross Beta	12
Well 6	11/13/2017	1.12E+01	2.00E+00	pCi/l	Gross Beta	12
Well 7	3/15/2017	7.67E+00	1.80E+00	pCi/l	Gross Beta	12
Well 7	5/24/2017	6.16E+00	1.50E+00	pCi/l	Gross Beta	12
Well 7	8/16/2017	7.43E+00	1.70E+00	pCi/l	Gross Beta	12
Well 7	11/15/2017	8.75E+00	1.80E+00	pCi/l	Gross Beta	12
Well 8	3/14/2017	7.51E+00	1.70E+00	pCi/l	Gross Beta	12
Well 8	5/23/2017	8.39E+00	1.80E+00	pCi/l	Gross Beta	12
Well 8	8/15/2017	7.54E+00	1.60E+00	pCi/l	Gross Beta	12
Well 8	11/14/2017	9.04E+00	1.80E+00	pCi/l	Gross Beta	12
Well 9	3/13/2017	8.83E+00	1.90E+00	pCi/l	Gross Beta	12
Well 9	5/22/2017	1.16E+01	2.10E+00	pCi/l	Gross Beta	12
Well 9	8/14/2017	9.28E+00	1.80E+00	pCi/l	Gross Beta	12
Well 9	11/13/2017	8.74E+00	1.90E+00	pCi/l	Gross Beta	12
Well 10	3/15/2017	3.02E+03	2.40E+02	pCi/l	H-3	3600
Well 10	5/24/2017	3.36E+03	2.70E+02	pCi/l	H-3	3600
Well 10	8/16/2017	3.10E+03	2.50E+02	pCi/l	H-3	3600
Well 10	11/15/2017	3.15E+03	2.60E+02	pCi/l	H-3	3600
Well 13	3/13/2017	4.07E+03	2.80E+02	pCi/l	H-3	3600
Well 13	5/22/2017	4.20E+03	3.00E+02	pCi/l	H-3	3600
Well 13	8/14/2017	4.04E+03	2.90E+02	pCi/l	H-3	3600
Well 13	11/13/2017	3.82E+03	2.90E+02	pCi/l	H-3	3600
Well 3	3/16/2017	1.66E+03	1.80E+02	pCi/l	H-3	3600
Well 3	5/25/2017	1.59E+03	2.00E+02	pCi/l	H-3	3600
Well 3	8/17/2017	1.79E+03	2.00E+02	pCi/l	H-3	3600
Well 3	11/16/2017	1.91E+03	2.10E+02	pCi/l	H-3	3600
Well 4	3/15/2017	1.75E+03	1.90E+02	pCi/l	H-3	3600
Well 4	5/24/2017	1.96E+03	2.20E+02	pCi/l	H-3	3600
Well 4	8/16/2017	2.00E+03	2.10E+02	pCi/l	H-3	3600
Well 4	11/15/2017	1.84E+03	2.10E+02	pCi/l	H-3	3600
Well 5	3/14/2017	2.10E+03	2.00E+02	pCi/l	H-3	3600
Well 5	5/23/2017	2.10E+03	2.20E+02	pCi/l	H-3	3600
Well 5	8/15/2017	2.20E+03	2.20E+02	pCi/l	H-3	3600
Well 5	11/14/2017	2.12E+03	2.20E+02	pCi/l	H-3	3600

Environmental Groundwater

Location	Sample_date	Result	Uncertainty	Units	Parameter	Investigation Level
Well 6	3/13/2017	4.65E+03	3.00E+02	pCi/l	H-3	3600
Well 6	5/22/2017	5.03E+03	3.30E+02	pCi/l	H-3	3600
Well 6	8/14/2017	4.85E+03	3.20E+02	pCi/l	H-3	3600
Well 6	11/13/2017	4.51E+03	3.10E+02	pCi/l	H-3	3600
Well 7	3/15/2017	4.88E+03	3.10E+02	pCi/l	H-3	3600
Well 7	5/24/2017	5.43E+03	3.50E+02	pCi/l	H-3	3600
Well 7	8/16/2017	5.30E+03	3.40E+02	pCi/l	H-3	3600
Well 7	11/15/2017	5.67E+03	3.60E+02	pCi/l	H-3	3600
Well 8	3/14/2017	2.36E+03	2.10E+02	pCi/l	H-3	3600
Well 8	5/23/2017	2.44E+03	2.30E+02	pCi/l	H-3	3600
Well 8	8/15/2017	2.42E+03	2.30E+02	pCi/l	H-3	3600
Well 8	11/14/2017	2.62E+03	2.40E+02	pCi/l	H-3	3600
Well 9	3/13/2017	2.80E+03	2.30E+02	pCi/l	H-3	3600
Well 9	5/22/2017	3.16E+03	2.60E+02	pCi/l	H-3	3600
Well 9	8/14/2017	3.03E+03	2.50E+02	pCi/l	H-3	3600
Well 9	11/13/2017	3.11E+03	2.60E+02	pCi/l	H-3	3600
Well 9a	3/14/2017	2.93E+03	2.30E+02	pCi/l	H-3	3600
Well 9A	5/23/2017	3.03E+03	2.60E+02	pCi/l	H-3	3600
Well 9A	8/15/2017	3.19E+03	2.60E+02	pCi/l	H-3	3600
Well 9a	11/14/2017	3.18E+03	2.60E+02	pCi/l	H-3	3600
Well 10	3/15/2017	-1.37E-03	2.70E-03	pCi/l	PU-238	0.03
Well 10	5/24/2017	5.49E-03	7.20E-03	pCi/l	PU-238	0.03
Well 10	8/16/2017	-2.90E-03	3.50E-03	pCi/l	PU-238	0.03
Well 10	11/15/2017	-4.99E-03	4.10E-03	pCi/l	PU-238	0.03
Well 13	3/13/2017	-1.37E-03	2.70E-03	pCi/l	PU-238	0.03
Well 13	5/22/2017	2.80E-04	3.20E-03	pCi/l	PU-238	0.03
Well 13	8/14/2017	0.00E+00	8.70E-03	pCi/l	PU-238	0.03
Well 13	11/13/2017	-5.96E-03	4.50E-03	pCi/l	PU-238	0.03
Well 3	3/16/2017	-1.61E-03	5.70E-03	pCi/l	PU-238	0.03
Well 3	5/25/2017	3.01E-03	6.70E-03	pCi/l	PU-238	0.03
Well 3	8/17/2017	-3.44E-03	4.20E-03	pCi/l	PU-238	0.03
Well 3	11/16/2017	-3.27E-03	4.40E-03	pCi/l	PU-238	0.03
Well 4	3/15/2017	0.00E+00	2.20E-03	pCi/l	PU-238	0.03
Well 4	5/24/2017	-4.30E-03	4.10E-03	pCi/l	PU-238	0.03
Well 4	8/16/2017	-2.20E-03	3.10E-03	pCi/l	PU-238	0.03
Well 4	11/15/2017	-2.16E-03	5.00E-03	pCi/l	PU-238	0.03
Well 5	3/14/2017	-2.77E-03	4.30E-03	pCi/l	PU-238	0.03
Well 5	5/23/2017	-8.84E-04	3.80E-03	pCi/l	PU-238	0.03
Well 5	8/15/2017	-1.21E-03	4.50E-03	pCi/l	PU-238	0.03
Well 5	11/14/2017	-2.21E-03	3.80E-03	pCi/l	PU-238	0.03
Well 6	3/13/2017	-5.08E-03	4.40E-03	pCi/l	PU-238	0.03
Well 6	5/22/2017	3.96E-04	4.50E-03	pCi/l	PU-238	0.03
Well 6	8/14/2017	3.91E-03	4.50E-03	pCi/l	PU-238	0.03
Well 6	11/13/2017	-1.91E-03	3.90E-03	pCi/l	PU-238	0.03
Well 7	3/15/2017	-1.27E-03	2.50E-03	pCi/l	PU-238	0.03
Well 7	5/24/2017	-3.10E-03	4.30E-03	pCi/l	PU-238	0.03
Well 7	8/16/2017	-5.95E-04	6.40E-03	pCi/l	PU-238	0.03
Well 7	11/15/2017	-2.62E-03	3.20E-03	pCi/l	PU-238	0.03
Well 8	3/14/2017	-2.70E-03	4.40E-03	pCi/l	PU-238	0.03
Well 8	5/23/2017	-7.20E-08	4.50E-03	pCi/l	PU-238	0.03

Environmental Groundwater

Location	Sample_date	Result	Uncertainty	Units	Parameter	Investigation Level
Well 8	8/15/2017	-7.42E-08	3.00E-03	pCi/l	PU-238	0.03
Well 8	11/14/2017	-1.92E-03	3.90E-03	pCi/l	PU-238	0.03
Well 9	3/13/2017	7.79E-03	9.10E-03	pCi/l	PU-238	0.03
Well 9	5/22/2017	-1.96E-03	4.00E-03	pCi/l	PU-238	0.03
Well 9	8/14/2017	-3.59E-03	3.50E-03	pCi/l	PU-238	0.03
Well 9	11/13/2017	-3.44E-03	4.20E-03	pCi/l	PU-238	0.03
Well 10	3/15/2017	-2.47E-03	3.60E-03	pCi/l	PU-239/240	0.03
Well 10	5/24/2017	-5.48E-04	3.00E-03	pCi/l	PU-239/240	0.03
Well 10	8/16/2017	0.00E+00	1.60E-03	pCi/l	PU-239/240	0.03
Well 10	11/15/2017	-5.54E-04	4.00E-03	pCi/l	PU-239/240	0.03
Well 13	3/13/2017	-2.74E-03	3.40E-03	pCi/l	PU-239/240	0.03
Well 13	5/22/2017	3.64E-03	5.00E-03	pCi/l	PU-239/240	0.03
Well 13	8/14/2017	0.00E+00	1.90E-03	pCi/l	PU-239/240	0.03
Well 13	11/13/2017	-7.28E-03	4.70E-03	pCi/l	PU-239/240	0.03
Well 3	3/16/2017	0.00E+00	2.10E-03	pCi/l	PU-239/240	0.03
Well 3	5/25/2017	2.41E-03	3.40E-03	pCi/l	PU-239/240	0.03
Well 3	8/17/2017	-6.18E-03	4.40E-03	pCi/l	PU-239/240	0.03
Well 3	11/16/2017	1.63E-03	6.40E-03	pCi/l	PU-239/240	0.03
Well 4	3/15/2017	-1.44E-03	3.90E-03	pCi/l	PU-239/240	0.03
Well 4	5/24/2017	-2.68E-03	3.60E-03	pCi/l	PU-239/240	0.03
Well 4	8/16/2017	-4.39E-03	4.10E-03	pCi/l	PU-239/240	0.03
Well 4	11/15/2017	-2.43E-03	3.90E-03	pCi/l	PU-239/240	0.03
Well 5	3/14/2017	-2.77E-03	4.30E-03	pCi/l	PU-239/240	0.03
Well 5	5/23/2017	3.53E-03	6.40E-03	pCi/l	PU-239/240	0.03
Well 5	8/15/2017	1.21E-03	2.10E-03	pCi/l	PU-239/240	0.03
Well 5	11/14/2017	-7.18E-03	5.10E-03	pCi/l	PU-239/240	0.03
Well 6	3/13/2017	-5.87E-03	6.10E-03	pCi/l	PU-239/240	0.03
Well 6	5/22/2017	1.19E-02	9.90E-03	pCi/l	PU-239/240	0.03
Well 6	8/14/2017	-1.95E-03	4.30E-03	pCi/l	PU-239/240	0.03
Well 6	11/13/2017	-2.22E-03	4.50E-03	pCi/l	PU-239/240	0.03
Well 7	3/15/2017	-4.46E-03	3.90E-03	pCi/l	PU-239/240	0.03
Well 7	5/24/2017	1.13E-03	4.40E-03	pCi/l	PU-239/240	0.03
Well 7	8/16/2017	0.00E+00	1.70E-03	pCi/l	PU-239/240	0.03
Well 7	11/15/2017	-1.96E-03	3.50E-03	pCi/l	PU-239/240	0.03
Well 8	3/14/2017	-1.80E-03	3.70E-03	pCi/l	PU-239/240	0.03
Well 8	5/23/2017	2.70E-04	3.10E-03	pCi/l	PU-239/240	0.03
Well 8	8/15/2017	-3.70E-03	3.50E-03	pCi/l	PU-239/240	0.03
Well 8	11/14/2017	-2.24E-03	4.50E-03	pCi/l	PU-239/240	0.03
Well 9	3/13/2017	-1.20E-03	3.40E-03	pCi/l	PU-239/240	0.03
Well 9	5/22/2017	3.27E-04	3.80E-03	pCi/l	PU-239/240	0.03
Well 9	8/14/2017	-2.87E-03	4.50E-03	pCi/l	PU-239/240	0.03
Well 9	11/13/2017	-2.75E-03	3.90E-03	pCi/l	PU-239/240	0.03
Well 10	3/15/2017	1.87E+00	2.43E-01	pCi/l	Total U	4.5
Well 10	5/24/2017	1.92E+00	4.16E-01	pCi/l	Total U	4.5
Well 10	8/16/2017	2.03E+00	2.74E-01	pCi/l	Total U	4.5
Well 10	11/15/2017	1.96E+00	2.47E-01	pCi/l	Total U	4.5
Well 13	3/13/2017	2.03E+00	2.57E-01	pCi/l	Total U	4.5
Well 13	5/22/2017	2.02E+00	4.21E-01	pCi/l	Total U	4.5
Well 13	8/14/2017	2.11E+00	2.95E-01	pCi/l	Total U	4.5
Well 13	11/13/2017	2.18E+00	2.62E-01	pCi/l	Total U	4.5

Environmental Groundwater

Location	Sample_date	Result	Uncertainty	Units	Parameter	Investigation Level
Well 3	3/16/2017	2.46E+00	3.01E-01	pCi/l	Total U	4.5
Well 3	5/25/2017	2.25E+00	4.45E-01	pCi/l	Total U	4.5
Well 3	8/17/2017	2.32E+00	4.18E-01	pCi/l	Total U	4.5
Well 3	11/16/2017	2.29E+00	2.75E-01	pCi/l	Total U	4.5
Well 4	3/15/2017	2.27E+00	2.84E-01	pCi/l	Total U	4.5
Well 4	5/24/2017	2.31E+00	4.38E-01	pCi/l	Total U	4.5
Well 4	8/16/2017	2.11E+00	2.82E-01	pCi/l	Total U	4.5
Well 4	11/15/2017	2.19E+00	3.12E-01	pCi/l	Total U	4.5
Well 5	3/14/2017	2.25E+00	2.89E-01	pCi/l	Total U	4.5
Well 5	5/23/2017	2.17E+00	3.71E-01	pCi/l	Total U	4.5
Well 5	8/15/2017	2.06E+00	2.73E-01	pCi/l	Total U	4.5
Well 5	11/14/2017	2.14E+00	2.87E-01	pCi/l	Total U	4.5
Well 6	3/13/2017	2.14E+00	2.76E-01	pCi/l	Total U	4.5
Well 6	5/22/2017	2.03E+00	4.23E-01	pCi/l	Total U	4.5
Well 6	8/14/2017	2.05E+00	2.61E-01	pCi/l	Total U	4.5
Well 6	11/13/2017	1.87E+00	2.43E-01	pCi/l	Total U	4.5
Well 7	3/15/2017	1.92E+00	2.39E-01	pCi/l	Total U	4.5
Well 7	5/24/2017	1.81E+00	3.84E-01	pCi/l	Total U	4.5
Well 7	8/16/2017	1.98E+00	2.67E-01	pCi/l	Total U	4.5
Well 7	11/15/2017	1.90E+00	2.42E-01	pCi/l	Total U	4.5
Well 8	3/14/2017	2.21E+00	2.75E-01	pCi/l	Total U	4.5
Well 8	5/23/2017	2.86E+00	5.67E-01	pCi/l	Total U	4.5
Well 8	8/15/2017	2.43E+00	4.45E-01	pCi/l	Total U	4.5
Well 8	11/14/2017	2.33E+00	2.97E-01	pCi/l	Total U	4.5
Well 9	3/13/2017	1.55E+00	3.89E-01	pCi/l	Total U	4.5
Well 9	5/22/2017	2.33E+00	5.07E-01	pCi/l	Total U	4.5
Well 9	8/14/2017	1.98E+00	2.76E-01	pCi/l	Total U	4.5
Well 9	11/13/2017	1.93E+00	2.47E-01	pCi/l	Total U	4.5

Fenceline Direct Radiation

Location	Media	Start Date	Stop Date	Result	Units	Background (Station 1)	Dose, Minus Station 1 (mrem)	Dose (mrem/day)
1	TLD	1/3/2017	4/3/2017	20	mrem	20	0	0.000
1	TLD	4/3/2017	7/5/2017	19	mrem	19	0	0.000
1	TLD	7/5/2017	10/2/2017	19	mrem	19	0	0.000
1	TLD	10/2/2017	1/2/2018	11	mrem	11	0	0.000
2	TLD	1/3/2017	4/3/2017	20	mrem	20	0	0.000
2	TLD	4/3/2017	7/5/2017	20	mrem	19	1	0.011
2	TLD	7/5/2017	10/2/2017	21	mrem	19	2	0.022
2	TLD	10/2/2017	1/2/2018	12	mrem	11	1	0.011
3	TLD	1/3/2017	4/3/2017	24	mrem	20	4	0.044
3	TLD	4/3/2017	7/5/2017	20	mrem	19	1	0.011
3	TLD	7/5/2017	10/2/2017	21	mrem	19	2	0.022
3	TLD	10/2/2017	1/2/2018	13	mrem	11	2	0.022
4	TLD	1/3/2017	4/3/2017	21	mrem	20	1	0.011
4	TLD	4/3/2017	7/5/2017	20	mrem	19	1	0.011
4	TLD	7/5/2017	10/2/2017	19	mrem	19	0	0.000
4	TLD	10/2/2017	1/2/2018	12	mrem	11	1	0.011
5	TLD	1/3/2017	4/3/2017	23	mrem	20	3	0.033
5	TLD	4/3/2017	7/5/2017	19	mrem	19	0	0.000
5	TLD	7/5/2017	10/2/2017	21	mrem	19	2	0.022
5	TLD	10/2/2017	1/2/2018	12	mrem	11	1	0.011
6	TLD	1/3/2017	4/3/2017	22	mrem	20	2	0.022
6	TLD	4/3/2017	7/5/2017	18	mrem	19	-1	-0.011
6	TLD	7/5/2017	10/2/2017	18	mrem	19	-1	-0.011
6	TLD	10/2/2017	1/2/2018	13	mrem	11	2	0.022
7	TLD	1/3/2017	4/3/2017	21	mrem	20	1	0.011
7	TLD	4/3/2017	7/5/2017	20	mrem	19	1	0.011
7	TLD	7/5/2017	10/2/2017	18	mrem	19	-1	-0.011
7	TLD	10/2/2017	1/2/2018	12	mrem	11	1	0.011
8	TLD	1/3/2017	4/3/2017	24	mrem	20	4	0.044
8	TLD	4/3/2017	7/5/2017	19	mrem	19	0	0.000
8	TLD	7/5/2017	10/2/2017	19	mrem	19	0	0.000
8	TLD	10/2/2017	1/2/2018	13	mrem	11	2	0.022
9	TLD	1/3/2017	4/3/2017	24	mrem	20	4	0.044
9	TLD	4/3/2017	7/5/2017	20	mrem	19	1	0.011
9	TLD	7/5/2017	10/2/2017	21	mrem	19	2	0.022
9	TLD	10/2/2017	1/2/2018	13	mrem	11	2	0.022

Fenceline Direct Radiation

Location	Media	Start Date	Stop Date	Result	Units	Background (Station 1)	Dose, Minus Station 1 (mrem)	Dose (mrem/day)
10	TLD	1/3/2017	4/3/2017	32	mrem	20	12	0.133
10	TLD	4/3/2017	7/5/2017	27	mrem	19	8	0.086
10	TLD	7/5/2017	10/2/2017	29	mrem	19	10	0.112
10	TLD	10/2/2017	1/2/2018	22	mrem	11	11	0.120
11	TLD	1/3/2017	4/3/2017	44	mrem	20	24	0.267
11	TLD	4/3/2017	7/5/2017	45	mrem	19	26	0.280
11	TLD	7/5/2017	10/2/2017	40	mrem	19	21	0.236
11	TLD	10/2/2017	1/2/2018	34	mrem	11	23	0.250
12	TLD	1/3/2017	4/3/2017	53	mrem	20	33	0.367
12	TLD	4/3/2017	7/5/2017	54	mrem	19	35	0.376
12	TLD	7/5/2017	10/2/2017	44	mrem	19	25	0.281
12	TLD	10/2/2017	1/2/2018	41	mrem	11	30	0.326
13	TLD	1/3/2017	4/3/2017	32	mrem	20	12	0.133
13	TLD	4/3/2017	7/5/2017	34	mrem	19	15	0.161
13	TLD	7/5/2017	10/2/2017	32	mrem	19	13	0.146
13	TLD	10/2/2017	1/2/2018	23	mrem	11	12	0.130
14	TLD	1/3/2017	4/3/2017	28	mrem	20	8	0.089
14	TLD	4/3/2017	7/5/2017	24	mrem	19	5	0.054
14	TLD	7/5/2017	10/2/2017	24	mrem	19	5	0.056
14	TLD	10/2/2017	1/2/2018	17	mrem	11	6	0.065
15	TLD	1/3/2017	4/3/2017	22	mrem	20	2	0.022
15	TLD	4/3/2017	7/5/2017	19	mrem	19	0	0.000
15	TLD	7/5/2017	10/2/2017	23	mrem	19	4	0.045
15	TLD	10/2/2017	1/2/2018	13	mrem	11	2	0.022
16	TLD	1/3/2017	4/3/2017	22	mrem	20	2	0.022
16	TLD	4/3/2017	7/5/2017	20	mrem	19	1	0.011
16	TLD	7/5/2017	10/2/2017	20	mrem	19	1	0.011
16	TLD	10/2/2017	1/2/2018	12	mrem	11	1	0.011
17	TLD	1/3/2017	4/3/2017	21	mrem	20	1	0.011
17	TLD	4/3/2017	7/5/2017	22	mrem	19	3	0.032
17	TLD	7/5/2017	10/2/2017	19	mrem	19	0	0.000
17	TLD	10/2/2017	1/2/2018	12	mrem	11	1	0.011
18	TLD	1/3/2017	4/3/2017	25	mrem	20	5	0.056
18	TLD	4/3/2017	7/5/2017	20	mrem	19	1	0.011
18	TLD	7/5/2017	10/2/2017	21	mrem	19	2	0.022
18	TLD	10/2/2017	1/2/2018	11	mrem	11	0	0.000