

APPENDIX H
Printed Database

Environmental Air

Analysis	LOC.	Start Day	Stop Day	Media	Air VOL	Vol Units	Result	Uncertainty	Concentration Units	Investigation Level
alpha	Station 1	1/5/2015	1/12/2015	air	15120	ft ³	2.27E-15	1.30E-15	µCi/ml	1.00E-14
alpha	Station 1	1/12/2015	1/19/2015	air	15120	ft ³	6.78E-16	6.85E-16	µCi/ml	1.00E-14
alpha	Station 1	1/19/2015	1/26/2015	air	15120	ft ³	1.76E-15	1.35E-15	µCi/ml	1.00E-14
alpha	Station 1	1/26/2015	2/2/2015	air	15120	ft ³	1.72E-15	1.13E-15	µCi/ml	1.00E-14
alpha	Station 1	2/2/2015	2/9/2015	air	15120	ft ³	1.88E-15	1.04E-15	µCi/ml	1.00E-14
alpha	Station 1	2/9/2015	2/17/2015	air	17280	ft ³	1.26E-15	8.84E-16	µCi/ml	1.00E-14
alpha	Station 1	2/17/2015	2/23/2015	air	12960	ft ³	1.26E-15	1.36E-15	µCi/ml	1.00E-14
alpha	Station 1	2/23/2015	3/2/2015	air	15120	ft ³	3.47E-15	1.48E-15	µCi/ml	1.00E-14
alpha	Station 1	3/2/2015	3/9/2015	air	15030	ft ³	5.10E-15	1.78E-15	µCi/ml	1.00E-14
alpha	Station 1	3/9/2015	3/16/2015	air	15120	ft ³	1.32E-15	9.79E-16	µCi/ml	1.00E-14
alpha	Station 1	3/16/2015	3/23/2015	air	15120	ft ³	1.60E-15	1.16E-15	µCi/ml	1.00E-14
alpha	Station 1	3/23/2015	3/30/2015	air	15120	ft ³	3.31E-15	1.45E-15	µCi/ml	1.00E-14
alpha	Station 1	3/30/2015	4/6/2015	air	15120	ft ³	2.51E-15	1.45E-15	µCi/ml	1.00E-14
alpha	Station 1	4/6/2015	4/13/2015	air	15120	ft ³	5.19E-16	8.20E-16	µCi/ml	1.00E-14
alpha	Station 1	4/13/2015	4/20/2015	air	15120	ft ³	2.79E-15	1.35E-15	µCi/ml	1.00E-14
alpha	Station 1	4/20/2015	4/27/2015	air	15120	ft ³	1.44E-15	2.67E-15	µCi/ml	1.00E-14
alpha	Station 1	4/27/2015	5/4/2015	air	15120	ft ³	2.67E-15	1.22E-15	µCi/ml	1.00E-14
alpha	Station 1	5/4/2015	5/11/2015	air	15120	ft ³	1.20E-15	1.01E-15	µCi/ml	1.00E-14
alpha	Station 1	5/11/2015	5/18/2015	air	15120	ft ³	2.27E-15	1.13E-15	µCi/ml	1.00E-14
alpha	Station 1	5/18/2015	5/26/2015	air	17280	ft ³	-1.05E-16	8.19E-16	µCi/ml	1.00E-14
alpha	Station 1	5/26/2015	6/1/2015	air	12960	ft ³	2.00E-15	1.32E-15	µCi/ml	1.00E-14
alpha	Station 1	6/1/2015	6/8/2015	air	15120	ft ³	1.20E-15	1.07E-15	µCi/ml	1.00E-14
alpha	Station 1	6/8/2015	6/15/2015	air	15120	ft ³	1.60E-15	1.16E-15	µCi/ml	1.00E-14
alpha	Station 1	6/15/2015	6/22/2015	air	15120	ft ³	7.98E-16	9.03E-16	µCi/ml	1.00E-14
alpha	Station 1	6/22/2015	6/29/2015	air	15120	ft ³	1.88E-15	1.22E-15	µCi/ml	1.00E-14
alpha	Station 1	6/29/2015	7/6/2015	air	15120	ft ³	0.00E+00	1.47E-15	µCi/ml	1.00E-14
alpha	Station 1	7/6/2015	7/13/2015	air	15120	ft ³	9.58E-16	7.82E-16	µCi/ml	1.00E-14
alpha	Station 1	7/13/2015	7/20/2015	air	15120	ft ³	2.39E-15	1.23E-15	µCi/ml	1.00E-14
alpha	Station 1	7/20/2015	7/27/2015	air	15120	ft ³	9.18E-16	9.36E-16	µCi/ml	1.00E-14
alpha	Station 1	7/27/2015	8/3/2015	air	15120	ft ³	1.48E-15	1.08E-15	µCi/ml	1.00E-14
alpha	Station 1	8/3/2015	8/10/2015	air	15120	ft ³	1.76E-15	1.19E-15	µCi/ml	1.00E-14
alpha	Station 1	8/10/2015	8/17/2015	air	15120	ft ³	3.47E-15	1.65E-15	µCi/ml	1.00E-14
alpha	Station 1	8/17/2015	8/24/2015	air	15120	ft ³	3.71E-15	1.65E-15	µCi/ml	1.00E-14
alpha	Station 1	8/24/2015	8/31/2015	air	15120	ft ³	1.60E-15	1.16E-15	µCi/ml	1.00E-14
alpha	Station 1	8/31/2015	9/8/2015	air	17280	ft ³	9.43E-16	9.10E-16	µCi/ml	1.00E-14
alpha	Station 1	9/8/2015	9/14/2015	air	12960	ft ³	7.92E-16	7.99E-16	µCi/ml	1.00E-14
alpha	Station 1	9/14/2015	9/21/2015	air	15120	ft ³	-1.48E-15	1.41E-15	µCi/ml	1.00E-14
alpha	Station 1	9/21/2015	9/28/2015	air	15120	ft ³	1.60E-16	7.82E-16	µCi/ml	1.00E-14
alpha	Station 1	9/28/2015	10/5/2015	air	15120	ft ³	1.88E-15	1.17E-15	µCi/ml	1.00E-14
alpha	Station 1	10/5/2015	10/12/2015	air	15120	ft ³	2.91E-15	1.33E-15	µCi/ml	1.00E-14
alpha	Station 1	10/12/2015	10/19/2015	air	15120	ft ³	2.91E-15	1.38E-15	µCi/ml	1.00E-14
alpha	Station 1	10/19/2015	10/26/2015	air	15120	ft ³	1.72E-15	1.41E-15	µCi/ml	1.00E-14
alpha	Station 1	10/26/2015	11/2/2015	air	15120	ft ³	1.59E-15	1.10E-15	µCi/ml	1.00E-14
alpha	Station 1	11/2/2015	11/9/2015	air	15120	ft ³	2.67E-15	1.33E-15	µCi/ml	1.00E-14
alpha	Station 1	11/9/2015	11/16/2015	air	15120	ft ³	1.88E-15	1.17E-15	µCi/ml	1.00E-14
alpha	Station 1	11/16/2015	11/23/2015	air	15120	ft ³	1.88E-15	1.22E-15	µCi/ml	1.00E-14
alpha	Station 1	11/23/2015	11/30/2015	air	15120	ft ³	5.19E-16	1.48E-15	µCi/ml	1.00E-14

Environmental Air

Analysis	LOC.	Start Day	Stop Day	Media	Air VOL	Vol Units	Result	Uncertainty	Concentration Units	Investigation Level
alpha	Station 1	11/30/2015	12/7/2015	air	15120	ft ³	2.79E-16	1.04E-15	μCi/ml	1.00E-14
alpha	Station 1	12/7/2015	12/14/2015	air	15120	ft ³	1.60E-16	7.82E-16	μCi/ml	1.00E-14
alpha	Station 1	12/14/2015	12/21/2015	air	15120	ft ³	-6.78E-16	8.69E-16	μCi/ml	1.00E-14
alpha	Station 1	12/21/2015	12/28/2015	air	15120	ft ³	1.08E-15	8.20E-16	μCi/ml	1.00E-14
alpha	Station 1	12/28/2015	1/4/2016	air	15120	ft ³	0.00E+00	9.03E-16	μCi/ml	1.00E-14
beta	Station 1	1/5/2015	1/12/2015	air	15120	ft ³	4.71E-14	4.34E-15	μCi/ml	1.00E-13
beta	Station 1	1/12/2015	1/19/2015	air	15120	ft ³	3.70E-14	3.87E-15	μCi/ml	1.00E-13
beta	Station 1	1/19/2015	1/26/2015	air	15120	ft ³	2.03E-14	3.04E-15	μCi/ml	1.00E-13
beta	Station 1	1/26/2015	2/2/2015	air	15120	ft ³	2.36E-14	3.17E-15	μCi/ml	1.00E-13
beta	Station 1	12/28/2015	1/4/2016	air	15120	ft ³	4.41E-14	4.23E-15	μCi/ml	1.00E-13
beta	Station 1	2/2/2015	2/9/2015	air	15120	ft ³	1.51E-14	2.67E-15	μCi/ml	1.00E-13
beta	Station 1	2/9/2015	2/17/2015	air	17280	ft ³	1.56E-14	2.45E-15	μCi/ml	1.00E-13
beta	Station 1	2/17/2015	2/23/2015	air	12960	ft ³	2.28E-14	3.62E-15	μCi/ml	1.00E-13
beta	Station 1	2/23/2015	3/2/2015	air	15120	ft ³	2.72E-14	3.43E-15	μCi/ml	1.00E-13
beta	Station 1	3/2/2015	3/9/2015	air	15030	ft ³	4.46E-14	4.18E-15	μCi/ml	1.00E-13
beta	Station 1	3/9/2015	3/16/2015	air	15120	ft ³	2.10E-14	2.99E-15	μCi/ml	1.00E-13
beta	Station 1	3/16/2015	3/23/2015	air	15120	ft ³	1.99E-14	2.99E-15	μCi/ml	1.00E-13
beta	Station 1	3/23/2015	3/30/2015	air	15120	ft ³	1.79E-14	2.84E-15	μCi/ml	1.00E-13
beta	Station 1	3/30/2015	4/6/2015	air	15120	ft ³	1.79E-14	2.87E-15	μCi/ml	1.00E-13
beta	Station 1	4/6/2015	4/13/2015	air	15120	ft ³	1.54E-14	2.70E-15	μCi/ml	1.00E-13
beta	Station 1	4/13/2015	4/20/2015	air	15120	ft ³	2.29E-14	3.26E-15	μCi/ml	1.00E-13
beta	Station 1	4/20/2015	4/27/2015	air	15120	ft ³	1.44E-14	2.67E-15	μCi/ml	1.00E-13
beta	Station 1	4/27/2015	5/4/2015	air	15120	ft ³	2.24E-14	3.26E-15	μCi/ml	1.00E-13
beta	Station 1	5/4/2015	5/11/2015	air	15120	ft ³	2.42E-14	3.26E-15	μCi/ml	1.00E-13
beta	Station 1	5/11/2015	5/18/2015	air	15120	ft ³	2.01E-14	2.98E-15	μCi/ml	1.00E-13
beta	Station 1	5/18/2015	5/26/2015	air	17280	ft ³	1.82E-14	2.80E-15	μCi/ml	1.00E-13
beta	Station 1	5/26/2015	6/1/2015	air	12960	ft ³	2.59E-14	3.54E-15	μCi/ml	1.00E-13
beta	Station 1	6/1/2015	6/8/2015	air	15120	ft ³	1.64E-14	2.77E-15	μCi/ml	1.00E-13
beta	Station 1	6/8/2015	6/15/2015	air	15120	ft ³	1.94E-14	3.08E-15	μCi/ml	1.00E-13
beta	Station 1	6/15/2015	6/22/2015	air	15120	ft ³	2.02E-14	3.02E-15	μCi/ml	1.00E-13
beta	Station 1	6/22/2015	6/29/2015	air	15120	ft ³	2.29E-14	3.20E-15	μCi/ml	1.00E-13
beta	Station 1	6/29/2015	7/6/2015	air	15120	ft ³	2.30E-14	3.52E-15	μCi/ml	1.00E-13
beta	Station 1	7/6/2015	7/13/2015	air	15120	ft ³	2.64E-14	3.36E-15	μCi/ml	1.00E-13
beta	Station 1	7/13/2015	7/20/2015	air	15120	ft ³	2.07E-14	2.97E-15	μCi/ml	1.00E-13
beta	Station 1	7/20/2015	7/27/2015	air	15120	ft ³	1.38E-14	2.64E-15	μCi/ml	1.00E-13
beta	Station 1	7/27/2015	8/3/2015	air	15120	ft ³	1.97E-14	3.07E-15	μCi/ml	1.00E-13
beta	Station 1	8/3/2015	8/10/2015	air	15120	ft ³	1.82E-14	2.81E-15	μCi/ml	1.00E-13
beta	Station 1	8/10/2015	8/17/2015	air	15120	ft ³	2.98E-14	3.60E-15	μCi/ml	1.00E-13
beta	Station 1	8/17/2015	8/24/2015	air	15120	ft ³	2.54E-14	3.42E-15	μCi/ml	1.00E-13
beta	Station 1	8/24/2015	8/31/2015	air	15120	ft ³	2.29E-14	3.16E-15	μCi/ml	1.00E-13
beta	Station 1	8/31/2015	9/8/2015	air	17280	ft ³	1.83E-14	2.65E-15	μCi/ml	1.00E-13
beta	Station 1	9/8/2015	9/14/2015	air	12960	ft ³	2.46E-14	3.62E-15	μCi/ml	1.00E-13
beta	Station 1	9/14/2015	9/21/2015	air	15120	ft ³	1.24E-14	2.96E-15	μCi/ml	1.00E-13
beta	Station 1	9/21/2015	9/28/2015	air	15120	ft ³	2.42E-14	3.25E-15	μCi/ml	1.00E-13
beta	Station 1	9/28/2015	10/5/2015	air	15120	ft ³	3.22E-14	3.63E-15	μCi/ml	1.00E-13
beta	Station 1	10/5/2015	10/12/2015	air	15120	ft ³	3.15E-14	3.66E-15	μCi/ml	1.00E-13
beta	Station 1	10/12/2015	10/19/2015	air	15120	ft ³	3.21E-14	3.60E-15	μCi/ml	1.00E-13

Environmental Air

Analysis	LOC.	Start Day	Stop Day	Media	Air VOL	Vol Units	Result	Uncertainty	Concentration Units	Investigation Level
beta	Station 1	10/19/2015	10/26/2015	air	15120	ft ³	2.64E-14	3.42E-15	µCi/ml	1.00E-13
beta	Station 1	11/2/2015	11/9/2015	air	15120	ft ³	2.74E-14	3.32E-15	µCi/ml	1.00E-13
beta	Station 1	11/9/2015	11/16/2015	air	15120	ft ³	1.85E-14	2.96E-15	µCi/ml	1.00E-13
beta	Station 1	11/16/2015	11/23/2015	air	15120	ft ³	2.64E-14	3.39E-15	µCi/ml	1.00E-13
beta	Station 1	11/23/2015	11/30/2015	air	15120	ft ³	4.15E-14	4.24E-15	µCi/ml	1.00E-13
beta	Station 1	11/26/2015	11/2/2015	air	15120	ft ³	1.64E-14	2.83E-15	µCi/ml	1.00E-13
beta	Station 1	11/30/2015	12/7/2015	air	15120	ft ³	4.53E-14	4.36E-15	µCi/ml	1.00E-13
beta	Station 1	12/7/2015	12/14/2015	air	15120	ft ³	8.07E-15	2.33E-15	µCi/ml	1.00E-13
beta	Station 1	12/14/2015	12/21/2015	air	15120	ft ³	1.47E-14	2.70E-15	µCi/ml	1.00E-13
beta	Station 1	12/21/2015	12/28/2015	air	15120	ft ³	1.85E-14	2.95E-15	µCi/ml	1.00E-13
H-3	Station 1	1/12/2015	2/17/2015	air	7.78	m ³	6.00E-13	2.39E-13	µCi/ml	2.00E-11
H-3	Station 1	4/6/2015	5/7/2015	air	6.70	m ³	4.07E-13	3.77E-13	µCi/ml	2.00E-11
H-3	Station 1	7/6/2015	8/10/2015	air	7.56	m ³	2.00E-12	4.80E-13	µCi/ml	2.00E-11
H-3	Station 1	10/5/2015	11/9/2015	air	7.57	m ³	4.94E-13	3.78E-13	µCi/ml	2.00E-11
alpha	Station 2	1/5/2015	1/12/2015	air	15120	ft ³	3.47E-15	1.52E-15	µCi/ml	1.00E-14
alpha	Station 2	1/12/2015	1/19/2015	air	15120	ft ³	9.58E-16	7.82E-16	µCi/ml	1.00E-14
alpha	Station 2	1/19/2015	1/26/2015	air	15120	ft ³	9.58E-16	1.19E-15	µCi/ml	1.00E-14
alpha	Station 2	1/26/2015	2/2/2015	air	15120	ft ³	1.60E-15	1.11E-15	µCi/ml	1.00E-14
alpha	Station 2	2/2/2015	2/9/2015	air	15120	ft ³	2.79E-15	1.24E-15	µCi/ml	1.00E-14
alpha	Station 2	2/9/2015	2/17/2015	air	17280	ft ³	1.96E-15	1.05E-15	µCi/ml	1.00E-14
alpha	Station 2	2/17/2015	2/23/2015	air	12960	ft ³	2.79E-15	1.67E-15	µCi/ml	1.00E-14
alpha	Station 2	2/23/2015	3/2/2015	air	15120	ft ³	2.51E-15	1.30E-15	µCi/ml	1.00E-14
alpha	Station 2	3/2/2015	3/9/2015	air	15030	ft ³	4.42E-15	1.68E-15	µCi/ml	1.00E-14
alpha	Station 2	3/9/2015	3/16/2015	air	15120	ft ³	2.12E-15	1.17E-15	µCi/ml	1.00E-14
alpha	Station 2	3/16/2015	3/23/2015	air	15120	ft ³	2.95E-15	1.43E-15	µCi/ml	1.00E-14
alpha	Station 2	3/23/2015	3/30/2015	air	15120	ft ³	3.07E-15	1.41E-15	µCi/ml	1.00E-14
alpha	Station 2	3/30/2015	4/6/2015	air	15120	ft ³	1.60E-15	1.28E-15	µCi/ml	1.00E-14
alpha	Station 2	4/6/2015	4/13/2015	air	15120	ft ³	7.98E-16	9.03E-16	µCi/ml	1.00E-14
alpha	Station 2	4/13/2015	4/20/2015	air	15120	ft ³	3.31E-15	1.45E-15	µCi/ml	1.00E-14
alpha	Station 2	4/20/2015	4/27/2015	air	15120	ft ³	1.53E-15	2.73E-15	µCi/ml	1.00E-14
alpha	Station 2	4/27/2015	5/4/2015	air	15120	ft ³	4.55E-15	1.56E-15	µCi/ml	1.00E-14
alpha	Station 2	5/4/2015	5/11/2015	air	15120	ft ³	1.48E-15	1.08E-15	µCi/ml	1.00E-14
alpha	Station 2	5/11/2015	5/18/2015	air	15120	ft ³	1.76E-15	1.01E-15	µCi/ml	1.00E-14
alpha	Station 2	5/18/2015	5/26/2015	air	17280	ft ³	1.40E-16	8.84E-16	µCi/ml	1.00E-14
alpha	Station 2	5/26/2015	6/1/2015	air	12960	ft ³	2.79E-15	1.49E-15	µCi/ml	1.00E-14
alpha	Station 2	6/1/2015	6/8/2015	air	15120	ft ³	2.00E-15	1.24E-15	µCi/ml	1.00E-14
alpha	Station 2	6/8/2015	6/15/2015	air	15120	ft ³	1.08E-15	1.04E-15	µCi/ml	1.00E-14
alpha	Station 2	6/15/2015	6/22/2015	air	15120	ft ³	1.08E-15	9.79E-16	µCi/ml	1.00E-14
alpha	Station 2	6/22/2015	6/29/2015	air	15120	ft ³	1.20E-15	1.07E-15	µCi/ml	1.00E-14
alpha	Station 2	6/29/2015	7/6/2015	air	15120	ft ³	-1.20E-16	1.45E-15	µCi/ml	1.00E-14
alpha	Station 2	7/6/2015	7/13/2015	air	15120	ft ³	1.08E-15	8.20E-16	µCi/ml	1.00E-14
alpha	Station 2	7/13/2015	7/20/2015	air	15120	ft ³	2.23E-15	1.19E-15	µCi/ml	1.00E-14
alpha	Station 2	7/20/2015	7/27/2015	air	15120	ft ³	1.32E-15	1.04E-15	µCi/ml	1.00E-14
alpha	Station 2	7/27/2015	8/3/2015	air	15120	ft ³	1.08E-15	9.79E-16	µCi/ml	1.00E-14
alpha	Station 2	8/3/2015	8/10/2015	air	15120	ft ³	1.76E-15	1.19E-15	µCi/ml	1.00E-14
alpha	Station 2	8/10/2015	8/17/2015	air	15120	ft ³	4.15E-15	1.75E-15	µCi/ml	1.00E-14
alpha	Station 2	8/17/2015	8/24/2015	air	15120	ft ³	5.19E-15	1.86E-15	µCi/ml	1.00E-14

Environmental Air

Analysis	LOC.	Start Day	Stop Day	Media	Air VOL	Vol Units	Result	Uncertainty	Concentration Units	Investigation Level
alpha	Station 2	8/24/2015	8/31/2015	air	15120	ft ³	1.88E-15	1.22E-15	µCi/ml	1.00E-14
alpha	Station 2	8/31/2015	9/8/2015	air	17280	ft ³	2.34E-15	1.21E-15	µCi/ml	1.00E-14
alpha	Station 2	9/8/2015	9/14/2015	air	12960	ft ³	1.40E-15	1.00E-15	µCi/ml	1.00E-14
alpha	Station 2	9/14/2015	9/21/2015	air	15120	ft ³	-1.60E-15	1.38E-15	µCi/ml	1.00E-14
alpha	Station 2	9/21/2015	9/28/2015	air	15120	ft ³	1.08E-15	1.04E-15	µCi/ml	1.00E-14
alpha	Station 2	9/28/2015	10/5/2015	air	15120	ft ³	2.27E-15	1.25E-15	µCi/ml	1.00E-14
alpha	Station 2	10/5/2015	10/12/2015	air	15120	ft ³	3.71E-15	1.48E-15	µCi/ml	1.00E-14
alpha	Station 2	10/12/2015	10/19/2015	air	15120	ft ³	2.27E-15	1.25E-15	µCi/ml	1.00E-14
alpha	Station 2	10/19/2015	10/26/2015	air	15120	ft ³	5.19E-16	1.17E-15	µCi/ml	1.00E-14
alpha	Station 2	10/26/2015	11/2/2015	air	15120	ft ³	1.47E-15	1.07E-15	µCi/ml	1.00E-14
alpha	Station 2	11/2/2015	11/9/2015	air	15120	ft ³	2.79E-15	1.35E-15	µCi/ml	1.00E-14
alpha	Station 2	11/9/2015	11/16/2015	air	15120	ft ³	2.51E-15	1.30E-15	µCi/ml	1.00E-14
alpha	Station 2	11/16/2015	11/23/2015	air	15120	ft ³	7.98E-16	9.69E-16	µCi/ml	1.00E-14
alpha	Station 2	11/23/2015	11/30/2015	air	15120	ft ³	0.00E+00	1.38E-15	µCi/ml	1.00E-14
alpha	Station 2	11/30/2015	12/7/2015	air	15120	ft ³	7.98E-16	1.16E-15	µCi/ml	1.00E-14
alpha	Station 2	12/7/2015	12/14/2015	air	15120	ft ³	5.59E-16	9.03E-16	µCi/ml	1.00E-14
alpha	Station 2	12/14/2015	12/21/2015	air	15120	ft ³	-7.98E-16	8.33E-16	µCi/ml	1.00E-14
alpha	Station 2	12/21/2015	12/28/2015	air	15120	ft ³	2.79E-16	5.15E-16	µCi/ml	1.00E-14
alpha	Station 2	12/28/2015	1/4/2016	air	15120	ft ³	1.08E-15	1.17E-15	µCi/ml	1.00E-14
beta	Station 2	1/5/2015	1/12/2015	air	15120	ft ³	4.50E-14	4.25E-15	µCi/ml	1.00E-13
beta	Station 2	1/12/2015	1/19/2015	air	15120	ft ³	3.48E-14	3.76E-15	µCi/ml	1.00E-13
beta	Station 2	1/19/2015	1/26/2015	air	15120	ft ³	2.04E-14	3.04E-15	µCi/ml	1.00E-13
beta	Station 2	1/26/2015	2/2/2015	air	15120	ft ³	2.20E-14	3.08E-15	µCi/ml	1.00E-13
beta	Station 2	12/28/2015	1/4/2016	air	15120	ft ³	4.08E-14	4.08E-15	µCi/ml	1.00E-13
beta	Station 2	2/2/2015	2/9/2015	air	15120	ft ³	1.64E-14	2.76E-15	µCi/ml	1.00E-13
beta	Station 2	2/9/2015	2/17/2015	air	17280	ft ³	1.71E-14	2.54E-15	µCi/ml	1.00E-13
beta	Station 2	2/17/2015	2/23/2015	air	12960	ft ³	2.66E-14	3.84E-15	µCi/ml	1.00E-13
beta	Station 2	2/23/2015	3/2/2015	air	15120	ft ³	2.88E-14	3.51E-15	µCi/ml	1.00E-13
beta	Station 2	3/2/2015	3/9/2015	air	15030	ft ³	4.66E-14	4.27E-15	µCi/ml	1.00E-13
beta	Station 2	3/9/2015	3/16/2015	air	15120	ft ³	2.20E-14	3.05E-15	µCi/ml	1.00E-13
beta	Station 2	3/16/2015	3/23/2015	air	15120	ft ³	1.84E-14	2.90E-15	µCi/ml	1.00E-13
beta	Station 2	3/23/2015	3/30/2015	air	15120	ft ³	1.94E-14	2.93E-15	µCi/ml	1.00E-13
beta	Station 2	3/30/2015	4/6/2015	air	15120	ft ³	1.81E-14	2.88E-15	µCi/ml	1.00E-13
beta	Station 2	4/6/2015	4/13/2015	air	15120	ft ³	1.82E-14	2.88E-15	µCi/ml	1.00E-13
beta	Station 2	4/13/2015	4/20/2015	air	15120	ft ³	2.54E-14	3.40E-15	µCi/ml	1.00E-13
beta	Station 2	4/20/2015	4/27/2015	air	15120	ft ³	1.53E-14	2.73E-15	µCi/ml	1.00E-13
beta	Station 2	4/27/2015	5/4/2015	air	15120	ft ³	2.26E-14	3.19E-15	µCi/ml	1.00E-13
beta	Station 2	5/4/2015	5/11/2015	air	15120	ft ³	2.48E-14	3.30E-15	µCi/ml	1.00E-13
beta	Station 2	5/11/2015	5/18/2015	air	15120	ft ³	1.89E-14	2.90E-15	µCi/ml	1.00E-13
beta	Station 2	5/18/2015	5/26/2015	air	17280	ft ³	2.00E-14	2.90E-15	µCi/ml	1.00E-13
beta	Station 2	5/26/2015	6/1/2015	air	12960	ft ³	2.46E-14	3.46E-15	µCi/ml	1.00E-13
beta	Station 2	6/1/2015	6/8/2015	air	15120	ft ³	1.54E-14	2.70E-15	µCi/ml	1.00E-13
beta	Station 2	6/8/2015	6/15/2015	air	15120	ft ³	1.77E-14	2.98E-15	µCi/ml	1.00E-13
beta	Station 2	6/15/2015	6/22/2015	air	15120	ft ³	2.38E-14	3.22E-15	µCi/ml	1.00E-13
beta	Station 2	6/22/2015	6/29/2015	air	15120	ft ³	2.03E-14	3.05E-15	µCi/ml	1.00E-13
beta	Station 2	6/29/2015	7/6/2015	air	15120	ft ³	2.06E-14	3.40E-15	µCi/ml	1.00E-13
beta	Station 2	7/6/2015	7/13/2015	air	15120	ft ³	2.39E-14	3.22E-15	µCi/ml	1.00E-13

Environmental Air

Analysis	LOC.	Start Day	Stop Day	Media	Air VOL	Vol Units	Result	Uncertainty	Concentration Units	Investigation Level
beta	Station 2	7/13/2015	7/20/2015	air	15120	ft ³	2.01E-14	2.93E-15	µCi/ml	1.00E-13
beta	Station 2	7/20/2015	7/27/2015	air	15120	ft ³	1.27E-14	2.57E-15	µCi/ml	1.00E-13
beta	Station 2	7/27/2015	8/3/2015	air	15120	ft ³	1.97E-14	3.07E-15	µCi/ml	1.00E-13
beta	Station 2	8/3/2015	8/10/2015	air	15120	ft ³	2.06E-14	2.96E-15	µCi/ml	1.00E-13
beta	Station 2	8/10/2015	8/17/2015	air	15120	ft ³	3.00E-14	3.61E-15	µCi/ml	1.00E-13
beta	Station 2	8/17/2015	8/24/2015	air	15120	ft ³	2.60E-14	3.45E-15	µCi/ml	1.00E-13
beta	Station 2	8/24/2015	8/31/2015	air	15120	ft ³	2.39E-14	3.22E-15	µCi/ml	1.00E-13
beta	Station 2	8/31/2015	9/8/2015	air	17280	ft ³	1.80E-14	2.63E-15	µCi/ml	1.00E-13
beta	Station 2	9/8/2015	9/14/2015	air	12960	ft ³	2.33E-14	3.54E-15	µCi/ml	1.00E-13
beta	Station 2	9/14/2015	9/21/2015	air	15120	ft ³	1.30E-14	3.00E-15	µCi/ml	1.00E-13
beta	Station 2	9/21/2015	9/28/2015	air	15120	ft ³	2.67E-14	3.39E-15	µCi/ml	1.00E-13
beta	Station 2	9/28/2015	10/5/2015	air	15120	ft ³	2.85E-14	3.44E-15	µCi/ml	1.00E-13
beta	Station 2	10/5/2015	10/12/2015	air	15120	ft ³	3.44E-14	3.81E-15	µCi/ml	1.00E-13
beta	Station 2	10/12/2015	10/19/2015	air	15120	ft ³	3.21E-14	3.60E-15	µCi/ml	1.00E-13
beta	Station 2	10/19/2015	10/26/2015	air	15120	ft ³	2.50E-14	3.35E-15	µCi/ml	1.00E-13
beta	Station 2	10/26/2015	11/2/2015	air	15120	ft ³	1.96E-14	3.03E-15	µCi/ml	1.00E-13
beta	Station 2	11/2/2015	11/9/2015	air	15120	ft ³	2.30E-14	3.07E-15	µCi/ml	1.00E-13
beta	Station 2	11/9/2015	11/16/2015	air	15120	ft ³	1.98E-14	3.04E-15	µCi/ml	1.00E-13
beta	Station 2	11/16/2015	11/23/2015	air	15120	ft ³	1.34E-14	2.60E-15	µCi/ml	1.00E-13
beta	Station 2	11/23/2015	11/30/2015	air	15120	ft ³	3.63E-14	4.01E-15	µCi/ml	1.00E-13
beta	Station 2	11/30/2015	12/7/2015	air	15120	ft ³	5.02E-14	4.56E-15	µCi/ml	1.00E-13
beta	Station 2	12/7/2015	12/14/2015	air	15120	ft ³	1.01E-14	2.48E-15	µCi/ml	1.00E-13
beta	Station 2	12/14/2015	12/21/2015	air	15120	ft ³	1.66E-14	2.83E-15	µCi/ml	1.00E-13
beta	Station 2	12/21/2015	12/28/2015	air	15120	ft ³	1.47E-14	2.70E-15	µCi/ml	1.00E-13
H-3	Station 2	1/12/2015	2/17/2015	air	7.78	m ³	1.13E-12	4.30E-13	µCi/ml	2.00E-11
H-3	Station 2	4/6/2015	5/7/2015	air	6.70	m ³	4.18E-13	2.95E-13	µCi/ml	2.00E-11
H-3	Station 2	7/6/2015	8/10/2015	air	7.56	m ³	1.07E-12	4.20E-13	µCi/ml	2.00E-11
H-3	Station 2	10/5/2015	11/9/2015	air	7.57	m ³	9.49E-13	4.35E-13	µCi/ml	2.00E-11
alpha	Station 3	1/5/2015	1/12/2015	air	15120	ft ³	3.07E-15	1.45E-15	µCi/ml	1.00E-14
alpha	Station 3	1/12/2015	1/19/2015	air	15120	ft ³	6.78E-16	6.85E-16	µCi/ml	1.00E-14
alpha	Station 3	1/19/2015	1/26/2015	air	15120	ft ³	2.27E-15	1.45E-15	µCi/ml	1.00E-14
alpha	Station 3	1/26/2015	2/2/2015	air	15120	ft ³	1.88E-15	1.17E-15	µCi/ml	1.00E-14
alpha	Station 3	12/28/2015	1/4/2016	air	15120	ft ³	1.20E-16	9.36E-16	µCi/ml	1.00E-14
alpha	Station 3	2/2/2015	2/9/2015	air	15120	ft ³	1.20E-15	8.57E-16	µCi/ml	1.00E-14
alpha	Station 3	2/9/2015	2/17/2015	air	17280	ft ³	2.30E-15	1.12E-15	µCi/ml	1.00E-14
alpha	Station 3	2/17/2015	2/23/2015	air	12960	ft ³	2.79E-15	1.67E-15	µCi/ml	1.00E-14
alpha	Station 3	2/23/2015	3/2/2015	air	15120	ft ³	2.79E-15	1.35E-15	µCi/ml	1.00E-14
alpha	Station 3	3/2/2015	3/9/2015	air	15030	ft ³	5.50E-15	1.83E-15	µCi/ml	1.00E-14
alpha	Station 3	3/9/2015	3/16/2015	air	15120	ft ³	2.00E-15	1.14E-15	µCi/ml	1.00E-14
alpha	Station 3	3/16/2015	3/23/2015	air	15120	ft ³	1.76E-15	1.19E-15	µCi/ml	1.00E-14
alpha	Station 3	3/23/2015	3/30/2015	air	15120	ft ³	3.19E-15	1.43E-15	µCi/ml	1.00E-14
alpha	Station 3	3/30/2015	4/6/2015	air	15120	ft ³	6.78E-16	1.08E-15	µCi/ml	1.00E-14
alpha	Station 3	4/6/2015	4/13/2015	air	15120	ft ³	1.72E-15	1.13E-15	µCi/ml	1.00E-14
alpha	Station 3	4/13/2015	4/20/2015	air	15120	ft ³	5.47E-15	1.79E-15	µCi/ml	1.00E-14
alpha	Station 3	4/20/2015	4/27/2015	air	15120	ft ³	1.80E-15	2.90E-15	µCi/ml	1.00E-14
alpha	Station 3	4/27/2015	5/4/2015	air	15120	ft ³	2.16E-15	1.11E-15	µCi/ml	1.00E-14
alpha	Station 3	5/4/2015	5/11/2015	air	15120	ft ³	1.72E-15	1.13E-15	µCi/ml	1.00E-14

Environmental Air

Analysis	LOC.	Start Day	Stop Day	Media	Air VOL	Vol Units	Result	Uncertainty	Concentration Units	Investigation Level
alpha	Station 3	5/11/2015	5/18/2015	air	15120	ft ³	1.08E-15	8.20E-16	µCi/ml	1.00E-14
alpha	Station 3	5/18/2015	5/26/2015	air	17280	ft ³	1.40E-16	8.84E-16	µCi/ml	1.00E-14
alpha	Station 3	5/26/2015	6/1/2015	air	12960	ft ³	2.33E-15	1.39E-15	µCi/ml	1.00E-14
alpha	Station 3	6/1/2015	6/8/2015	air	15120	ft ³	1.48E-15	1.13E-15	µCi/ml	1.00E-14
alpha	Station 3	6/8/2015	6/15/2015	air	15120	ft ³	1.76E-15	1.19E-15	µCi/ml	1.00E-14
alpha	Station 3	6/15/2015	6/22/2015	air	15120	ft ³	1.88E-15	1.17E-15	µCi/ml	1.00E-14
alpha	Station 3	6/22/2015	6/29/2015	air	15120	ft ³	1.36E-15	1.11E-15	µCi/ml	1.00E-14
alpha	Station 3	6/29/2015	7/6/2015	air	15120	ft ³	6.78E-16	1.58E-15	µCi/ml	1.00E-14
alpha	Station 3	7/6/2015	7/13/2015	air	15120	ft ³	1.88E-15	1.04E-15	µCi/ml	1.00E-14
alpha	Station 3	7/13/2015	7/20/2015	air	15120	ft ³	1.60E-15	1.05E-15	µCi/ml	1.00E-14
alpha	Station 3	7/20/2015	7/27/2015	air	15120	ft ³	1.48E-15	1.08E-15	µCi/ml	1.00E-14
alpha	Station 3	7/27/2015	8/3/2015	air	15120	ft ³	1.32E-15	1.04E-15	µCi/ml	1.00E-14
alpha	Station 3	8/3/2015	8/10/2015	air	15120	ft ³	1.88E-15	1.22E-15	µCi/ml	1.00E-14
alpha	Station 3	8/10/2015	8/17/2015	air	15120	ft ³	2.55E-15	1.50E-15	µCi/ml	1.00E-14
alpha	Station 3	8/17/2015	8/24/2015	air	15120	ft ³	6.51E-15	2.03E-15	µCi/ml	1.00E-14
alpha	Station 3	8/24/2015	8/31/2015	air	15120	ft ³	3.07E-15	1.45E-15	µCi/ml	1.00E-14
alpha	Station 3	8/31/2015	9/8/2015	air	17280	ft ³	3.63E-15	1.42E-15	µCi/ml	1.00E-14
alpha	Station 3	9/8/2015	9/14/2015	air	12960	ft ³	2.65E-15	1.32E-15	µCi/ml	1.00E-14
alpha	Station 3	9/14/2015	9/21/2015	air	15120	ft ³	-1.08E-15	1.48E-15	µCi/ml	1.00E-14
alpha	Station 3	9/21/2015	9/28/2015	air	15120	ft ³	1.20E-15	1.07E-15	µCi/ml	1.00E-14
alpha	Station 3	9/28/2015	10/5/2015	air	15120	ft ³	2.67E-15	1.33E-15	µCi/ml	1.00E-14
alpha	Station 3	10/5/2015	10/12/2015	air	15120	ft ³	3.19E-15	1.38E-15	µCi/ml	1.00E-14
alpha	Station 3	10/12/2015	10/19/2015	air	15120	ft ³	2.00E-15	1.19E-15	µCi/ml	1.00E-14
alpha	Station 3	10/19/2015	10/26/2015	air	15120	ft ³	9.18E-16	1.25E-15	µCi/ml	1.00E-14
alpha	Station 3	10/26/2015	11/2/2015	air	15120	ft ³	2.26E-15	1.25E-15	µCi/ml	1.00E-14
alpha	Station 3	11/2/2015	11/9/2015	air	15120	ft ³	1.60E-15	1.11E-15	µCi/ml	1.00E-14
alpha	Station 3	11/9/2015	11/16/2015	air	15120	ft ³	1.20E-15	1.01E-15	µCi/ml	1.00E-14
alpha	Station 3	11/16/2015	11/23/2015	air	15120	ft ³	9.58E-16	1.01E-15	µCi/ml	1.00E-14
alpha	Station 3	11/23/2015	11/30/2015	air	15120	ft ³	5.19E-16	1.48E-15	µCi/ml	1.00E-14
alpha	Station 3	11/30/2015	12/7/2015	air	15120	ft ³	0.00E+00	9.69E-16	µCi/ml	1.00E-14
alpha	Station 3	12/7/2015	12/14/2015	air	15120	ft ³	1.08E-15	1.04E-15	µCi/ml	1.00E-14
alpha	Station 3	12/14/2015	12/21/2015	air	15120	ft ³	0.00E+00	1.05E-15	µCi/ml	1.00E-14
alpha	Station 3	12/21/2015	12/28/2015	air	15120	ft ³	9.58E-16	7.82E-16	µCi/ml	1.00E-14
beta	Station 3	1/5/2015	1/12/2015	air	15120	ft ³	4.28E-14	4.15E-15	µCi/ml	1.00E-13
beta	Station 3	1/12/2015	1/19/2015	air	15120	ft ³	3.63E-14	3.83E-15	µCi/ml	1.00E-13
beta	Station 3	1/19/2015	1/26/2015	air	15120	ft ³	2.01E-14	3.03E-15	µCi/ml	1.00E-13
beta	Station 3	1/26/2015	2/2/2015	air	15120	ft ³	2.42E-14	3.21E-15	µCi/ml	1.00E-13
beta	Station 3	12/28/2015	1/4/2016	air	15120	ft ³	4.32E-14	4.19E-15	µCi/ml	1.00E-13
beta	Station 3	2/2/2015	2/9/2015	air	15120	ft ³	1.65E-14	2.76E-15	µCi/ml	1.00E-13
beta	Station 3	2/9/2015	2/17/2015	air	17280	ft ³	1.81E-14	2.60E-15	µCi/ml	1.00E-13
beta	Station 3	2/17/2015	2/23/2015	air	12960	ft ³	2.64E-14	3.82E-15	µCi/ml	1.00E-13
beta	Station 3	2/23/2015	3/2/2015	air	15120	ft ³	3.28E-14	3.71E-15	µCi/ml	1.00E-13
beta	Station 3	3/2/2015	3/9/2015	air	15030	ft ³	4.53E-14	4.21E-15	µCi/ml	1.00E-13
beta	Station 3	3/9/2015	3/16/2015	air	15120	ft ³	2.30E-14	3.10E-15	µCi/ml	1.00E-13
beta	Station 3	3/16/2015	3/23/2015	air	15120	ft ³	2.03E-14	3.01E-15	µCi/ml	1.00E-13
beta	Station 3	3/23/2015	3/30/2015	air	15120	ft ³	1.79E-14	2.84E-15	µCi/ml	1.00E-13
beta	Station 3	3/30/2015	4/6/2015	air	15120	ft ³	1.98E-14	2.99E-15	µCi/ml	1.00E-13

Environmental Air

Analysis	LOC.	Start Day	Stop Day	Media	Air VOL	Vol Units	Result	Uncertainty	Concentration Units	Investigation Level
beta	Station 3	4/6/2015	4/13/2015	air	15120	ft ³	1.80E-14	2.87E-15	µCi/ml	1.00E-13
beta	Station 3	4/13/2015	4/20/2015	air	15120	ft ³	2.87E-14	3.57E-15	µCi/ml	1.00E-13
beta	Station 3	4/20/2015	4/27/2015	air	15120	ft ³	1.80E-14	2.90E-15	µCi/ml	1.00E-13
beta	Station 3	4/27/2015	5/4/2015	air	15120	ft ³	2.34E-14	3.23E-15	µCi/ml	1.00E-13
beta	Station 3	5/4/2015	5/11/2015	air	15120	ft ³	2.41E-14	3.26E-15	µCi/ml	1.00E-13
beta	Station 3	5/11/2015	5/18/2015	air	15120	ft ³	2.01E-14	2.97E-15	µCi/ml	1.00E-13
beta	Station 3	5/18/2015	5/26/2015	air	17280	ft ³	2.02E-14	2.91E-15	µCi/ml	1.00E-13
beta	Station 3	5/26/2015	6/1/2015	air	12960	ft ³	2.78E-14	3.65E-15	µCi/ml	1.00E-13
beta	Station 3	6/1/2015	6/8/2015	air	15120	ft ³	1.67E-14	2.79E-15	µCi/ml	1.00E-13
beta	Station 3	6/8/2015	6/15/2015	air	15120	ft ³	2.42E-14	3.36E-15	µCi/ml	1.00E-13
beta	Station 3	6/15/2015	6/22/2015	air	15120	ft ³	2.62E-14	3.36E-15	µCi/ml	1.00E-13
beta	Station 3	6/22/2015	6/29/2015	air	15120	ft ³	2.08E-14	3.08E-15	µCi/ml	1.00E-13
beta	Station 3	6/29/2015	7/6/2015	air	15120	ft ³	2.28E-14	3.51E-15	µCi/ml	1.00E-13
beta	Station 3	7/6/2015	7/13/2015	air	15120	ft ³	2.26E-14	3.15E-15	µCi/ml	1.00E-13
beta	Station 3	7/13/2015	7/20/2015	air	15120	ft ³	1.93E-14	2.88E-15	µCi/ml	1.00E-13
beta	Station 3	7/20/2015	7/27/2015	air	15120	ft ³	1.51E-14	2.73E-15	µCi/ml	1.00E-13
beta	Station 3	7/27/2015	8/3/2015	air	15120	ft ³	2.08E-14	3.13E-15	µCi/ml	1.00E-13
beta	Station 3	8/3/2015	8/10/2015	air	15120	ft ³	2.02E-14	2.94E-15	µCi/ml	1.00E-13
beta	Station 3	8/10/2015	8/17/2015	air	15120	ft ³	3.46E-14	3.83E-15	µCi/ml	1.00E-13
beta	Station 3	8/17/2015	8/24/2015	air	15120	ft ³	2.78E-14	3.55E-15	µCi/ml	1.00E-13
beta	Station 3	8/24/2015	8/31/2015	air	15120	ft ³	2.19E-14	3.10E-15	µCi/ml	1.00E-13
beta	Station 3	8/31/2015	9/8/2015	air	17280	ft ³	2.17E-14	2.84E-15	µCi/ml	1.00E-13
beta	Station 3	9/8/2015	9/14/2015	air	12960	ft ³	2.28E-14	3.52E-15	µCi/ml	1.00E-13
beta	Station 3	9/14/2015	9/21/2015	air	15120	ft ³	1.48E-14	3.10E-15	µCi/ml	1.00E-13
beta	Station 3	9/21/2015	9/28/2015	air	15120	ft ³	3.00E-14	3.56E-15	µCi/ml	1.00E-13
beta	Station 3	9/28/2015	10/5/2015	air	15120	ft ³	3.54E-14	3.79E-15	µCi/ml	1.00E-13
beta	Station 3	10/5/2015	10/12/2015	air	15120	ft ³	3.70E-14	3.93E-15	µCi/ml	1.00E-13
beta	Station 3	10/12/2015	10/19/2015	air	15120	ft ³	2.92E-14	3.45E-15	µCi/ml	1.00E-13
beta	Station 3	10/19/2015	10/26/2015	air	15120	ft ³	2.50E-14	3.35E-15	µCi/ml	1.00E-13
beta	Station 3	10/26/2015	11/2/2015	air	15120	ft ³	2.15E-14	3.14E-15	µCi/ml	1.00E-13
beta	Station 3	11/2/2015	11/9/2015	air	15120	ft ³	2.26E-14	3.05E-15	µCi/ml	1.00E-13
beta	Station 3	11/9/2015	11/16/2015	air	15120	ft ³	1.87E-14	2.97E-15	µCi/ml	1.00E-13
beta	Station 3	11/16/2015	11/23/2015	air	15120	ft ³	2.60E-14	3.37E-15	µCi/ml	1.00E-13
beta	Station 3	11/23/2015	11/30/2015	air	15120	ft ³	4.34E-14	4.32E-15	µCi/ml	1.00E-13
beta	Station 3	11/30/2015	12/7/2015	air	15120	ft ³	4.79E-14	4.47E-15	µCi/ml	1.00E-13
beta	Station 3	12/7/2015	12/14/2015	air	15120	ft ³	8.26E-15	2.35E-15	µCi/ml	1.00E-13
beta	Station 3	12/14/2015	12/21/2015	air	15120	ft ³	1.21E-14	2.52E-15	µCi/ml	1.00E-13
beta	Station 3	12/21/2015	12/28/2015	air	15120	ft ³	1.70E-14	2.85E-15	µCi/ml	1.00E-13
alpha	Station 4	1/5/2015	1/12/2015	air	15120	ft ³	4.27E-15	1.65E-15	µCi/ml	1.00E-14
alpha	Station 4	1/12/2015	1/19/2015	air	15120	ft ³	1.76E-15	1.01E-15	µCi/ml	1.00E-14
alpha	Station 4	1/19/2015	1/26/2015	air	15120	ft ³	1.20E-15	1.24E-15	µCi/ml	1.00E-14
alpha	Station 4	1/26/2015	2/2/2015	air	15120	ft ³	2.67E-15	1.33E-15	µCi/ml	1.00E-14
alpha	Station 4	12/28/2015	1/4/2016	air	15120	ft ³	7.98E-16	1.11E-15	µCi/ml	1.00E-14
alpha	Station 4	2/2/2015	2/9/2015	air	15120	ft ³	1.76E-15	1.01E-15	µCi/ml	1.00E-14
alpha	Station 4	2/9/2015	2/17/2015	air	17280	ft ³	2.30E-15	1.12E-15	µCi/ml	1.00E-14
alpha	Station 4	2/17/2015	2/23/2015	air	12960	ft ³	3.26E-15	1.75E-15	µCi/ml	1.00E-14
alpha	Station 4	2/23/2015	3/2/2015	air	15120	ft ³	1.88E-15	1.17E-15	µCi/ml	1.00E-14

Environmental Air

Analysis	LOC.	Start Day	Stop Day	Media	Air VOL	Vol Units	Result	Uncertainty	Concentration Units	Investigation Level
alpha	Station 4	3/2/2015	3/9/2015	air	15030	ft ³	4.82E-15	1.74E-15	µCi/ml	1.00E-14
alpha	Station 4	3/9/2015	3/16/2015	air	15120	ft ³	1.44E-15	1.01E-15	µCi/ml	1.00E-14
alpha	Station 4	3/16/2015	3/23/2015	air	15120	ft ³	2.39E-15	1.32E-15	µCi/ml	1.00E-14
alpha	Station 4	3/23/2015	3/30/2015	air	15120	ft ³	2.39E-15	1.28E-15	µCi/ml	1.00E-14
alpha	Station 4	3/30/2015	4/6/2015	air	15120	ft ³	1.08E-15	1.17E-15	µCi/ml	1.00E-14
alpha	Station 4	4/6/2015	4/13/2015	air	15120	ft ³	9.18E-16	9.36E-16	µCi/ml	1.00E-14
alpha	Station 4	4/13/2015	4/20/2015	air	15120	ft ³	5.71E-15	1.82E-15	µCi/ml	1.00E-14
alpha	Station 4	4/20/2015	4/27/2015	air	15120	ft ³	1.86E-15	2.94E-15	µCi/ml	1.00E-14
alpha	Station 4	4/27/2015	5/4/2015	air	15120	ft ³	3.07E-15	1.30E-15	µCi/ml	1.00E-14
alpha	Station 4	5/4/2015	5/11/2015	air	15120	ft ³	1.20E-15	1.01E-15	µCi/ml	1.00E-14
alpha	Station 4	5/11/2015	5/18/2015	air	15120	ft ³	1.08E-15	8.20E-16	µCi/ml	1.00E-14
alpha	Station 4	5/18/2015	5/26/2015	air	17280	ft ³	2.44E-16	9.10E-16	µCi/ml	1.00E-14
alpha	Station 4	5/26/2015	6/1/2015	air	12960	ft ³	2.79E-15	1.49E-15	µCi/ml	1.00E-14
alpha	Station 4	6/1/2015	6/8/2015	air	15120	ft ³	1.48E-15	1.13E-15	µCi/ml	1.00E-14
alpha	Station 4	6/8/2015	6/15/2015	air	15120	ft ³	2.16E-15	1.28E-15	µCi/ml	1.00E-14
alpha	Station 4	6/15/2015	6/22/2015	air	15120	ft ³	1.60E-15	1.11E-15	µCi/ml	1.00E-14
alpha	Station 4	6/22/2015	6/29/2015	air	15120	ft ³	1.76E-15	1.19E-15	µCi/ml	1.00E-14
alpha	Station 4	6/29/2015	7/6/2015	air	15120	ft ³	6.78E-16	1.58E-15	µCi/ml	1.00E-14
alpha	Station 4	7/6/2015	7/13/2015	air	15120	ft ³	1.20E-15	8.57E-16	µCi/ml	1.00E-14
alpha	Station 4	7/13/2015	7/20/2015	air	15120	ft ³	2.79E-15	1.31E-15	µCi/ml	1.00E-14
alpha	Station 4	7/20/2015	7/27/2015	air	15120	ft ³	1.32E-15	1.04E-15	µCi/ml	1.00E-14
alpha	Station 4	7/27/2015	8/3/2015	air	15120	ft ³	1.20E-15	1.01E-15	µCi/ml	1.00E-14
alpha	Station 4	8/3/2015	8/10/2015	air	15120	ft ³	2.16E-15	1.28E-15	µCi/ml	1.00E-14
alpha	Station 4	8/10/2015	8/17/2015	air	15120	ft ³	1.88E-15	1.38E-15	µCi/ml	1.00E-14
alpha	Station 4	8/17/2015	8/24/2015	air	15120	ft ³	7.46E-15	2.15E-15	µCi/ml	1.00E-14
alpha	Station 4	8/24/2015	8/31/2015	air	15120	ft ³	1.08E-15	1.04E-15	µCi/ml	1.00E-14
alpha	Station 4	8/31/2015	9/8/2015	air	17280	ft ³	2.23E-15	1.19E-15	µCi/ml	1.00E-14
alpha	Station 4	9/8/2015	9/14/2015	air	12960	ft ³	1.12E-15	9.13E-16	µCi/ml	1.00E-14
alpha	Station 4	9/14/2015	9/21/2015	air	15120	ft ³	-1.88E-15	1.33E-15	µCi/ml	1.00E-14
alpha	Station 4	9/21/2015	9/28/2015	air	15120	ft ³	6.78E-16	9.36E-16	µCi/ml	1.00E-14
alpha	Station 4	9/28/2015	10/5/2015	air	15120	ft ³	3.87E-15	1.54E-15	µCi/ml	1.00E-14
alpha	Station 4	10/5/2015	10/12/2015	air	15120	ft ³	6.39E-16	7.82E-16	µCi/ml	1.00E-14
alpha	Station 4	10/12/2015	10/19/2015	air	15120	ft ³	2.91E-15	1.38E-15	µCi/ml	1.00E-14
alpha	Station 4	10/19/2015	10/26/2015	air	15120	ft ³	7.98E-16	1.23E-15	µCi/ml	1.00E-14
alpha	Station 4	10/26/2015	11/2/2015	air	15120	ft ³	1.98E-15	1.19E-15	µCi/ml	1.00E-14
alpha	Station 4	11/2/2015	11/9/2015	air	15120	ft ³	5.31E-15	1.77E-15	µCi/ml	1.00E-14
alpha	Station 4	11/9/2015	11/16/2015	air	15120	ft ³	1.08E-15	9.79E-16	µCi/ml	1.00E-14
alpha	Station 4	11/16/2015	11/23/2015	air	15120	ft ³	9.58E-16	1.01E-15	µCi/ml	1.00E-14
alpha	Station 4	11/23/2015	11/30/2015	air	15120	ft ³	0.00E+00	1.38E-15	µCi/ml	1.00E-14
alpha	Station 4	11/30/2015	12/7/2015	air	15120	ft ³	3.99E-16	1.07E-15	µCi/ml	1.00E-14
alpha	Station 4	12/7/2015	12/14/2015	air	15120	ft ³	1.60E-16	7.82E-16	µCi/ml	1.00E-14
alpha	Station 4	12/14/2015	12/21/2015	air	15120	ft ³	-3.99E-16	9.47E-16	µCi/ml	1.00E-14
alpha	Station 4	12/21/2015	12/28/2015	air	15120	ft ³	0.00E+00	3.50E-16	µCi/ml	1.00E-14
beta	Station 4	1/5/2015	1/12/2015	air	15120	ft ³	5.06E-14	4.48E-15	µCi/ml	1.00E-13
beta	Station 4	1/12/2015	1/19/2015	air	15120	ft ³	3.58E-14	3.81E-15	µCi/ml	1.00E-13
beta	Station 4	1/19/2015	1/26/2015	air	15120	ft ³	2.37E-14	3.24E-15	µCi/ml	1.00E-13
beta	Station 4	1/26/2015	2/2/2015	air	15120	ft ³	2.44E-14	3.22E-15	µCi/ml	1.00E-13

Environmental Air

Analysis	LOC.	Start Day	Stop Day	Media	Air VOL	Vol Units	Result	Uncertainty	Concentration Units	Investigation Level
beta	Station 4	12/28/2015	1/4/2016	air	15120	ft ³	4.60E-14	4.31E-15	μCi/ml	1.00E-13
beta	Station 4	2/2/2015	2/9/2015	air	15120	ft ³	1.60E-14	2.73E-15	μCi/ml	1.00E-13
beta	Station 4	2/9/2015	2/17/2015	air	17280	ft ³	2.29E-14	2.89E-15	μCi/ml	1.00E-13
beta	Station 4	2/17/2015	2/23/2015	air	12960	ft ³	2.80E-14	3.92E-15	μCi/ml	1.00E-13
beta	Station 4	2/23/2015	3/2/2015	air	15120	ft ³	2.86E-14	3.50E-15	μCi/ml	1.00E-13
beta	Station 4	3/2/2015	3/9/2015	air	15030	ft ³	4.10E-14	4.02E-15	μCi/ml	1.00E-13
beta	Station 4	3/9/2015	3/16/2015	air	15120	ft ³	2.51E-14	3.22E-15	μCi/ml	1.00E-13
beta	Station 4	3/16/2015	3/23/2015	air	15120	ft ³	1.85E-14	2.90E-15	μCi/ml	1.00E-13
beta	Station 4	3/23/2015	3/30/2015	air	15120	ft ³	2.23E-14	3.11E-15	μCi/ml	1.00E-13
beta	Station 4	3/30/2015	4/6/2015	air	15120	ft ³	1.81E-14	2.88E-15	μCi/ml	1.00E-13
beta	Station 4	4/6/2015	4/13/2015	air	15120	ft ³	1.79E-14	2.86E-15	μCi/ml	1.00E-13
beta	Station 4	4/13/2015	4/20/2015	air	15120	ft ³	2.79E-14	3.53E-15	μCi/ml	1.00E-13
beta	Station 4	4/20/2015	4/27/2015	air	15120	ft ³	1.86E-14	2.94E-15	μCi/ml	1.00E-13
beta	Station 4	4/27/2015	5/4/2015	air	15120	ft ³	2.75E-14	3.46E-15	μCi/ml	1.00E-13
beta	Station 4	5/4/2015	5/11/2015	air	15120	ft ³	2.23E-14	3.15E-15	μCi/ml	1.00E-13
beta	Station 4	5/11/2015	5/18/2015	air	15120	ft ³	1.64E-14	2.74E-15	μCi/ml	1.00E-13
beta	Station 4	5/18/2015	5/26/2015	air	17280	ft ³	2.24E-14	3.03E-15	μCi/ml	1.00E-13
beta	Station 4	5/26/2015	6/1/2015	air	12960	ft ³	2.88E-14	3.71E-15	μCi/ml	1.00E-13
beta	Station 4	6/1/2015	6/8/2015	air	15120	ft ³	1.99E-14	2.99E-15	μCi/ml	1.00E-13
beta	Station 4	6/8/2015	6/15/2015	air	15120	ft ³	2.17E-14	3.22E-15	μCi/ml	1.00E-13
beta	Station 4	6/15/2015	6/22/2015	air	15120	ft ³	2.22E-14	3.14E-15	μCi/ml	1.00E-13
beta	Station 4	6/22/2015	6/29/2015	air	15120	ft ³	2.43E-14	3.28E-15	μCi/ml	1.00E-13
beta	Station 4	6/29/2015	7/6/2015	air	15120	ft ³	2.55E-14	3.65E-15	μCi/ml	1.00E-13
beta	Station 4	7/6/2015	7/13/2015	air	15120	ft ³	2.60E-14	3.34E-15	μCi/ml	1.00E-13
beta	Station 4	7/13/2015	7/20/2015	air	15120	ft ³	2.04E-14	2.95E-15	μCi/ml	1.00E-13
beta	Station 4	7/20/2015	7/27/2015	air	15120	ft ³	1.40E-14	2.65E-15	μCi/ml	1.00E-13
beta	Station 4	7/27/2015	8/3/2015	air	15120	ft ³	1.88E-14	3.01E-15	μCi/ml	1.00E-13
beta	Station 4	8/3/2015	8/10/2015	air	15120	ft ³	2.14E-14	3.01E-15	μCi/ml	1.00E-13
beta	Station 4	8/10/2015	8/17/2015	air	15120	ft ³	3.19E-14	3.71E-15	μCi/ml	1.00E-13
beta	Station 4	8/17/2015	8/24/2015	air	15120	ft ³	2.90E-14	3.61E-15	μCi/ml	1.00E-13
beta	Station 4	8/24/2015	8/31/2015	air	15120	ft ³	2.27E-14	3.15E-15	μCi/ml	1.00E-13
beta	Station 4	8/31/2015	9/8/2015	air	17280	ft ³	2.13E-14	2.82E-15	μCi/ml	1.00E-13
beta	Station 4	9/8/2015	9/14/2015	air	12960	ft ³	2.55E-14	3.67E-15	μCi/ml	1.00E-13
beta	Station 4	9/14/2015	9/21/2015	air	15120	ft ³	1.69E-14	3.22E-15	μCi/ml	1.00E-13
beta	Station 4	9/21/2015	9/28/2015	air	15120	ft ³	2.58E-14	3.34E-15	μCi/ml	1.00E-13
beta	Station 4	9/28/2015	10/5/2015	air	15120	ft ³	3.73E-14	3.88E-15	μCi/ml	1.00E-13
beta	Station 4	10/5/2015	10/12/2015	air	15120	ft ³	4.05E-14	4.09E-15	μCi/ml	1.00E-13
beta	Station 4	10/12/2015	10/19/2015	air	15120	ft ³	3.44E-14	3.71E-15	μCi/ml	1.00E-13
beta	Station 4	10/19/2015	10/26/2015	air	15120	ft ³	2.37E-14	3.28E-15	μCi/ml	1.00E-13
beta	Station 4	10/26/2015	11/2/2015	air	15120	ft ³	1.89E-14	2.99E-15	μCi/ml	1.00E-13
beta	Station 4	11/2/2015	11/9/2015	air	15120	ft ³	2.72E-14	3.31E-15	μCi/ml	1.00E-13
beta	Station 4	11/9/2015	11/16/2015	air	15120	ft ³	1.32E-14	2.61E-15	μCi/ml	1.00E-13
beta	Station 4	11/16/2015	11/23/2015	air	15120	ft ³	2.60E-14	3.37E-15	μCi/ml	1.00E-13
beta	Station 4	11/23/2015	11/30/2015	air	15120	ft ³	3.77E-14	4.08E-15	μCi/ml	1.00E-13
beta	Station 4	11/30/2015	12/7/2015	air	15120	ft ³	4.39E-14	4.30E-15	μCi/ml	1.00E-13
beta	Station 4	12/7/2015	12/14/2015	air	15120	ft ³	7.41E-15	2.28E-15	μCi/ml	1.00E-13
beta	Station 4	12/14/2015	12/21/2015	air	15120	ft ³	1.44E-14	2.68E-15	μCi/ml	1.00E-13

Environmental Air

Analysis	LOC.	Start Day	Stop Day	Media	Air VOL	Vol Units	Result	Uncertainty	Concentration Units	Investigation Level
beta	Station 4	12/21/2015	12/28/2015	air	15120	ft ³	1.61E-14	2.79E-15	μCi/ml	1.00E-13
alpha	Station 5	1/5/2015	1/12/2015	air	15120	ft ³	2.27E-15	1.30E-15	μCi/ml	1.00E-14
alpha	Station 5	1/12/2015	1/19/2015	air	15120	ft ³	1.60E-15	9.69E-16	μCi/ml	1.00E-14
alpha	Station 5	1/19/2015	1/26/2015	air	15120	ft ³	1.36E-15	1.28E-15	μCi/ml	1.00E-14
alpha	Station 5	1/26/2015	2/2/2015	air	15120	ft ³	2.12E-15	1.22E-15	μCi/ml	1.00E-14
alpha	Station 5	12/28/2015	1/4/2016	air	15120	ft ³	7.98E-16	1.11E-15	μCi/ml	1.00E-14
alpha	Station 5	2/2/2015	2/9/2015	air	15120	ft ³	1.76E-15	1.01E-15	μCi/ml	1.00E-14
alpha	Station 5	2/9/2015	2/17/2015	air	17280	ft ³	1.05E-15	8.29E-16	μCi/ml	1.00E-14
alpha	Station 5	2/17/2015	2/23/2015	air	12960	ft ³	4.05E-15	1.88E-15	μCi/ml	1.00E-14
alpha	Station 5	2/23/2015	3/2/2015	air	15120	ft ³	3.47E-15	1.48E-15	μCi/ml	1.00E-14
alpha	Station 5	3/2/2015	3/9/2015	air	15030	ft ³	5.10E-15	1.78E-15	μCi/ml	1.00E-14
alpha	Station 5	3/9/2015	3/16/2015	air	15120	ft ³	5.19E-16	7.42E-16	μCi/ml	1.00E-14
alpha	Station 5	3/16/2015	3/23/2015	air	15120	ft ³	2.55E-15	1.35E-15	μCi/ml	1.00E-14
alpha	Station 5	3/23/2015	3/30/2015	air	15120	ft ³	3.47E-15	1.48E-15	μCi/ml	1.00E-14
alpha	Station 5	3/30/2015	4/6/2015	air	15120	ft ³	1.88E-15	1.33E-15	μCi/ml	1.00E-14
alpha	Station 5	4/6/2015	4/13/2015	air	15120	ft ³	1.72E-15	1.13E-15	μCi/ml	1.00E-14
alpha	Station 5	4/13/2015	4/20/2015	air	15120	ft ³	5.47E-15	1.79E-15	μCi/ml	1.00E-14
alpha	Station 5	4/20/2015	4/27/2015	air	15120	ft ³	2.00E-15	3.03E-15	μCi/ml	1.00E-14
alpha	Station 5	4/27/2015	5/4/2015	air	15120	ft ³	3.19E-15	1.32E-15	μCi/ml	1.00E-14
alpha	Station 5	5/4/2015	5/11/2015	air	15120	ft ³	2.27E-15	1.25E-15	μCi/ml	1.00E-14
alpha	Station 5	5/11/2015	5/18/2015	air	15120	ft ³	2.39E-15	1.16E-15	μCi/ml	1.00E-14
alpha	Station 5	5/18/2015	5/26/2015	air	17280	ft ³	4.89E-16	9.68E-16	μCi/ml	1.00E-14
alpha	Station 5	5/26/2015	6/1/2015	air	12960	ft ³	3.86E-15	1.69E-15	μCi/ml	1.00E-14
alpha	Station 5	6/1/2015	6/8/2015	air	15120	ft ³	1.36E-15	1.11E-15	μCi/ml	1.00E-14
alpha	Station 5	6/8/2015	6/15/2015	air	15120	ft ³	9.58E-16	1.01E-15	μCi/ml	1.00E-14
alpha	Station 5	6/15/2015	6/22/2015	air	15120	ft ³	1.08E-15	9.79E-16	μCi/ml	1.00E-14
alpha	Station 5	6/22/2015	6/29/2015	air	15120	ft ³	1.08E-15	1.04E-15	μCi/ml	1.00E-14
alpha	Station 5	6/29/2015	7/6/2015	air	15120	ft ³	-2.39E-16	1.43E-15	μCi/ml	1.00E-14
alpha	Station 5	7/6/2015	7/13/2015	air	15120	ft ³	1.20E-15	8.57E-16	μCi/ml	1.00E-14
alpha	Station 5	7/13/2015	7/20/2015	air	15120	ft ³	1.04E-15	9.03E-16	μCi/ml	1.00E-14
alpha	Station 5	7/20/2015	7/27/2015	air	15120	ft ³	6.78E-16	8.69E-16	μCi/ml	1.00E-14
alpha	Station 5	7/27/2015	8/3/2015	air	15120	ft ³	1.20E-15	1.01E-15	μCi/ml	1.00E-14
alpha	Station 5	8/3/2015	8/10/2015	air	15120	ft ³	2.55E-15	1.35E-15	μCi/ml	1.00E-14
alpha	Station 5	8/10/2015	8/17/2015	air	15120	ft ³	2.16E-15	1.43E-15	μCi/ml	1.00E-14
alpha	Station 5	8/17/2015	8/24/2015	air	15120	ft ³	6.78E-15	2.07E-15	μCi/ml	1.00E-14
alpha	Station 5	8/24/2015	8/31/2015	air	15120	ft ³	1.88E-15	1.22E-15	μCi/ml	1.00E-14
alpha	Station 5	8/31/2015	9/8/2015	air	17280	ft ³	2.10E-15	1.16E-15	μCi/ml	1.00E-14
alpha	Station 5	9/8/2015	9/14/2015	air	12960	ft ³	1.58E-15	1.05E-15	μCi/ml	1.00E-14
alpha	Station 5	9/14/2015	9/21/2015	air	15120	ft ³	-1.76E-15	1.35E-15	μCi/ml	1.00E-14
alpha	Station 5	9/21/2015	9/28/2015	air	15120	ft ³	1.20E-15	1.07E-15	μCi/ml	1.00E-14
alpha	Station 5	9/28/2015	10/5/2015	air	15120	ft ³	2.91E-15	1.38E-15	μCi/ml	1.00E-14
alpha	Station 5	10/5/2015	10/12/2015	air	15120	ft ³	1.72E-15	1.08E-15	μCi/ml	1.00E-14
alpha	Station 5	10/12/2015	10/19/2015	air	15120	ft ³	2.00E-15	1.19E-15	μCi/ml	1.00E-14
alpha	Station 5	10/19/2015	10/26/2015	air	15120	ft ³	1.20E-15	1.31E-15	μCi/ml	1.00E-14
alpha	Station 5	10/26/2015	11/2/2015	air	15120	ft ³	1.59E-15	1.10E-15	μCi/ml	1.00E-14
alpha	Station 5	11/2/2015	11/9/2015	air	15120	ft ³	1.72E-15	1.13E-15	μCi/ml	1.00E-14
alpha	Station 5	11/9/2015	11/16/2015	air	15120	ft ³	2.12E-15	1.22E-15	μCi/ml	1.00E-14

Environmental Air

Analysis	LOC.	Start Day	Stop Day	Media	Air VOL	Vol Units	Result	Uncertainty	Concentration Units	Investigation Level
alpha	Station 5	11/16/2015	11/23/2015	air	15120	ft ³	1.36E-15	1.11E-15	µCi/ml	1.00E-14
alpha	Station 5	11/23/2015	11/30/2015	air	15120	ft ³	-1.60E-16	1.35E-15	µCi/ml	1.00E-14
alpha	Station 5	11/30/2015	12/7/2015	air	15120	ft ³	3.99E-16	1.07E-15	µCi/ml	1.00E-14
alpha	Station 5	12/7/2015	12/14/2015	air	15120	ft ³	-1.20E-16	6.85E-16	µCi/ml	1.00E-14
alpha	Station 5	12/14/2015	12/21/2015	air	15120	ft ³	-6.78E-16	8.69E-16	µCi/ml	1.00E-14
alpha	Station 5	12/21/2015	12/28/2015	air	15120	ft ³	1.08E-15	8.20E-16	µCi/ml	1.00E-14
beta	Station 5	1/5/2015	1/12/2015	air	15120	ft ³	4.61E-14	4.29E-15	µCi/ml	1.00E-13
beta	Station 5	1/12/2015	1/19/2015	air	15120	ft ³	3.45E-14	3.75E-15	µCi/ml	1.00E-13
beta	Station 5	1/19/2015	1/26/2015	air	15120	ft ³	2.07E-14	3.06E-15	µCi/ml	1.00E-13
beta	Station 5	1/26/2015	2/2/2015	air	15120	ft ³	2.30E-14	3.14E-15	µCi/ml	1.00E-13
beta	Station 5	12/28/2015	1/4/2016	air	15120	ft ³	4.05E-14	4.07E-15	µCi/ml	1.00E-13
beta	Station 5	2/2/2015	2/9/2015	air	15120	ft ³	1.58E-14	2.72E-15	µCi/ml	1.00E-13
beta	Station 5	2/9/2015	2/17/2015	air	17280	ft ³	1.86E-14	2.64E-15	µCi/ml	1.00E-13
beta	Station 5	2/17/2015	2/23/2015	air	12960	ft ³	2.88E-14	3.96E-15	µCi/ml	1.00E-13
beta	Station 5	2/23/2015	3/2/2015	air	15120	ft ³	2.69E-14	3.41E-15	µCi/ml	1.00E-13
beta	Station 5	3/2/2015	3/9/2015	air	15030	ft ³	4.73E-14	4.30E-15	µCi/ml	1.00E-13
beta	Station 5	3/9/2015	3/16/2015	air	15120	ft ³	1.89E-14	2.85E-15	µCi/ml	1.00E-13
beta	Station 5	3/16/2015	3/23/2015	air	15120	ft ³	1.90E-14	2.93E-15	µCi/ml	1.00E-13
beta	Station 5	3/23/2015	3/30/2015	air	15120	ft ³	2.32E-14	3.16E-15	µCi/ml	1.00E-13
beta	Station 5	3/30/2015	4/6/2015	air	15120	ft ³	1.70E-14	2.82E-15	µCi/ml	1.00E-13
beta	Station 5	4/6/2015	4/13/2015	air	15120	ft ³	1.85E-14	2.90E-15	µCi/ml	1.00E-13
beta	Station 5	4/13/2015	4/20/2015	air	15120	ft ³	3.07E-14	3.67E-15	µCi/ml	1.00E-13
beta	Station 5	4/20/2015	4/27/2015	air	15120	ft ³	2.00E-14	3.03E-15	µCi/ml	1.00E-13
beta	Station 5	4/27/2015	5/4/2015	air	15120	ft ³	2.49E-14	3.32E-15	µCi/ml	1.00E-13
beta	Station 5	5/4/2015	5/11/2015	air	15120	ft ³	2.58E-14	3.35E-15	µCi/ml	1.00E-13
beta	Station 5	5/11/2015	5/18/2015	air	15120	ft ³	2.14E-14	3.05E-15	µCi/ml	1.00E-13
beta	Station 5	5/18/2015	5/26/2015	air	17280	ft ³	2.33E-14	3.08E-15	µCi/ml	1.00E-13
beta	Station 5	5/26/2015	6/1/2015	air	12960	ft ³	2.89E-14	3.72E-15	µCi/ml	1.00E-13
beta	Station 5	6/1/2015	6/8/2015	air	15120	ft ³	1.96E-14	2.97E-15	µCi/ml	1.00E-13
beta	Station 5	6/8/2015	6/15/2015	air	15120	ft ³	2.49E-14	3.39E-15	µCi/ml	1.00E-13
beta	Station 5	6/15/2015	6/22/2015	air	15120	ft ³	2.31E-14	3.19E-15	µCi/ml	1.00E-13
beta	Station 5	6/22/2015	6/29/2015	air	15120	ft ³	2.44E-14	3.28E-15	µCi/ml	1.00E-13
beta	Station 5	6/29/2015	7/6/2015	air	15120	ft ³	2.62E-14	3.69E-15	µCi/ml	1.00E-13
beta	Station 5	7/6/2015	7/13/2015	air	15120	ft ³	2.70E-14	3.39E-15	µCi/ml	1.00E-13
beta	Station 5	7/13/2015	7/20/2015	air	15120	ft ³	2.05E-14	2.96E-15	µCi/ml	1.00E-13
beta	Station 5	7/20/2015	7/27/2015	air	15120	ft ³	1.66E-14	2.83E-15	µCi/ml	1.00E-13
beta	Station 5	7/27/2015	8/3/2015	air	15120	ft ³	2.38E-14	3.30E-15	µCi/ml	1.00E-13
beta	Station 5	8/3/2015	8/10/2015	air	15120	ft ³	2.49E-14	3.21E-15	µCi/ml	1.00E-13
beta	Station 5	8/10/2015	8/17/2015	air	15120	ft ³	3.66E-14	3.93E-15	µCi/ml	1.00E-13
beta	Station 5	8/17/2015	8/24/2015	air	15120	ft ³	3.18E-14	3.75E-15	µCi/ml	1.00E-13
beta	Station 5	8/24/2015	8/31/2015	air	15120	ft ³	2.89E-14	3.49E-15	µCi/ml	1.00E-13
beta	Station 5	8/31/2015	9/8/2015	air	17280	ft ³	2.20E-14	2.86E-15	µCi/ml	1.00E-13
beta	Station 5	9/8/2015	9/14/2015	air	12960	ft ³	2.66E-14	3.74E-15	µCi/ml	1.00E-13
beta	Station 5	9/14/2015	9/21/2015	air	15120	ft ³	1.78E-14	3.27E-15	µCi/ml	1.00E-13
beta	Station 5	9/21/2015	9/28/2015	air	15120	ft ³	2.72E-14	3.41E-15	µCi/ml	1.00E-13
beta	Station 5	9/28/2015	10/5/2015	air	15120	ft ³	3.70E-14	3.87E-15	µCi/ml	1.00E-13
beta	Station 5	10/5/2015	10/12/2015	air	15120	ft ³	3.92E-14	4.03E-15	µCi/ml	1.00E-13

Environmental Air

Analysis	LOC.	Start Day	Stop Day	Media	Air VOL	Vol Units	Result	Uncertainty	Concentration Units	Investigation Level
beta	Station 5	10/12/2015	10/19/2015	air	15120	ft ³	3.63E-14	3.81E-15	µCi/ml	1.00E-13
beta	Station 5	10/19/2015	10/26/2015	air	15120	ft ³	2.85E-14	3.53E-15	µCi/ml	1.00E-13
beta	Station 5	10/26/2015	11/2/2015	air	15120	ft ³	2.30E-14	3.23E-15	µCi/ml	1.00E-13
beta	Station 5	11/2/2015	11/9/2015	air	15120	ft ³	2.89E-14	3.40E-15	µCi/ml	1.00E-13
beta	Station 5	11/9/2015	11/16/2015	air	15120	ft ³	1.74E-14	2.89E-15	µCi/ml	1.00E-13
beta	Station 5	11/16/2015	11/23/2015	air	15120	ft ³	2.63E-14	3.39E-15	µCi/ml	1.00E-13
beta	Station 5	11/23/2015	11/30/2015	air	15120	ft ³	4.37E-14	4.34E-15	µCi/ml	1.00E-13
beta	Station 5	11/30/2015	12/7/2015	air	15120	ft ³	4.53E-14	4.36E-15	µCi/ml	1.00E-13
beta	Station 5	12/7/2015	12/14/2015	air	15120	ft ³	8.18E-15	2.34E-15	µCi/ml	1.00E-13
beta	Station 5	12/14/2015	12/21/2015	air	15120	ft ³	1.44E-14	2.68E-15	µCi/ml	1.00E-13
beta	Station 5	12/21/2015	12/28/2015	air	15120	ft ³	1.84E-14	2.94E-15	µCi/ml	1.00E-13
H-3	Station 5	1/12/2015	2/17/2015	air	7.78	m ³	7.00E-13	3.68E-13	µCi/ml	2.00E-11
H-3	Station 5	4/6/2015	5/7/2015	air	6.70	m ³	1.63E-12	4.90E-13	µCi/ml	2.00E-11
H-3	Station 5	7/6/2015	8/10/2015	air	7.56	m ³	2.44E-12	4.60E-13	µCi/ml	2.00E-11
H-3	Station 5	10/5/2015	11/9/2015	air	7.57	m ³	1.16E-12	2.50E-13	µCi/ml	2.00E-11
alpha	Station 6	1/5/2015	1/12/2015	air	15120	ft ³	2.55E-15	1.35E-15	µCi/ml	1.00E-14
alpha	Station 6	1/12/2015	1/19/2015	air	15120	ft ³	5.59E-16	6.39E-16	µCi/ml	1.00E-14
alpha	Station 6	1/19/2015	1/26/2015	air	15120	ft ³	1.08E-15	1.22E-15	µCi/ml	1.00E-14
alpha	Station 6	1/26/2015	2/2/2015	air	15120	ft ³	1.08E-15	9.79E-16	µCi/ml	1.00E-14
alpha	Station 6	12/28/2015	1/4/2016	air	15120	ft ³	0.00E+00	9.03E-16	µCi/ml	1.00E-14
alpha	Station 6	2/2/2015	2/9/2015	air	15120	ft ³	1.48E-15	9.36E-16	µCi/ml	1.00E-14
alpha	Station 6	2/9/2015	2/17/2015	air	17280	ft ³	1.75E-15	1.00E-15	µCi/ml	1.00E-14
alpha	Station 6	2/17/2015	2/23/2015	air	12960	ft ³	2.65E-15	1.64E-15	µCi/ml	1.00E-14
alpha	Station 6	2/23/2015	3/2/2015	air	15120	ft ³	2.12E-15	1.22E-15	µCi/ml	1.00E-14
alpha	Station 6	3/2/2015	3/9/2015	air	15030	ft ³	5.10E-15	1.78E-15	µCi/ml	1.00E-14
alpha	Station 6	3/9/2015	3/16/2015	air	15120	ft ³	1.84E-15	1.11E-15	µCi/ml	1.00E-14
alpha	Station 6	3/16/2015	3/23/2015	air	15120	ft ³	2.67E-15	1.38E-15	µCi/ml	1.00E-14
alpha	Station 6	3/23/2015	3/30/2015	air	15120	ft ³	3.59E-15	1.50E-15	µCi/ml	1.00E-14
alpha	Station 6	3/30/2015	4/6/2015	air	15120	ft ³	1.88E-15	1.33E-15	µCi/ml	1.00E-14
alpha	Station 6	4/6/2015	4/13/2015	air	15120	ft ³	1.60E-15	1.11E-15	µCi/ml	1.00E-14
alpha	Station 6	4/13/2015	4/20/2015	air	15120	ft ³	2.39E-15	1.28E-15	µCi/ml	1.00E-14
alpha	Station 6	4/20/2015	4/27/2015	air	15120	ft ³	1.75E-15	2.87E-15	µCi/ml	1.00E-14
alpha	Station 6	4/27/2015	5/4/2015	air	15120	ft ³	3.35E-15	1.35E-15	µCi/ml	1.00E-14
alpha	Station 6	5/4/2015	5/11/2015	air	15120	ft ³	2.12E-15	1.22E-15	µCi/ml	1.00E-14
alpha	Station 6	5/11/2015	5/18/2015	air	15120	ft ³	2.00E-15	1.07E-15	µCi/ml	1.00E-14
alpha	Station 6	5/18/2015	5/26/2015	air	17280	ft ³	6.98E-16	1.02E-15	µCi/ml	1.00E-14
alpha	Station 6	5/26/2015	6/1/2015	air	12960	ft ³	2.47E-15	1.42E-15	µCi/ml	1.00E-14
alpha	Station 6	6/1/2015	6/8/2015	air	15120	ft ³	6.78E-16	9.36E-16	µCi/ml	1.00E-14
alpha	Station 6	6/8/2015	6/15/2015	air	15120	ft ³	5.59E-16	9.03E-16	µCi/ml	1.00E-14
alpha	Station 6	6/15/2015	6/22/2015	air	15120	ft ³	3.99E-16	7.82E-16	µCi/ml	1.00E-14
alpha	Station 6	6/22/2015	6/29/2015	air	15120	ft ³	5.59E-16	9.03E-16	µCi/ml	1.00E-14
alpha	Station 6	6/29/2015	7/6/2015	air	15120	ft ³	6.78E-16	1.58E-15	µCi/ml	1.00E-14
alpha	Station 6	7/6/2015	7/13/2015	air	15120	ft ³	1.36E-15	9.03E-16	µCi/ml	1.00E-14
alpha	Station 6	7/13/2015	7/20/2015	air	15120	ft ³	1.84E-15	1.11E-15	µCi/ml	1.00E-14
alpha	Station 6	7/20/2015	7/27/2015	air	15120	ft ³	2.79E-16	7.42E-16	µCi/ml	1.00E-14
alpha	Station 6	7/27/2015	8/3/2015	air	15120	ft ³	6.78E-16	8.69E-16	µCi/ml	1.00E-14
alpha	Station 6	8/3/2015	8/10/2015	air	15120	ft ³	2.39E-15	1.32E-15	µCi/ml	1.00E-14

Environmental Air

Analysis	LOC.	Start Day	Stop Day	Media	Air VOL	Vol Units	Result	Uncertainty	Concentration Units	Investigation Level
alpha	Station 6	8/10/2015	8/17/2015	air	15120	ft ³	2.95E-15	1.56E-15	µCi/ml	1.00E-14
alpha	Station 6	8/17/2015	8/24/2015	air	15120	ft ³	3.99E-15	1.69E-15	µCi/ml	1.00E-14
alpha	Station 6	8/24/2015	8/31/2015	air	15120	ft ³	6.78E-16	9.36E-16	µCi/ml	1.00E-14
alpha	Station 6	8/31/2015	9/8/2015	air	17280	ft ³	1.64E-15	1.07E-15	µCi/ml	1.00E-14
alpha	Station 6	9/8/2015	9/14/2015	air	12960	ft ³	7.92E-16	7.99E-16	µCi/ml	1.00E-14
alpha	Station 6	9/14/2015	9/21/2015	air	15120	ft ³	-1.88E-15	1.33E-15	µCi/ml	1.00E-14
alpha	Station 6	9/21/2015	9/28/2015	air	15120	ft ³	1.88E-15	1.22E-15	µCi/ml	1.00E-14
alpha	Station 6	9/28/2015	10/5/2015	air	15120	ft ³	3.19E-15	1.43E-15	µCi/ml	1.00E-14
alpha	Station 6	10/5/2015	10/12/2015	air	15120	ft ³	1.60E-15	1.05E-15	µCi/ml	1.00E-14
alpha	Station 6	10/12/2015	10/19/2015	air	15120	ft ³	2.91E-15	1.38E-15	µCi/ml	1.00E-14
alpha	Station 6	10/19/2015	10/26/2015	air	15120	ft ³	9.18E-16	1.25E-15	µCi/ml	1.00E-14
alpha	Station 6	10/26/2015	11/2/2015	air	15120	ft ³	1.19E-15	1.00E-15	µCi/ml	1.00E-14
alpha	Station 6	11/2/2015	11/9/2015	air	15120	ft ³	2.51E-15	1.30E-15	µCi/ml	1.00E-14
alpha	Station 6	11/9/2015	11/16/2015	air	15120	ft ³	2.00E-15	1.19E-15	µCi/ml	1.00E-14
alpha	Station 6	11/16/2015	11/23/2015	air	15120	ft ³	7.98E-16	9.69E-16	µCi/ml	1.00E-14
alpha	Station 6	11/23/2015	11/30/2015	air	15120	ft ³	1.20E-16	1.41E-15	µCi/ml	1.00E-14
alpha	Station 6	11/30/2015	12/7/2015	air	15120	ft ³	2.79E-16	1.04E-15	µCi/ml	1.00E-14
alpha	Station 6	12/7/2015	12/14/2015	air	15120	ft ³	3.99E-16	8.57E-16	µCi/ml	1.00E-14
alpha	Station 6	12/14/2015	12/21/2015	air	15120	ft ³	-5.59E-16	9.03E-16	µCi/ml	1.00E-14
alpha	Station 6	12/21/2015	12/28/2015	air	15120	ft ³	9.58E-16	7.82E-16	µCi/ml	1.00E-14
beta	Station 6	1/5/2015	1/12/2015	air	15120	ft ³	4.51E-14	4.25E-15	µCi/ml	1.00E-13
beta	Station 6	1/12/2015	1/19/2015	air	15120	ft ³	3.38E-14	3.71E-15	µCi/ml	1.00E-13
beta	Station 6	1/19/2015	1/26/2015	air	15120	ft ³	1.90E-14	2.96E-15	µCi/ml	1.00E-13
beta	Station 6	1/26/2015	2/2/2015	air	15120	ft ³	2.12E-14	3.03E-15	µCi/ml	1.00E-13
beta	Station 6	12/28/2015	1/4/2016	air	15120	ft ³	4.03E-14	4.06E-15	µCi/ml	1.00E-13
beta	Station 6	2/2/2015	2/9/2015	air	15120	ft ³	1.40E-14	2.59E-15	µCi/ml	1.00E-13
beta	Station 6	2/9/2015	2/17/2015	air	17280	ft ³	1.83E-14	2.62E-15	µCi/ml	1.00E-13
beta	Station 6	2/17/2015	2/23/2015	air	12960	ft ³	2.64E-14	3.82E-15	µCi/ml	1.00E-13
beta	Station 6	2/23/2015	3/2/2015	air	15120	ft ³	3.02E-14	3.58E-15	µCi/ml	1.00E-13
beta	Station 6	3/2/2015	3/9/2015	air	15030	ft ³	4.71E-14	4.29E-15	µCi/ml	1.00E-13
beta	Station 6	3/9/2015	3/16/2015	air	15120	ft ³	1.97E-14	2.90E-15	µCi/ml	1.00E-13
beta	Station 6	3/16/2015	3/23/2015	air	15120	ft ³	1.85E-14	2.90E-15	µCi/ml	1.00E-13
beta	Station 6	3/23/2015	3/30/2015	air	15120	ft ³	2.25E-14	3.12E-15	µCi/ml	1.00E-13
beta	Station 6	3/30/2015	4/6/2015	air	15120	ft ³	1.91E-14	2.95E-15	µCi/ml	1.00E-13
beta	Station 6	4/6/2015	4/13/2015	air	15120	ft ³	1.72E-14	2.82E-15	µCi/ml	1.00E-13
beta	Station 6	4/13/2015	4/20/2015	air	15120	ft ³	2.30E-14	3.27E-15	µCi/ml	1.00E-13
beta	Station 6	4/20/2015	4/27/2015	air	15120	ft ³	1.75E-14	2.87E-15	µCi/ml	1.00E-13
beta	Station 6	4/27/2015	5/4/2015	air	15120	ft ³	2.63E-14	3.40E-15	µCi/ml	1.00E-13
beta	Station 6	5/4/2015	5/11/2015	air	15120	ft ³	2.37E-14	3.23E-15	µCi/ml	1.00E-13
beta	Station 6	5/11/2015	5/18/2015	air	15120	ft ³	1.85E-14	2.88E-15	µCi/ml	1.00E-13
beta	Station 6	5/18/2015	5/26/2015	air	17280	ft ³	2.18E-14	3.00E-15	µCi/ml	1.00E-13
beta	Station 6	5/26/2015	6/1/2015	air	12960	ft ³	2.96E-14	3.75E-15	µCi/ml	1.00E-13
beta	Station 6	6/1/2015	6/8/2015	air	15120	ft ³	1.90E-14	2.93E-15	µCi/ml	1.00E-13
beta	Station 6	6/8/2015	6/15/2015	air	15120	ft ³	1.97E-14	3.10E-15	µCi/ml	1.00E-13
beta	Station 6	6/15/2015	6/22/2015	air	15120	ft ³	2.22E-14	3.14E-15	µCi/ml	1.00E-13
beta	Station 6	6/22/2015	6/29/2015	air	15120	ft ³	2.20E-14	3.15E-15	µCi/ml	1.00E-13
beta	Station 6	6/29/2015	7/6/2015	air	15120	ft ³	2.16E-14	3.45E-15	µCi/ml	1.00E-13

Environmental Air

Analysis	LOC.	Start Day	Stop Day	Media	Air VOL	Vol Units	Result	Uncertainty	Concentration Units	Investigation Level
beta	Station 6	7/6/2015	7/13/2015	air	15120	ft ³	2.69E-14	3.39E-15	µCi/ml	1.00E-13
beta	Station 6	7/13/2015	7/20/2015	air	15120	ft ³	1.80E-14	2.79E-15	µCi/ml	1.00E-13
beta	Station 6	7/20/2015	7/27/2015	air	15120	ft ³	1.39E-14	2.65E-15	µCi/ml	1.00E-13
beta	Station 6	7/27/2015	8/3/2015	air	15120	ft ³	2.11E-14	3.15E-15	µCi/ml	1.00E-13
beta	Station 6	8/3/2015	8/10/2015	air	15120	ft ³	2.02E-14	2.94E-15	µCi/ml	1.00E-13
beta	Station 6	8/10/2015	8/17/2015	air	15120	ft ³	2.82E-14	3.52E-15	µCi/ml	1.00E-13
beta	Station 6	8/17/2015	8/24/2015	air	15120	ft ³	2.78E-14	3.55E-15	µCi/ml	1.00E-13
beta	Station 6	8/24/2015	8/31/2015	air	15120	ft ³	2.65E-14	3.37E-15	µCi/ml	1.00E-13
beta	Station 6	8/31/2015	9/8/2015	air	17280	ft ³	1.88E-14	2.68E-15	µCi/ml	1.00E-13
beta	Station 6	9/8/2015	9/14/2015	air	12960	ft ³	2.24E-14	3.49E-15	µCi/ml	1.00E-13
beta	Station 6	9/14/2015	9/21/2015	air	15120	ft ³	1.46E-14	3.09E-15	µCi/ml	1.00E-13
beta	Station 6	9/21/2015	9/28/2015	air	15120	ft ³	2.62E-14	3.36E-15	µCi/ml	1.00E-13
beta	Station 6	9/28/2015	10/5/2015	air	15120	ft ³	3.23E-14	3.64E-15	µCi/ml	1.00E-13
beta	Station 6	10/5/2015	10/12/2015	air	15120	ft ³	3.66E-14	3.91E-15	µCi/ml	1.00E-13
beta	Station 6	10/12/2015	10/19/2015	air	15120	ft ³	3.57E-14	3.78E-15	µCi/ml	1.00E-13
beta	Station 6	10/19/2015	10/26/2015	air	15120	ft ³	2.31E-14	3.24E-15	µCi/ml	1.00E-13
beta	Station 6	10/26/2015	11/2/2015	air	15120	ft ³	1.65E-14	2.84E-15	µCi/ml	1.00E-13
beta	Station 6	11/2/2015	11/9/2015	air	15120	ft ³	2.35E-14	3.10E-15	µCi/ml	1.00E-13
beta	Station 6	11/9/2015	11/16/2015	air	15120	ft ³	1.48E-14	2.72E-15	µCi/ml	1.00E-13
beta	Station 6	11/16/2015	11/23/2015	air	15120	ft ³	2.51E-14	3.32E-15	µCi/ml	1.00E-13
beta	Station 6	11/23/2015	11/30/2015	air	15120	ft ³	4.36E-14	4.33E-15	µCi/ml	1.00E-13
beta	Station 6	11/30/2015	12/7/2015	air	15120	ft ³	4.70E-14	4.43E-15	µCi/ml	1.00E-13
beta	Station 6	12/7/2015	12/14/2015	air	15120	ft ³	9.32E-15	2.43E-15	µCi/ml	1.00E-13
beta	Station 6	12/14/2015	12/21/2015	air	15120	ft ³	1.35E-14	2.62E-15	µCi/ml	1.00E-13
beta	Station 6	12/21/2015	12/28/2015	air	15120	ft ³	1.31E-14	2.59E-15	µCi/ml	1.00E-13
alpha	Station 7	1/5/2015	1/12/2015	air	15120	ft ³	1.88E-15	1.22E-15	µCi/ml	1.00E-14
alpha	Station 7	1/12/2015	1/19/2015	air	15120	ft ³	6.78E-16	6.85E-16	µCi/ml	1.00E-14
alpha	Station 7	1/19/2015	1/26/2015	air	15120	ft ³	1.20E-15	1.24E-15	µCi/ml	1.00E-14
alpha	Station 7	1/26/2015	2/2/2015	air	15120	ft ³	1.60E-15	1.11E-15	µCi/ml	1.00E-14
alpha	Station 7	12/28/2015	1/4/2016	air	15120	ft ³	3.99E-16	1.01E-15	µCi/ml	1.00E-14
alpha	Station 7	2/2/2015	2/9/2015	air	15120	ft ³	1.76E-15	1.01E-15	µCi/ml	1.00E-14
alpha	Station 7	2/9/2015	2/17/2015	air	17280	ft ³	2.10E-15	1.07E-15	µCi/ml	1.00E-14
alpha	Station 7	2/17/2015	2/23/2015	air	12960	ft ³	4.05E-15	1.88E-15	µCi/ml	1.00E-14
alpha	Station 7	2/23/2015	3/2/2015	air	15120	ft ³	3.31E-15	1.45E-15	µCi/ml	1.00E-14
alpha	Station 7	3/2/2015	3/9/2015	air	15030	ft ³	3.89E-15	1.59E-15	µCi/ml	1.00E-14
alpha	Station 7	3/9/2015	3/16/2015	air	15120	ft ³	1.20E-15	9.47E-16	µCi/ml	1.00E-14
alpha	Station 7	3/16/2015	3/23/2015	air	15120	ft ³	2.00E-15	1.24E-15	µCi/ml	1.00E-14
alpha	Station 7	3/23/2015	3/30/2015	air	15120	ft ³	2.39E-15	1.28E-15	µCi/ml	1.00E-14
alpha	Station 7	3/30/2015	4/6/2015	air	15120	ft ³	6.78E-16	1.08E-15	µCi/ml	1.00E-14
alpha	Station 7	4/6/2015	4/13/2015	air	15120	ft ³	1.20E-15	1.01E-15	µCi/ml	1.00E-14
alpha	Station 7	4/13/2015	4/20/2015	air	15120	ft ³	2.91E-15	1.38E-15	µCi/ml	1.00E-14
alpha	Station 7	4/20/2015	4/27/2015	air	15120	ft ³	1.82E-15	2.92E-15	µCi/ml	1.00E-14
alpha	Station 7	4/27/2015	5/4/2015	air	15120	ft ³	3.19E-15	1.32E-15	µCi/ml	1.00E-14
alpha	Station 7	5/4/2015	5/11/2015	air	15120	ft ³	2.91E-15	1.38E-15	µCi/ml	1.00E-14
alpha	Station 7	5/11/2015	5/18/2015	air	15120	ft ³	3.75E-15	1.43E-15	µCi/ml	1.00E-14
alpha	Station 7	5/18/2015	5/26/2015	air	17280	ft ³	5.94E-16	9.92E-16	µCi/ml	1.00E-14
alpha	Station 7	5/26/2015	6/1/2015	air	12960	ft ³	1.86E-15	1.29E-15	µCi/ml	1.00E-14

Environmental Air

Analysis	LOC.	Start Day	Stop Day	Media	Air VOL	Vol Units	Result	Uncertainty	Concentration Units	Investigation Level
alpha	Station 7	6/1/2015	6/8/2015	air	15120	ft ³	6.78E-16	9.36E-16	µCi/ml	1.00E-14
alpha	Station 7	6/8/2015	6/15/2015	air	15120	ft ³	6.78E-16	9.36E-16	µCi/ml	1.00E-14
alpha	Station 7	6/15/2015	6/22/2015	air	15120	ft ³	7.98E-16	9.03E-16	µCi/ml	1.00E-14
alpha	Station 7	6/22/2015	6/29/2015	air	15120	ft ³	7.98E-16	9.69E-16	µCi/ml	1.00E-14
alpha	Station 7	6/29/2015	7/6/2015	air	15120	ft ³	1.20E-15	1.67E-15	µCi/ml	1.00E-14
alpha	Station 7	7/6/2015	7/13/2015	air	15120	ft ³	2.27E-15	1.13E-15	µCi/ml	1.00E-14
alpha	Station 7	7/13/2015	7/20/2015	air	15120	ft ³	1.60E-15	1.05E-15	µCi/ml	1.00E-14
alpha	Station 7	7/20/2015	7/27/2015	air	15120	ft ³	3.99E-16	7.82E-16	µCi/ml	1.00E-14
alpha	Station 7	7/27/2015	8/3/2015	air	15120	ft ³	6.78E-16	8.69E-16	µCi/ml	1.00E-14
alpha	Station 7	8/3/2015	8/10/2015	air	15120	ft ³	2.39E-15	1.32E-15	µCi/ml	1.00E-14
alpha	Station 7	8/10/2015	8/17/2015	air	15120	ft ³	1.76E-15	1.35E-15	µCi/ml	1.00E-14
alpha	Station 7	8/17/2015	8/24/2015	air	15120	ft ³	4.91E-15	1.82E-15	µCi/ml	1.00E-14
alpha	Station 7	8/24/2015	8/31/2015	air	15120	ft ³	7.98E-16	9.69E-16	µCi/ml	1.00E-14
alpha	Station 7	8/31/2015	9/8/2015	air	15210	ft ³	3.45E-15	1.51E-15	µCi/ml	1.00E-14
alpha	Station 7	9/8/2015	9/14/2015	air	12960	ft ³	9.31E-16	8.50E-16	µCi/ml	1.00E-14
alpha	Station 7	9/14/2015	9/21/2015	air	15120	ft ³	-2.16E-15	1.28E-15	µCi/ml	1.00E-14
alpha	Station 7	9/21/2015	9/28/2015	air	15120	ft ³	1.60E-15	1.16E-15	µCi/ml	1.00E-14
alpha	Station 7	9/28/2015	10/5/2015	air	15120	ft ³	2.00E-15	1.19E-15	µCi/ml	1.00E-14
alpha	Station 7	10/5/2015	10/12/2015	air	15120	ft ³	2.23E-15	1.19E-15	µCi/ml	1.00E-14
alpha	Station 7	10/12/2015	10/19/2015	air	15120	ft ³	4.11E-15	1.58E-15	µCi/ml	1.00E-14
alpha	Station 7	10/19/2015	10/26/2015	air	15120	ft ³	7.98E-16	1.23E-15	µCi/ml	1.00E-14
alpha	Station 7	10/26/2015	11/2/2015	air	15120	ft ³	7.93E-16	8.98E-16	µCi/ml	1.00E-14
alpha	Station 7	11/2/2015	11/9/2015	air	15120	ft ³	3.87E-15	1.54E-15	µCi/ml	1.00E-14
alpha	Station 7	11/9/2015	11/16/2015	air	15120	ft ³	9.18E-16	9.36E-16	µCi/ml	1.00E-14
alpha	Station 7	11/16/2015	11/23/2015	air	15120	ft ³	1.36E-15	1.11E-15	µCi/ml	1.00E-14
alpha	Station 7	11/23/2015	11/30/2015	air	15120	ft ³	-1.60E-16	1.35E-15	µCi/ml	1.00E-14
alpha	Station 7	11/30/2015	12/7/2015	air	15120	ft ³	-5.19E-16	8.20E-16	µCi/ml	1.00E-14
alpha	Station 7	12/7/2015	12/14/2015	air	15120	ft ³	2.79E-16	8.20E-16	µCi/ml	1.00E-14
alpha	Station 7	12/14/2015	12/21/2015	air	15120	ft ³	-6.78E-16	8.69E-16	µCi/ml	1.00E-14
alpha	Station 7	12/21/2015	12/28/2015	air	15120	ft ³	5.59E-16	6.39E-16	µCi/ml	1.00E-14
beta	Station 7	1/5/2015	1/12/2015	air	15120	ft ³	4.10E-14	4.07E-15	µCi/ml	1.00E-13
beta	Station 7	1/12/2015	1/19/2015	air	15120	ft ³	3.68E-14	3.86E-15	µCi/ml	1.00E-13
beta	Station 7	1/19/2015	1/26/2015	air	15120	ft ³	1.91E-14	2.96E-15	µCi/ml	1.00E-13
beta	Station 7	1/26/2015	2/2/2015	air	15120	ft ³	2.15E-14	3.05E-15	µCi/ml	1.00E-13
beta	Station 7	12/28/2015	1/4/2016	air	15120	ft ³	4.08E-14	4.08E-15	µCi/ml	1.00E-13
beta	Station 7	2/2/2015	2/9/2015	air	15120	ft ³	1.62E-14	2.74E-15	µCi/ml	1.00E-13
beta	Station 7	2/9/2015	2/17/2015	air	17280	ft ³	1.95E-14	2.69E-15	µCi/ml	1.00E-13
beta	Station 7	2/17/2015	2/23/2015	air	12960	ft ³	2.38E-14	3.68E-15	µCi/ml	1.00E-13
beta	Station 7	2/23/2015	3/2/2015	air	15120	ft ³	2.86E-14	3.50E-15	µCi/ml	1.00E-13
beta	Station 7	3/2/2015	3/9/2015	air	15030	ft ³	4.64E-14	4.26E-15	µCi/ml	1.00E-13
beta	Station 7	3/9/2015	3/16/2015	air	15120	ft ³	2.01E-14	2.93E-15	µCi/ml	1.00E-13
beta	Station 7	3/16/2015	3/23/2015	air	15120	ft ³	1.86E-14	2.91E-15	µCi/ml	1.00E-13
beta	Station 7	3/23/2015	3/30/2015	air	15120	ft ³	2.06E-14	3.01E-15	µCi/ml	1.00E-13
beta	Station 7	3/30/2015	4/6/2015	air	15120	ft ³	1.68E-14	2.80E-15	µCi/ml	1.00E-13
beta	Station 7	4/6/2015	4/13/2015	air	15120	ft ³	1.43E-14	2.63E-15	µCi/ml	1.00E-13
beta	Station 7	4/13/2015	4/20/2015	air	15120	ft ³	2.26E-14	3.25E-15	µCi/ml	1.00E-13
beta	Station 7	4/20/2015	4/27/2015	air	15120	ft ³	1.82E-14	2.92E-15	µCi/ml	1.00E-13

Environmental Air

Analysis	LOC.	Start Day	Stop Day	Media	Air VOL	Vol Units	Result	Uncertainty	Concentration Units	Investigation Level
beta	Station 7	4/27/2015	5/4/2015	air	15120	ft ³	2.72E-14	3.44E-15	µCi/ml	1.00E-13
beta	Station 7	5/4/2015	5/11/2015	air	15120	ft ³	2.15E-14	3.11E-15	µCi/ml	1.00E-13
beta	Station 7	5/11/2015	5/18/2015	air	15120	ft ³	1.92E-14	2.92E-15	µCi/ml	1.00E-13
beta	Station 7	5/18/2015	5/26/2015	air	17280	ft ³	2.20E-14	3.01E-15	µCi/ml	1.00E-13
beta	Station 7	5/26/2015	6/1/2015	air	12960	ft ³	2.84E-14	3.69E-15	µCi/ml	1.00E-13
beta	Station 7	6/1/2015	6/8/2015	air	15120	ft ³	1.59E-14	2.73E-15	µCi/ml	1.00E-13
beta	Station 7	6/8/2015	6/15/2015	air	15120	ft ³	2.09E-14	3.17E-15	µCi/ml	1.00E-13
beta	Station 7	6/15/2015	6/22/2015	air	15120	ft ³	1.96E-14	2.98E-15	µCi/ml	1.00E-13
beta	Station 7	6/22/2015	6/29/2015	air	15120	ft ³	2.30E-14	3.20E-15	µCi/ml	1.00E-13
beta	Station 7	6/29/2015	7/6/2015	air	15120	ft ³	2.90E-14	3.82E-15	µCi/ml	1.00E-13
beta	Station 7	7/6/2015	7/13/2015	air	15120	ft ³	2.51E-14	3.29E-15	µCi/ml	1.00E-13
beta	Station 7	7/13/2015	7/20/2015	air	15120	ft ³	2.03E-14	2.94E-15	µCi/ml	1.00E-13
beta	Station 7	7/20/2015	7/27/2015	air	15120	ft ³	1.41E-14	2.66E-15	µCi/ml	1.00E-13
beta	Station 7	7/27/2015	8/3/2015	air	15120	ft ³	2.03E-14	3.10E-15	µCi/ml	1.00E-13
beta	Station 7	8/3/2015	8/10/2015	air	15120	ft ³	2.21E-14	3.05E-15	µCi/ml	1.00E-13
beta	Station 7	8/10/2015	8/17/2015	air	15120	ft ³	2.99E-14	3.61E-15	µCi/ml	1.00E-13
beta	Station 7	8/17/2015	8/24/2015	air	15120	ft ³	2.48E-14	3.39E-15	µCi/ml	1.00E-13
beta	Station 7	8/24/2015	8/31/2015	air	15120	ft ³	2.35E-14	3.20E-15	µCi/ml	1.00E-13
beta	Station 7	8/31/2015	9/8/2015	air	15210	ft ³	1.93E-14	2.91E-15	µCi/ml	1.00E-13
beta	Station 7	9/8/2015	9/14/2015	air	12960	ft ³	2.48E-14	3.63E-15	µCi/ml	1.00E-13
beta	Station 7	9/14/2015	9/21/2015	air	15120	ft ³	1.40E-14	3.05E-15	µCi/ml	1.00E-13
beta	Station 7	9/21/2015	9/28/2015	air	15120	ft ³	2.96E-14	3.54E-15	µCi/ml	1.00E-13
beta	Station 7	9/28/2015	10/5/2015	air	15120	ft ³	3.31E-14	3.68E-15	µCi/ml	1.00E-13
beta	Station 7	10/5/2015	10/12/2015	air	15120	ft ³	3.72E-14	3.94E-15	µCi/ml	1.00E-13
beta	Station 7	10/12/2015	10/19/2015	air	15120	ft ³	3.96E-14	3.96E-15	µCi/ml	1.00E-13
beta	Station 7	10/19/2015	10/26/2015	air	15120	ft ³	2.59E-14	3.40E-15	µCi/ml	1.00E-13
beta	Station 7	10/26/2015	11/2/2015	air	15120	ft ³	1.80E-14	2.93E-15	µCi/ml	1.00E-13
beta	Station 7	11/2/2015	11/9/2015	air	15120	ft ³	2.43E-14	3.15E-15	µCi/ml	1.00E-13
beta	Station 7	11/9/2015	11/16/2015	air	15120	ft ³	1.46E-14	2.71E-15	µCi/ml	1.00E-13
beta	Station 7	11/16/2015	11/23/2015	air	15120	ft ³	2.08E-14	3.08E-15	µCi/ml	1.00E-13
beta	Station 7	11/23/2015	11/30/2015	air	15120	ft ³	4.12E-14	4.23E-15	µCi/ml	1.00E-13
beta	Station 7	11/30/2015	12/7/2015	air	15120	ft ³	4.73E-14	4.45E-15	µCi/ml	1.00E-13
beta	Station 7	12/7/2015	12/14/2015	air	15120	ft ³	9.49E-15	2.44E-15	µCi/ml	1.00E-13
beta	Station 7	12/14/2015	12/21/2015	air	15120	ft ³	1.17E-14	2.49E-15	µCi/ml	1.00E-13
beta	Station 7	12/21/2015	12/28/2015	air	15120	ft ³	1.64E-14	2.81E-15	µCi/ml	1.00E-13
alpha	Station 8	1/5/2015	1/12/2015	air	15120	ft ³	3.59E-15	1.54E-15	µCi/ml	1.00E-14
alpha	Station 8	1/12/2015	1/19/2015	air	15120	ft ³	1.20E-15	8.57E-16	µCi/ml	1.00E-14
alpha	Station 8	1/19/2015	1/26/2015	air	15120	ft ³	1.60E-15	1.32E-15	µCi/ml	1.00E-14
alpha	Station 8	1/26/2015	2/2/2015	air	15120	ft ³	1.48E-15	1.08E-15	µCi/ml	1.00E-14
alpha	Station 8	12/28/2015	1/4/2016	air	15120	ft ³	-1.20E-16	8.69E-16	µCi/ml	1.00E-14
alpha	Station 8	2/2/2015	2/9/2015	air	15120	ft ³	1.48E-15	9.36E-16	µCi/ml	1.00E-14
alpha	Station 8	2/9/2015	2/17/2015	air	17280	ft ³	1.85E-15	1.02E-15	µCi/ml	1.00E-14
alpha	Station 8	2/17/2015	2/23/2015	air	12960	ft ³	3.86E-15	1.85E-15	µCi/ml	1.00E-14
alpha	Station 8	2/23/2015	3/2/2015	air	15120	ft ³	3.07E-15	1.41E-15	µCi/ml	1.00E-14
alpha	Station 8	3/2/2015	3/9/2015	air	15030	ft ³	4.42E-15	1.68E-15	µCi/ml	1.00E-14
alpha	Station 8	3/9/2015	3/16/2015	air	15120	ft ³	1.04E-15	9.03E-16	µCi/ml	1.00E-14
alpha	Station 8	3/16/2015	3/23/2015	air	15120	ft ³	1.48E-15	1.13E-15	µCi/ml	1.00E-14

Environmental Air

Analysis	LOC.	Start Day	Stop Day	Media	Air VOL	Vol Units	Result	Uncertainty	Concentration Units	Investigation Level
alpha	Station 8	3/23/2015	3/30/2015	air	15120	ft ³	4.51E-15	1.65E-15	µCi/ml	1.00E-14
alpha	Station 8	3/30/2015	4/6/2015	air	15120	ft ³	1.20E-15	1.19E-15	µCi/ml	1.00E-14
alpha	Station 8	4/6/2015	4/13/2015	air	15120	ft ³	1.48E-15	1.08E-15	µCi/ml	1.00E-14
alpha	Station 8	4/13/2015	4/20/2015	air	15120	ft ³	2.67E-15	1.33E-15	µCi/ml	1.00E-14
alpha	Station 8	4/20/2015	4/27/2015	air	15120	ft ³	1.57E-15	2.76E-15	µCi/ml	1.00E-14
alpha	Station 8	4/27/2015	5/4/2015	air	15120	ft ³	3.75E-15	1.43E-15	µCi/ml	1.00E-14
alpha	Station 8	5/4/2015	5/11/2015	air	15120	ft ³	1.88E-15	1.17E-15	µCi/ml	1.00E-14
alpha	Station 8	5/11/2015	5/18/2015	air	15120	ft ³	2.00E-15	1.07E-15	µCi/ml	1.00E-14
alpha	Station 8	5/18/2015	5/26/2015	air	17280	ft ³	8.38E-16	1.05E-15	µCi/ml	1.00E-14
alpha	Station 8	5/26/2015	6/1/2015	air	12960	ft ³	2.00E-15	1.32E-15	µCi/ml	1.00E-14
alpha	Station 8	6/1/2015	6/8/2015	air	15120	ft ³	1.20E-15	1.07E-15	µCi/ml	1.00E-14
alpha	Station 8	6/8/2015	6/15/2015	air	15120	ft ³	5.59E-16	9.03E-16	µCi/ml	1.00E-14
alpha	Station 8	6/15/2015	6/22/2015	air	15120	ft ³	1.72E-15	1.13E-15	µCi/ml	1.00E-14
alpha	Station 8	6/22/2015	6/29/2015	air	15120	ft ³	1.60E-16	7.82E-16	µCi/ml	1.00E-14
alpha	Station 8	6/29/2015	7/6/2015	air	15120	ft ³	2.79E-16	1.52E-15	µCi/ml	1.00E-14
alpha	Station 8	7/6/2015	7/13/2015	air	15120	ft ³	2.16E-15	1.11E-15	µCi/ml	1.00E-14
alpha	Station 8	7/13/2015	7/20/2015	air	15120	ft ³	1.60E-15	1.05E-15	µCi/ml	1.00E-14
alpha	Station 8	7/20/2015	7/27/2015	air	15120	ft ³	6.78E-16	8.69E-16	µCi/ml	1.00E-14
alpha	Station 8	7/27/2015	8/3/2015	air	15120	ft ³	1.20E-15	1.01E-15	µCi/ml	1.00E-14
alpha	Station 8	8/3/2015	8/10/2015	air	15120	ft ³	2.16E-15	1.28E-15	µCi/ml	1.00E-14
alpha	Station 8	8/10/2015	8/17/2015	air	15120	ft ³	3.19E-15	1.60E-15	µCi/ml	1.00E-14
alpha	Station 8	8/17/2015	8/24/2015	air	15120	ft ³	4.91E-15	1.82E-15	µCi/ml	1.00E-14
alpha	Station 8	8/24/2015	8/31/2015	air	15120	ft ³	1.48E-15	1.13E-15	µCi/ml	1.00E-14
alpha	Station 8	8/31/2015	9/8/2015	air	17280	ft ³	2.23E-15	1.19E-15	µCi/ml	1.00E-14
alpha	Station 8	9/8/2015	9/14/2015	air	12960	ft ³	6.52E-16	7.45E-16	µCi/ml	1.00E-14
alpha	Station 8	9/14/2015	9/21/2015	air	15120	ft ³	-1.08E-15	1.48E-15	µCi/ml	1.00E-14
alpha	Station 8	9/21/2015	9/28/2015	air	15120	ft ³	7.98E-16	9.69E-16	µCi/ml	1.00E-14
alpha	Station 8	9/28/2015	10/5/2015	air	15120	ft ³	2.39E-15	1.28E-15	µCi/ml	1.00E-14
alpha	Station 8	10/5/2015	10/12/2015	air	15120	ft ³	1.84E-15	1.11E-15	µCi/ml	1.00E-14
alpha	Station 8	10/12/2015	10/19/2015	air	15120	ft ³	2.39E-15	1.28E-15	µCi/ml	1.00E-14
alpha	Station 8	10/19/2015	10/26/2015	air	15120	ft ³	-1.60E-16	1.01E-15	µCi/ml	1.00E-14
alpha	Station 8	10/26/2015	11/2/2015	air	15120	ft ³	1.19E-15	1.00E-15	µCi/ml	1.00E-14
alpha	Station 8	11/2/2015	11/9/2015	air	15120	ft ³	1.48E-15	1.08E-15	µCi/ml	1.00E-14
alpha	Station 8	11/9/2015	11/16/2015	air	15120	ft ³	9.18E-16	9.36E-16	µCi/ml	1.00E-14
alpha	Station 8	11/16/2015	11/23/2015	air	15120	ft ³	5.59E-16	9.03E-16	µCi/ml	1.00E-14
alpha	Station 8	11/23/2015	11/30/2015	air	15120	ft ³	-1.60E-16	1.35E-15	µCi/ml	1.00E-14
alpha	Station 8	11/30/2015	12/7/2015	air	15120	ft ³	3.99E-16	1.07E-15	µCi/ml	1.00E-14
alpha	Station 8	12/7/2015	12/14/2015	air	15120	ft ³	7.98E-16	9.69E-16	µCi/ml	1.00E-14
alpha	Station 8	12/14/2015	12/21/2015	air	15120	ft ³	-7.98E-16	8.33E-16	µCi/ml	1.00E-14
alpha	Station 8	12/21/2015	12/28/2015	air	15120	ft ³	1.20E-15	8.57E-16	µCi/ml	1.00E-14
beta	Station 8	1/5/2015	1/12/2015	air	15120	ft ³	4.32E-14	4.17E-15	µCi/ml	1.00E-13
beta	Station 8	1/12/2015	1/19/2015	air	15120	ft ³	3.78E-14	3.91E-15	µCi/ml	1.00E-13
beta	Station 8	1/19/2015	1/26/2015	air	15120	ft ³	1.76E-14	2.87E-15	µCi/ml	1.00E-13
beta	Station 8	1/26/2015	2/2/2015	air	15120	ft ³	2.07E-14	3.00E-15	µCi/ml	1.00E-13
beta	Station 8	12/28/2015	1/4/2016	air	15120	ft ³	3.90E-14	4.01E-15	µCi/ml	1.00E-13
beta	Station 8	2/2/2015	2/9/2015	air	15120	ft ³	1.58E-14	2.72E-15	µCi/ml	1.00E-13
beta	Station 8	2/9/2015	2/17/2015	air	17280	ft ³	1.99E-14	2.71E-15	µCi/ml	1.00E-13

Environmental Air

Analysis	LOC.	Start Day	Stop Day	Media	Air VOL	Vol Units	Result	Uncertainty	Concentration Units	Investigation Level
beta	Station 8	2/17/2015	2/23/2015	air	12960	ft ³	2.74E-14	3.88E-15	µCi/ml	1.00E-13
beta	Station 8	2/23/2015	3/2/2015	air	15120	ft ³	2.94E-14	3.54E-15	µCi/ml	1.00E-13
beta	Station 8	3/2/2015	3/9/2015	air	15030	ft ³	4.51E-14	4.20E-15	µCi/ml	1.00E-13
beta	Station 8	3/9/2015	3/16/2015	air	15120	ft ³	2.15E-14	3.01E-15	µCi/ml	1.00E-13
beta	Station 8	3/16/2015	3/23/2015	air	15120	ft ³	1.93E-14	2.95E-15	µCi/ml	1.00E-13
beta	Station 8	3/23/2015	3/30/2015	air	15120	ft ³	2.19E-14	3.09E-15	µCi/ml	1.00E-13
beta	Station 8	3/30/2015	4/6/2015	air	15120	ft ³	1.74E-14	2.84E-15	µCi/ml	1.00E-13
beta	Station 8	4/6/2015	4/13/2015	air	15120	ft ³	1.72E-14	2.82E-15	µCi/ml	1.00E-13
beta	Station 8	4/13/2015	4/20/2015	air	15120	ft ³	2.06E-14	3.13E-15	µCi/ml	1.00E-13
beta	Station 8	4/20/2015	4/27/2015	air	15120	ft ³	1.57E-14	2.76E-15	µCi/ml	1.00E-13
beta	Station 8	4/27/2015	5/4/2015	air	15120	ft ³	2.39E-14	3.26E-15	µCi/ml	1.00E-13
beta	Station 8	5/4/2015	5/11/2015	air	15120	ft ³	2.52E-14	3.32E-15	µCi/ml	1.00E-13
beta	Station 8	5/11/2015	5/18/2015	air	15120	ft ³	1.96E-14	2.94E-15	µCi/ml	1.00E-13
beta	Station 8	5/18/2015	5/26/2015	air	17280	ft ³	2.28E-14	3.05E-15	µCi/ml	1.00E-13
beta	Station 8	5/26/2015	6/1/2015	air	12960	ft ³	2.91E-14	3.72E-15	µCi/ml	1.00E-13
beta	Station 8	6/1/2015	6/8/2015	air	15120	ft ³	1.91E-14	2.94E-15	µCi/ml	1.00E-13
beta	Station 8	6/8/2015	6/15/2015	air	15120	ft ³	1.92E-14	3.07E-15	µCi/ml	1.00E-13
beta	Station 8	6/15/2015	6/22/2015	air	15120	ft ³	2.16E-14	3.10E-15	µCi/ml	1.00E-13
beta	Station 8	6/22/2015	6/29/2015	air	15120	ft ³	2.37E-14	3.24E-15	µCi/ml	1.00E-13
beta	Station 8	6/29/2015	7/6/2015	air	15120	ft ³	2.41E-14	3.58E-15	µCi/ml	1.00E-13
beta	Station 8	7/6/2015	7/13/2015	air	15120	ft ³	2.52E-14	3.29E-15	µCi/ml	1.00E-13
beta	Station 8	7/13/2015	7/20/2015	air	15120	ft ³	1.94E-14	2.88E-15	µCi/ml	1.00E-13
beta	Station 8	7/20/2015	7/27/2015	air	15120	ft ³	1.47E-14	2.70E-15	µCi/ml	1.00E-13
beta	Station 8	7/27/2015	8/3/2015	air	15120	ft ³	2.34E-14	3.28E-15	µCi/ml	1.00E-13
beta	Station 8	8/3/2015	8/10/2015	air	15120	ft ³	2.17E-14	3.03E-15	µCi/ml	1.00E-13
beta	Station 8	8/10/2015	8/17/2015	air	15120	ft ³	2.67E-14	3.44E-15	µCi/ml	1.00E-13
beta	Station 8	8/17/2015	8/24/2015	air	15120	ft ³	2.74E-14	3.52E-15	µCi/ml	1.00E-13
beta	Station 8	8/24/2015	8/31/2015	air	15120	ft ³	2.47E-14	3.27E-15	µCi/ml	1.00E-13
beta	Station 8	8/31/2015	9/8/2015	air	17280	ft ³	1.99E-14	2.74E-15	µCi/ml	1.00E-13
beta	Station 8	9/8/2015	9/14/2015	air	12960	ft ³	2.11E-14	3.41E-15	µCi/ml	1.00E-13
beta	Station 8	9/14/2015	9/21/2015	air	15120	ft ³	1.69E-14	3.22E-15	µCi/ml	1.00E-13
beta	Station 8	9/21/2015	9/28/2015	air	15120	ft ³	2.66E-14	3.38E-15	µCi/ml	1.00E-13
beta	Station 8	9/28/2015	10/5/2015	air	15120	ft ³	3.23E-14	3.64E-15	µCi/ml	1.00E-13
beta	Station 8	10/5/2015	10/12/2015	air	15120	ft ³	3.78E-14	3.97E-15	µCi/ml	1.00E-13
beta	Station 8	10/12/2015	10/19/2015	air	15120	ft ³	3.45E-14	3.72E-15	µCi/ml	1.00E-13
beta	Station 8	10/19/2015	10/26/2015	air	15120	ft ³	2.45E-14	3.32E-15	µCi/ml	1.00E-13
beta	Station 8	10/26/2015	11/2/2015	air	15120	ft ³	1.78E-14	2.92E-15	µCi/ml	1.00E-13
beta	Station 8	11/2/2015	11/9/2015	air	15120	ft ³	2.45E-14	3.16E-15	µCi/ml	1.00E-13
beta	Station 8	11/9/2015	11/16/2015	air	15120	ft ³	1.50E-14	2.74E-15	µCi/ml	1.00E-13
beta	Station 8	11/16/2015	11/23/2015	air	15120	ft ³	1.75E-14	2.87E-15	µCi/ml	1.00E-13
beta	Station 8	11/23/2015	11/30/2015	air	15120	ft ³	3.62E-14	4.01E-15	µCi/ml	1.00E-13
beta	Station 8	11/30/2015	12/7/2015	air	15120	ft ³	4.51E-14	4.35E-15	µCi/ml	1.00E-13
beta	Station 8	12/7/2015	12/14/2015	air	15120	ft ³	6.55E-15	2.21E-15	µCi/ml	1.00E-13
beta	Station 8	12/14/2015	12/21/2015	air	15120	ft ³	1.35E-14	2.62E-15	µCi/ml	1.00E-13
beta	Station 8	12/21/2015	12/28/2015	air	15120	ft ³	1.69E-14	2.85E-15	µCi/ml	1.00E-13
alpha	Station 9	1/5/2015	1/12/2015	air	15120	ft ³	2.27E-15	1.30E-15	µCi/ml	1.00E-14
alpha	Station 9	1/12/2015	1/19/2015	air	15120	ft ³	7.98E-16	7.28E-16	µCi/ml	1.00E-14

Environmental Air

Analysis	LOC.	Start Day	Stop Day	Media	Air VOL	Vol Units	Result	Uncertainty	Concentration Units	Investigation Level
alpha	Station 9	1/19/2015	1/26/2015	air	15120	ft ³	5.59E-16	1.11E-15	µCi/ml	1.00E-14
alpha	Station 9	1/26/2015	2/2/2015	air	15120	ft ³	2.12E-15	1.22E-15	µCi/ml	1.00E-14
alpha	Station 9	12/28/2015	1/4/2016	air	15120	ft ³	1.20E-15	1.19E-15	µCi/ml	1.00E-14
alpha	Station 9	2/2/2015	2/9/2015	air	15120	ft ³	1.08E-15	8.20E-16	µCi/ml	1.00E-14
alpha	Station 9	2/9/2015	2/17/2015	air	17280	ft ³	1.05E-15	8.29E-16	µCi/ml	1.00E-14
alpha	Station 9	2/17/2015	2/23/2015	air	12960	ft ³	2.33E-15	1.58E-15	µCi/ml	1.00E-14
alpha	Station 9	2/23/2015	3/2/2015	air	15120	ft ³	2.00E-15	1.19E-15	µCi/ml	1.00E-14
alpha	Station 9	3/2/2015	3/9/2015	air	15030	ft ³	4.01E-15	1.61E-15	µCi/ml	1.00E-14
alpha	Station 9	3/9/2015	3/16/2015	air	15120	ft ³	1.60E-15	1.05E-15	µCi/ml	1.00E-14
alpha	Station 9	3/16/2015	3/23/2015	air	15120	ft ³	1.08E-15	1.04E-15	µCi/ml	1.00E-14
alpha	Station 9	3/23/2015	3/30/2015	air	15120	ft ³	2.39E-15	1.28E-15	µCi/ml	1.00E-14
alpha	Station 9	3/30/2015	4/6/2015	air	15120	ft ³	9.18E-16	1.13E-15	µCi/ml	1.00E-14
alpha	Station 9	4/6/2015	4/13/2015	air	15120	ft ³	1.08E-15	9.79E-16	µCi/ml	1.00E-14
alpha	Station 9	4/13/2015	4/20/2015	air	15120	ft ³	2.67E-15	1.33E-15	µCi/ml	1.00E-14
alpha	Station 9	4/20/2015	4/27/2015	air	15120	ft ³	1.89E-15	2.96E-15	µCi/ml	1.00E-14
alpha	Station 9	4/27/2015	5/4/2015	air	15120	ft ³	2.39E-15	1.16E-15	µCi/ml	1.00E-14
alpha	Station 9	5/4/2015	5/11/2015	air	15120	ft ³	1.88E-15	1.17E-15	µCi/ml	1.00E-14
alpha	Station 9	5/11/2015	5/18/2015	air	15120	ft ³	1.08E-15	8.20E-16	µCi/ml	1.00E-14
alpha	Station 9	5/18/2015	5/26/2015	air	17280	ft ³	3.49E-16	9.35E-16	µCi/ml	1.00E-14
alpha	Station 9	5/26/2015	6/1/2015	air	12960	ft ³	2.19E-15	1.36E-15	µCi/ml	1.00E-14
alpha	Station 9	6/1/2015	6/8/2015	air	15120	ft ³	1.60E-16	7.82E-16	µCi/ml	1.00E-14
alpha	Station 9	6/8/2015	6/15/2015	air	15120	ft ³	6.78E-16	9.36E-16	µCi/ml	1.00E-14
alpha	Station 9	6/15/2015	6/22/2015	air	15120	ft ³	1.08E-15	9.79E-16	µCi/ml	1.00E-14
alpha	Station 9	6/22/2015	6/29/2015	air	15120	ft ³	1.20E-15	1.07E-15	µCi/ml	1.00E-14
alpha	Station 9	6/29/2015	7/6/2015	air	15120	ft ³	-6.39E-16	1.35E-15	µCi/ml	1.00E-14
alpha	Station 9	7/6/2015	7/13/2015	air	15120	ft ³	1.36E-15	9.03E-16	µCi/ml	1.00E-14
alpha	Station 9	7/13/2015	7/20/2015	air	15120	ft ³	1.32E-15	9.79E-16	µCi/ml	1.00E-14
alpha	Station 9	7/20/2015	7/27/2015	air	15120	ft ³	9.18E-16	9.36E-16	µCi/ml	1.00E-14
alpha	Station 9	7/27/2015	8/3/2015	air	15120	ft ³	1.20E-15	1.01E-15	µCi/ml	1.00E-14
alpha	Station 9	8/3/2015	8/10/2015	air	15120	ft ³	2.27E-15	1.30E-15	µCi/ml	1.00E-14
alpha	Station 9	8/10/2015	8/17/2015	air	15120	ft ³	3.59E-15	1.67E-15	µCi/ml	1.00E-14
alpha	Station 9	8/17/2015	8/24/2015	air	15120	ft ³	2.79E-15	1.50E-15	µCi/ml	1.00E-14
alpha	Station 9	8/24/2015	8/31/2015	air	15120	ft ³	1.88E-15	1.22E-15	µCi/ml	1.00E-14
alpha	Station 9	8/31/2015	9/8/2015	air	17280	ft ³	1.89E-15	1.12E-15	µCi/ml	1.00E-14
alpha	Station 9	9/8/2015	9/14/2015	air	12960	ft ³	1.58E-15	1.05E-15	µCi/ml	1.00E-14
alpha	Station 9	9/14/2015	9/21/2015	air	15120	ft ³	-1.88E-15	1.33E-15	µCi/ml	1.00E-14
alpha	Station 9	9/21/2015	9/28/2015	air	15120	ft ³	1.48E-15	1.13E-15	µCi/ml	1.00E-14
alpha	Station 9	9/28/2015	10/5/2015	air	15120	ft ³	2.00E-15	1.19E-15	µCi/ml	1.00E-14
alpha	Station 9	10/5/2015	10/12/2015	air	15120	ft ³	2.39E-15	1.23E-15	µCi/ml	1.00E-14
alpha	Station 9	10/12/2015	10/19/2015	air	15120	ft ³	2.12E-15	1.22E-15	µCi/ml	1.00E-14
alpha	Station 9	10/19/2015	10/26/2015	air	15120	ft ³	1.44E-15	1.35E-15	µCi/ml	1.00E-14
alpha	Station 9	10/26/2015	11/2/2015	air	15120	ft ³	1.31E-15	1.03E-15	µCi/ml	1.00E-14
alpha	Station 9	11/2/2015	11/9/2015	air	15120	ft ³	3.07E-15	1.41E-15	µCi/ml	1.00E-14
alpha	Station 9	11/9/2015	11/16/2015	air	15120	ft ³	9.18E-16	9.36E-16	µCi/ml	1.00E-14
alpha	Station 9	11/16/2015	11/23/2015	air	15120	ft ³	2.79E-16	8.20E-16	µCi/ml	1.00E-14
alpha	Station 9	11/23/2015	11/30/2015	air	15120	ft ³	2.39E-16	1.43E-15	µCi/ml	1.00E-14
alpha	Station 9	11/30/2015	12/7/2015	air	15120	ft ³	-2.39E-16	9.03E-16	µCi/ml	1.00E-14

Environmental Air

Analysis	LOC.	Start Day	Stop Day	Media	Air VOL	Vol Units	Result	Uncertainty	Concentration Units	Investigation Level
alpha	Station 9	12/7/2015	12/14/2015	air	15120	ft ³	1.60E-15	1.16E-15	µCi/ml	1.00E-14
alpha	Station 9	12/14/2015	12/21/2015	air	15120	ft ³	-2.79E-16	9.79E-16	µCi/ml	1.00E-14
alpha	Station 9	12/21/2015	12/28/2015	air	15120	ft ³	1.48E-15	9.36E-16	µCi/ml	1.00E-14
beta	Station 9	1/5/2015	1/12/2015	air	15120	ft ³	4.55E-14	4.27E-15	µCi/ml	1.00E-13
beta	Station 9	1/12/2015	1/19/2015	air	15120	ft ³	3.56E-14	3.80E-15	µCi/ml	1.00E-13
beta	Station 9	1/19/2015	1/26/2015	air	15120	ft ³	1.88E-14	2.95E-15	µCi/ml	1.00E-13
beta	Station 9	1/26/2015	2/2/2015	air	15120	ft ³	2.17E-14	3.06E-15	µCi/ml	1.00E-13
beta	Station 9	12/28/2015	1/4/2016	air	15120	ft ³	4.54E-14	4.29E-15	µCi/ml	1.00E-13
beta	Station 9	2/2/2015	2/9/2015	air	15120	ft ³	1.77E-14	2.84E-15	µCi/ml	1.00E-13
beta	Station 9	2/9/2015	2/17/2015	air	17280	ft ³	2.02E-14	2.73E-15	µCi/ml	1.00E-13
beta	Station 9	2/17/2015	2/23/2015	air	12960	ft ³	2.55E-14	3.78E-15	µCi/ml	1.00E-13
beta	Station 9	2/23/2015	3/2/2015	air	15120	ft ³	2.78E-14	3.46E-15	µCi/ml	1.00E-13
beta	Station 9	3/2/2015	3/9/2015	air	15030	ft ³	4.21E-14	4.07E-15	µCi/ml	1.00E-13
beta	Station 9	3/9/2015	3/16/2015	air	15120	ft ³	2.15E-14	3.01E-15	µCi/ml	1.00E-13
beta	Station 9	3/16/2015	3/23/2015	air	15120	ft ³	1.68E-14	2.79E-15	µCi/ml	1.00E-13
beta	Station 9	3/23/2015	3/30/2015	air	15120	ft ³	2.02E-14	2.98E-15	µCi/ml	1.00E-13
beta	Station 9	3/30/2015	4/6/2015	air	15120	ft ³	1.77E-14	2.86E-15	µCi/ml	1.00E-13
beta	Station 9	4/6/2015	4/13/2015	air	15120	ft ³	1.45E-14	2.64E-15	µCi/ml	1.00E-13
beta	Station 9	4/13/2015	4/20/2015	air	15120	ft ³	2.31E-14	3.27E-15	µCi/ml	1.00E-13
beta	Station 9	4/20/2015	4/27/2015	air	15120	ft ³	1.89E-14	2.96E-15	µCi/ml	1.00E-13
beta	Station 9	4/27/2015	5/4/2015	air	15120	ft ³	1.98E-14	3.03E-15	µCi/ml	1.00E-13
beta	Station 9	5/4/2015	5/11/2015	air	15120	ft ³	2.26E-14	3.17E-15	µCi/ml	1.00E-13
beta	Station 9	5/11/2015	5/18/2015	air	15120	ft ³	1.87E-14	2.89E-15	µCi/ml	1.00E-13
beta	Station 9	5/18/2015	5/26/2015	air	17280	ft ³	2.34E-14	3.08E-15	µCi/ml	1.00E-13
beta	Station 9	5/26/2015	6/1/2015	air	12960	ft ³	2.63E-14	3.56E-15	µCi/ml	1.00E-13
beta	Station 9	6/1/2015	6/8/2015	air	15120	ft ³	1.46E-14	2.65E-15	µCi/ml	1.00E-13
beta	Station 9	6/8/2015	6/15/2015	air	15120	ft ³	1.95E-14	3.09E-15	µCi/ml	1.00E-13
beta	Station 9	6/15/2015	6/22/2015	air	15120	ft ³	2.15E-14	3.09E-15	µCi/ml	1.00E-13
beta	Station 9	6/22/2015	6/29/2015	air	15120	ft ³	2.35E-14	3.23E-15	µCi/ml	1.00E-13
beta	Station 9	6/29/2015	7/6/2015	air	15120	ft ³	2.15E-14	3.44E-15	µCi/ml	1.00E-13
beta	Station 9	7/6/2015	7/13/2015	air	15120	ft ³	2.58E-14	3.33E-15	µCi/ml	1.00E-13
beta	Station 9	7/13/2015	7/20/2015	air	15120	ft ³	2.03E-14	2.94E-15	µCi/ml	1.00E-13
beta	Station 9	7/20/2015	7/27/2015	air	15120	ft ³	1.24E-14	2.54E-15	µCi/ml	1.00E-13
beta	Station 9	7/27/2015	8/3/2015	air	15120	ft ³	2.15E-14	3.17E-15	µCi/ml	1.00E-13
beta	Station 9	8/3/2015	8/10/2015	air	15120	ft ³	2.13E-14	3.00E-15	µCi/ml	1.00E-13
beta	Station 9	8/10/2015	8/17/2015	air	15120	ft ³	3.06E-14	3.64E-15	µCi/ml	1.00E-13
beta	Station 9	8/17/2015	8/24/2015	air	15120	ft ³	2.64E-14	3.47E-15	µCi/ml	1.00E-13
beta	Station 9	8/24/2015	8/31/2015	air	15120	ft ³	2.42E-14	3.24E-15	µCi/ml	1.00E-13
beta	Station 9	8/31/2015	9/8/2015	air	17280	ft ³	1.87E-14	2.67E-15	µCi/ml	1.00E-13
beta	Station 9	9/8/2015	9/14/2015	air	12960	ft ³	2.46E-14	3.62E-15	µCi/ml	1.00E-13
beta	Station 9	9/14/2015	9/21/2015	air	15120	ft ³	1.36E-14	3.03E-15	µCi/ml	1.00E-13
beta	Station 9	9/21/2015	9/28/2015	air	15120	ft ³	2.82E-14	3.47E-15	µCi/ml	1.00E-13
beta	Station 9	9/28/2015	10/5/2015	air	15120	ft ³	3.62E-14	3.83E-15	µCi/ml	1.00E-13
beta	Station 9	10/5/2015	10/12/2015	air	15120	ft ³	3.89E-14	4.01E-15	µCi/ml	1.00E-13
beta	Station 9	10/12/2015	10/19/2015	air	15120	ft ³	3.38E-14	3.69E-15	µCi/ml	1.00E-13
beta	Station 9	10/19/2015	10/26/2015	air	15120	ft ³	2.67E-14	3.44E-15	µCi/ml	1.00E-13
beta	Station 9	10/26/2015	11/2/2015	air	15120	ft ³	1.62E-14	2.82E-15	µCi/ml	1.00E-13

Environmental Air

Analysis	LOC.	Start Day	Stop Day	Media	Air VOL	Vol Units	Result	Uncertainty	Concentration Units	Investigation Level
beta	Station 9	11/2/2015	11/9/2015	air	15120	ft ³	2.20E-14	3.01E-15	μCi/ml	1.00E-13
beta	Station 9	11/9/2015	11/16/2015	air	15120	ft ³	1.38E-14	2.65E-15	μCi/ml	1.00E-13
beta	Station 9	11/16/2015	11/23/2015	air	15120	ft ³	1.80E-14	2.91E-15	μCi/ml	1.00E-13
beta	Station 9	11/23/2015	11/30/2015	air	15120	ft ³	4.01E-14	4.18E-15	μCi/ml	1.00E-13
beta	Station 9	11/30/2015	12/7/2015	air	15120	ft ³	4.52E-14	4.36E-15	μCi/ml	1.00E-13
beta	Station 9	12/7/2015	12/14/2015	air	15120	ft ³	9.60E-15	2.45E-15	μCi/ml	1.00E-13
beta	Station 9	12/14/2015	12/21/2015	air	15120	ft ³	1.50E-14	2.72E-15	μCi/ml	1.00E-13
beta	Station 9	12/21/2015	12/28/2015	air	15120	ft ³	1.54E-14	2.75E-15	μCi/ml	1.00E-13

Vegetation

Location	Contaminant	Media	Date	Qtr	Result	Error	Units	Investigation Level
NE Corner	Co-60	Vegetation	6/24/2015	2	0.00E+00	0.00E+00	pCi/g	0.1
NE Corner	Cs-137	Vegetation	6/24/2015	2	0.00E+00	0.00E+00	pCi/g	0.2
NE Corner	Gross Beta	Vegetation	6/24/2015	2	6.60E+01	1.80E+00	pCi/g	100
NE Corner	PU-238	Vegetation	6/24/2015	2	0.00E+00	2.00E-03	pCi/g	0.02
NE Corner	PU-239/240	Vegetation	6/24/2015	2	1.20E-03	1.40E-03	pCi/g	0.02
NE Corner	Total U	Vegetation	6/24/2015	2	6.00E-03	5.39E-03	pCi/g	0.25
NE Corner	U-233/234	Vegetation	6/24/2015	2	4.00E-03	4.00E-03	pCi/g	
NE Corner	U-235	Vegetation	6/24/2015	2	1.00E-03	2.00E-03	pCi/g	
NE Corner	U-238	Vegetation	6/24/2015	2	1.00E-03	3.00E-03	pCi/g	
NW Corner	Co-60	Vegetation	6/24/2015	2	0.00E+00	0.00E+00	pCi/g	0.1
NW Corner	Cs-137	Vegetation	6/24/2015	2	0.00E+00	0.00E+00	pCi/g	0.2
NW Corner	Gross Beta	Vegetation	6/24/2015	2	3.28E+01	1.00E+00	pCi/g	100
NW Corner	PU-238	Vegetation	6/24/2015	2	0.00E+00	8.00E-04	pCi/g	0.02
NW Corner	PU-239/240	Vegetation	6/24/2015	2	3.00E-04	6.00E-04	pCi/g	0.02
NW Corner	Total U	Vegetation	6/24/2015	2	9.00E-03	5.10E-03	pCi/g	0.25
NW Corner	U-233/234	Vegetation	6/24/2015	2	5.00E-03	4.00E-03	pCi/g	
NW Corner	U-235	Vegetation	6/24/2015	2	0.00E+00	1.00E-03	pCi/g	
NW Corner	U-238	Vegetation	6/24/2015	2	4.00E-03	3.00E-03	pCi/g	
Reactor Vessle Head	Co-60	Vegetation	6/24/2015	2	0.00E+00	0.00E+00	pCi/g	0.1
Reactor Vessle Head	Cs-137	Vegetation	6/24/2015	2	0.00E+00	0.00E+00	pCi/g	0.2
Reactor Vessle Head	Gross Beta	Vegetation	6/24/2015	2	5.33E+01	1.70E+00	pCi/g	100
Reactor Vessle Head	H-3	Vegetation	6/24/2015	2	6.08E-01	8.00E-02	pCi/g	
Reactor Vessle Head	PU-238	Vegetation	6/24/2015	2	-1.00E-03	2.00E-03	pCi/g	0.02
Reactor Vessle Head	PU-239/240	Vegetation	6/24/2015	2	0.00E+00	2.00E-03	pCi/g	0.02
Reactor Vessle Head	Total U	Vegetation	6/24/2015	2	3.20E-02	7.87E-03	pCi/g	0.25
Reactor Vessle Head	U-233/234	Vegetation	6/24/2015	2	1.90E-02	6.00E-03	pCi/g	
Reactor Vessle Head	U-235	Vegetation	6/24/2015	2	0.00E+00	1.00E-03	pCi/g	
Reactor Vessle Head	U-238	Vegetation	6/24/2015	2	1.30E-02	5.00E-03	pCi/g	
Station 1	Co-60	Vegetation	6/24/2015	2	0.00E+00	0.00E+00	pCi/g	0.1
Station 1	Cs-137	Vegetation	6/24/2015	2	0.00E+00	0.00E+00	pCi/g	0.2
Station 1	Gross Beta	Vegetation	6/24/2015	2	8.76E+01	2.20E+00	pCi/g	100
Station 1	PU-238	Vegetation	6/24/2015	2	-1.40E-03	2.00E-03	pCi/g	0.02
Station 1	PU-239/240	Vegetation	6/24/2015	2	-3.00E-04	1.20E-03	pCi/g	0.02
Station 1	Total U	Vegetation	6/24/2015	2	2.00E-03	4.12E-03	pCi/g	0.25
Station 1	U-233/234	Vegetation	6/24/2015	2	3.00E-03	3.00E-03	pCi/g	
Station 1	U-235	Vegetation	6/24/2015	2	0.00E+00	2.00E-03	pCi/g	
Station 1	U-238	Vegetation	6/24/2015	2	-1.00E-03	2.00E-03	pCi/g	
Station 2	Co-60	Vegetation	6/24/2015	2	0.00E+00	0.00E+00	pCi/g	0.1
Station 2	Cs-137	Vegetation	6/24/2015	2	0.00E+00	0.00E+00	pCi/g	0.2
Station 2	Gross Beta	Vegetation	6/24/2015	2	2.93E+01	1.00E+00	pCi/g	100
Station 2	PU-238	Vegetation	6/24/2015	2	-2.60E-03	1.80E-03	pCi/g	0.02
Station 2	PU-239/240	Vegetation	6/24/2015	2	9.00E-04	9.00E-04	pCi/g	0.02
Station 2	Total U	Vegetation	6/24/2015	2	2.20E-02	8.06E-03	pCi/g	0.25
Station 2	U-233/234	Vegetation	6/24/2015	2	1.30E-02	6.00E-03	pCi/g	
Station 2	U-235	Vegetation	6/24/2015	2	0.00E+00	2.00E-03	pCi/g	
Station 2	U-238	Vegetation	6/24/2015	2	9.00E-03	5.00E-03	pCi/g	
Station 3	Co-60	Vegetation	6/24/2015	2	0.00E+00	0.00E+00	pCi/g	0.1
Station 3	Cs-137	Vegetation	6/24/2015	2	0.00E+00	0.00E+00	pCi/g	0.2
Station 3	Gross Beta	Vegetation	6/24/2015	2	4.55E+01	1.50E+00	pCi/g	100
Station 3	PU-238	Vegetation	6/24/2015	2	2.00E-04	1.20E-03	pCi/g	0.02
Station 3	PU-239/240	Vegetation	6/24/2015	2	-5.00E-04	9.00E-04	pCi/g	0.02
Station 3	Total U	Vegetation	6/24/2015	2	2.30E-02	7.35E-03	pCi/g	0.25
Station 3	U-233/234	Vegetation	6/24/2015	2	1.10E-02	5.00E-03	pCi/g	
Station 3	U-235	Vegetation	6/24/2015	2	0.00E+00	2.00E-03	pCi/g	
Station 3	U-238	Vegetation	6/24/2015	2	1.20E-02	5.00E-03	pCi/g	
Station 4	Co-60	Vegetation	6/24/2015	2	0.00E+00	0.00E+00	pCi/g	0.1
Station 4	Cs-137	Vegetation	6/24/2015	2	0.00E+00	0.00E+00	pCi/g	0.2
Station 4	Gross Beta	Vegetation	6/24/2015	2	5.06E+01	1.50E+00	pCi/g	100

Vegetation

Station 4	PU-238	Vegetation	6/24/2015	2	-2.00E-04	9.00E-04	pCi/g	0.02
Station 4	PU-239/240	Vegetation	6/24/2015	2	8.00E-04	1.00E-03	pCi/g	0.02
Station 4	Total U	Vegetation	6/24/2015	2	1.30E-02	5.92E-03	pCi/g	0.25
Station 4	U-233/234	Vegetation	6/24/2015	2	9.00E-03	5.00E-03	pCi/g	
Station 4	U-235	Vegetation	6/24/2015	2	0.00E+00	1.00E-03	pCi/g	
Station 4	U-238	Vegetation	6/24/2015	2	4.00E-03	3.00E-03	pCi/g	
Station 5	Co-60	Vegetation	6/24/2015	2	0.00E+00	0.00E+00	pCi/g	0.1
Station 5	Cs-137	Vegetation	6/24/2015	2	0.00E+00	0.00E+00	pCi/g	0.2
Station 5	Gross Beta	Vegetation	6/24/2015	2	5.39E+01	1.60E+00	pCi/g	100
Station 5	PU-238	Vegetation	6/24/2015	2	2.00E-04	1.20E-03	pCi/g	0.02
Station 5	PU-239/240	Vegetation	6/24/2015	2	2.00E-04	1.20E-03	pCi/g	0.02
Station 5	Total U	Vegetation	6/24/2015	2	1.70E-02	6.71E-03	pCi/g	0.25
Station 5	U-233/234	Vegetation	6/24/2015	2	9.00E-03	5.00E-03	pCi/g	
Station 5	U-235	Vegetation	6/24/2015	2	1.00E-03	2.00E-03	pCi/g	
Station 5	U-238	Vegetation	6/24/2015	2	7.00E-03	4.00E-03	pCi/g	
Station 6	Co-60	Vegetation	6/24/2015	2	0.00E+00	0.00E+00	pCi/g	0.1
Station 6	Cs-137	Vegetation	6/24/2015	2	0.00E+00	0.00E+00	pCi/g	0.2
Station 6	Gross Beta	Vegetation	6/24/2015	2	3.70E+01	1.20E+00	pCi/g	100
Station 6	PU-238	Vegetation	6/24/2015	2	7.00E-04	8.00E-04	pCi/g	0.02
Station 6	PU-239/240	Vegetation	6/24/2015	2	3.00E-04	7.00E-04	pCi/g	0.02
Station 6	Total U	Vegetation	6/24/2015	2	8.00E-03	4.36E-03	pCi/g	0.25
Station 6	U-233/234	Vegetation	6/24/2015	2	3.00E-03	3.00E-03	pCi/g	
Station 6	U-235	Vegetation	6/24/2015	2	0.00E+00	1.00E-03	pCi/g	
Station 6	U-238	Vegetation	6/24/2015	2	5.00E-03	3.00E-03	pCi/g	
Station 7	Co-60	Vegetation	6/24/2015	2	0.00E+00	0.00E+00	pCi/g	0.1
Station 7	Cs-137	Vegetation	6/24/2015	2	0.00E+00	0.00E+00	pCi/g	0.2
Station 7	Gross Beta	Vegetation	6/24/2015	2	5.02E+01	1.50E+00	pCi/g	100
Station 7	PU-238	Vegetation	6/24/2015	2	1.40E-03	1.50E-03	pCi/g	0.02
Station 7	PU-239/240	Vegetation	6/24/2015	2	1.00E-03	1.10E-03	pCi/g	0.02
Station 7	Total U	Vegetation	6/24/2015	2	7.00E-03	4.69E-03	pCi/g	0.25
Station 7	U-233/234	Vegetation	6/24/2015	2	4.00E-03	3.00E-03	pCi/g	
Station 7	U-235	Vegetation	6/24/2015	2	0.00E+00	2.00E-03	pCi/g	
Station 7	U-238	Vegetation	6/24/2015	2	3.00E-03	3.00E-03	pCi/g	
Station 8	Co-60	Vegetation	6/24/2015	2	0.00E+00	0.00E+00	pCi/g	0.1
Station 8	Cs-137	Vegetation	6/24/2015	2	0.00E+00	0.00E+00	pCi/g	0.2
Station 8	Gross Beta	Vegetation	6/24/2015	2	3.65E+01	1.30E+00	pCi/g	100
Station 8	PU-238	Vegetation	6/24/2015	2	2.00E-04	1.40E-03	pCi/g	0.02
Station 8	PU-239/240	Vegetation	6/24/2015	2	-2.00E-04	1.10E-03	pCi/g	0.02
Station 8	Total U	Vegetation	6/24/2015	2	7.00E-03	4.36E-03	pCi/g	0.25
Station 8	U-233/234	Vegetation	6/24/2015	2	5.00E-03	3.00E-03	pCi/g	
Station 8	U-235	Vegetation	6/24/2015	2	0.00E+00	1.00E-03	pCi/g	
Station 8	U-238	Vegetation	6/24/2015	2	2.00E-03	3.00E-03	pCi/g	
Station 9	Co-60	Vegetation	6/24/2015	2	0.00E+00	0.00E+00	pCi/g	0.1
Station 9	Cs-137	Vegetation	6/24/2015	2	0.00E+00	0.00E+00	pCi/g	0.2
Station 9	Gross Beta	Vegetation	6/24/2015	2	3.87E+01	1.30E+00	pCi/g	100
Station 9	PU-238	Vegetation	6/24/2015	2	7.00E-04	1.10E-03	pCi/g	0.02
Station 9	PU-239/240	Vegetation	6/24/2015	2	7.00E-04	1.10E-03	pCi/g	0.02
Station 9	Total U	Vegetation	6/24/2015	2	4.00E-03	4.69E-03	pCi/g	0.25
Station 9	U-233/234	Vegetation	6/24/2015	2	3.00E-03	3.00E-03	pCi/g	
Station 9	U-235	Vegetation	6/24/2015	2	0.00E+00	2.00E-03	pCi/g	
Station 9	U-235	Vegetation	6/24/2015	2	0.00E+00	2.00E-03	pCi/g	
Station 9	U-238	Vegetation	6/24/2015	2	1.00E-03	3.00E-03	pCi/g	
Trench 1	Co-60	Vegetation	6/24/2015	2	0.00E+00	0.00E+00	pCi/g	0.1
Trench 1	Cs-137	Vegetation	6/24/2015	2	0.00E+00	0.00E+00	pCi/g	0.2
Trench 1	Gross Beta	Vegetation	6/24/2015	2	5.40E+01	1.60E+00	pCi/g	100
Trench 1	H-3	Vegetation	6/24/2015	2	3.27E-01	7.50E-02	pCi/g	
Trench 1	PU-238	Vegetation	6/24/2015	2	0.00E+00	2.00E-03	pCi/g	0.02
Trench 1	PU-239/240	Vegetation	6/24/2015	2	-2.00E-03	2.00E-03	pCi/g	0.02
Trench 1	Total U	Vegetation	6/24/2015	2	2.80E-02	8.72E-03	pCi/g	0.25
Trench 1	U-233/234	Vegetation	6/24/2015	2	1.40E-02	6.00E-03	pCi/g	

Vegetation

Trench 1	U-235	Vegetation	6/24/2015	2	1.00E-03	2.00E-03	pCi/g	
Trench 1	U-238	Vegetation	6/24/2015	2	1.30E-02	6.00E-03	pCi/g	
Trench 10	Co-60	Vegetation	6/24/2015	2	0.00E+00	0.00E+00	pCi/g	0.1
Trench 10	Cs-137	Vegetation	6/24/2015	2	0.00E+00	0.00E+00	pCi/g	0.2
Trench 10	Gross Beta	Vegetation	6/24/2015	2	1.95E+01	7.00E-01	pCi/g	100
Trench 10	H-3	Vegetation	6/24/2015	2	1.75E+01	8.88E-01	pCi/g	
Trench 10	PU-238	Vegetation	6/24/2015	2	-1.00E-03	1.00E-03	pCi/g	0.02
Trench 10	PU-239/240	Vegetation	6/24/2015	2	-1.00E-03	2.00E-03	pCi/g	0.02
Trench 10	Total U	Vegetation	6/24/2015	2	2.60E-02	5.10E-03	pCi/g	0.25
Trench 10	U-233/234	Vegetation	6/24/2015	2	1.50E-02	4.00E-03	pCi/g	
Trench 10	U-235	Vegetation	6/24/2015	2	1.00E-03	1.00E-03	pCi/g	
Trench 10	U-238	Vegetation	6/24/2015	2	1.00E-02	3.00E-03	pCi/g	
Trench 11	Co-60	Vegetation	6/24/2015	2	0.00E+00	0.00E+00	pCi/g	0.1
Trench 11	Cs-137	Vegetation	6/24/2015	2	0.00E+00	0.00E+00	pCi/g	0.2
Trench 11	Gross Beta	Vegetation	6/24/2015	2	3.28E+01	1.10E+00	pCi/g	100
Trench 11	H-3	Vegetation	6/24/2015	2	7.12E-01	8.50E-02	pCi/g	
Trench 11	PU-238	Vegetation	6/24/2015	2	-1.00E-03	2.00E-03	pCi/g	0.02
Trench 11	PU-239/240	Vegetation	6/24/2015	2	-1.00E-03	2.00E-03	pCi/g	0.02
Trench 11	Total U	Vegetation	6/24/2015	2	1.90E-02	1.62E-02	pCi/g	0.25
Trench 11	U-233/234	Vegetation	6/24/2015	2	1.50E-02	1.20E-02	pCi/g	
Trench 11	U-235	Vegetation	6/24/2015	2	0.00E+00	6.00E-03	pCi/g	
Trench 11	U-238	Vegetation	6/24/2015	2	4.00E-03	9.00E-03	pCi/g	
Trench 12A	Co-60	Vegetation	6/24/2015	2	0.00E+00	0.00E+00	pCi/g	0.1
Trench 12A	Cs-137	Vegetation	6/24/2015	2	0.00E+00	0.00E+00	pCi/g	0.2
Trench 12A	Gross Beta	Vegetation	6/24/2015	2	3.39E+01	1.10E+00	pCi/g	100
Trench 12A	H-3	Vegetation	6/24/2015	2	4.15E+00	1.59E-01	pCi/g	
Trench 12A	PU-238	Vegetation	6/24/2015	2	-2.00E-03	2.00E-03	pCi/g	0.02
Trench 12A	PU-239/240	Vegetation	6/24/2015	2	0.00E+00	1.00E-03	pCi/g	0.02
Trench 12A	Total U	Vegetation	6/24/2015	2	7.00E-03	3.74E-03	pCi/g	0.25
Trench 12A	U-233/234	Vegetation	6/24/2015	2	5.00E-03	3.00E-03	pCi/g	
Trench 12A	U-235	Vegetation	6/24/2015	2	0.00E+00	1.00E-03	pCi/g	
Trench 12A	U-238	Vegetation	6/24/2015	2	2.00E-03	2.00E-03	pCi/g	
Trench 13	Co-60	Vegetation	6/24/2015	2	0.00E+00	0.00E+00	pCi/g	0.1
Trench 13	Cs-137	Vegetation	6/24/2015	2	0.00E+00	0.00E+00	pCi/g	0.2
Trench 13	Gross Beta	Vegetation	6/24/2015	2	5.26E+01	1.50E+00	pCi/g	100
Trench 13	H-3	Vegetation	6/24/2015	2	2.12E+02	3.24E+00	pCi/g	
Trench 13	PU-238	Vegetation	6/24/2015	2	0.00E+00	2.00E-03	pCi/g	0.02
Trench 13	PU-239/240	Vegetation	6/24/2015	2	1.00E-03	1.00E-03	pCi/g	0.02
Trench 13	Total U	Vegetation	6/24/2015	2	9.00E-03	5.10E-03	pCi/g	0.25
Trench 13	U-233/234	Vegetation	6/24/2015	2	6.00E-03	4.00E-03	pCi/g	
Trench 13	U-235	Vegetation	6/24/2015	2	0.00E+00	1.00E-03	pCi/g	
Trench 13	U-238	Vegetation	6/24/2015	2	3.00E-03	3.00E-03	pCi/g	
Trench 14	Co-60	Vegetation	6/24/2015	2	0.00E+00	0.00E+00	pCi/g	0.1
Trench 14	Cs-137	Vegetation	6/24/2015	2	0.00E+00	0.00E+00	pCi/g	0.2
Trench 14	Gross Beta	Vegetation	6/24/2015	2	1.94E+01	7.00E-01	pCi/g	100
Trench 14	H-3	Vegetation	6/24/2015	2	7.02E+02	4.99E+00	pCi/g	
Trench 14	PU-238	Vegetation	6/24/2015	2	0.00E+00	1.00E-03	pCi/g	0.02
Trench 14	PU-239/240	Vegetation	6/24/2015	2	-1.00E-03	1.00E-03	pCi/g	0.02
Trench 14	Total U	Vegetation	6/24/2015	2	1.00E-02	3.00E-03	pCi/g	0.25
Trench 14	U-233/234	Vegetation	6/24/2015	2	6.00E-03	2.00E-03	pCi/g	
Trench 14	U-235	Vegetation	6/24/2015	2	0.00E+00	1.00E-03	pCi/g	
Trench 14	U-238	Vegetation	6/24/2015	2	4.00E-03	2.00E-03	pCi/g	
Trench 16	Co-60	Vegetation	6/24/2015	2	0.00E+00	0.00E+00	pCi/g	0.1
Trench 16	Cs-137	Vegetation	6/24/2015	2	0.00E+00	0.00E+00	pCi/g	0.2
Trench 16	Gross Beta	Vegetation	6/24/2015	2	5.52E+01	1.70E+00	pCi/g	100
Trench 16	H-3	Vegetation	6/24/2015	2	7.98E+00	7.48E-01	pCi/g	
Trench 16	PU-238	Vegetation	6/24/2015	2	-1.00E-03	2.00E-03	pCi/g	0.02
Trench 16	PU-239/240	Vegetation	6/24/2015	2	-1.00E-03	1.00E-03	pCi/g	0.02
Trench 16	Total U	Vegetation	6/24/2015	2	8.00E-03	3.74E-03	pCi/g	0.25
Trench 16	U-233/234	Vegetation	6/24/2015	2	2.00E-03	2.00E-03	pCi/g	

Vegetation

Trench 16	U-235	Vegetation	6/24/2015	2	0.00E+00	1.00E-03	pCi/g	
Trench 16	U-238	Vegetation	6/24/2015	2	6.00E-03	3.00E-03	pCi/g	
Trench 2	Co-60	Vegetation	6/24/2015	2	0.00E+00	0.00E+00	pCi/g	0.1
Trench 2	Cs-137	Vegetation	6/24/2015	2	0.00E+00	0.00E+00	pCi/g	0.2
Trench 2	Gross Beta	Vegetation	6/24/2015	2	6.44E+01	1.80E+00	pCi/g	100
Trench 2	H-3	Vegetation	6/24/2015	2	6.39E-01	8.00E-02	pCi/g	
Trench 2	PU-238	Vegetation	6/24/2015	2	0.00E+00	1.00E-03	pCi/g	0.02
Trench 2	PU-239/240	Vegetation	6/24/2015	2	0.00E+00	2.00E-03	pCi/g	0.02
Trench 2	Total U	Vegetation	6/24/2015	2	7.00E-03	5.39E-03	pCi/g	0.25
Trench 2	U-233/234	Vegetation	6/24/2015	2	5.00E-03	4.00E-03	pCi/g	
Trench 2	U-235	Vegetation	6/24/2015	2	0.00E+00	2.00E-03	pCi/g	
Trench 2	U-238	Vegetation	6/24/2015	2	2.00E-03	3.00E-03	pCi/g	
Trench 3	Co-60	Vegetation	6/24/2015	2	0.00E+00	0.00E+00	pCi/g	0.1
Trench 3	Cs-137	Vegetation	6/24/2015	2	0.00E+00	0.00E+00	pCi/g	0.2
Trench 3	Gross Beta	Vegetation	6/24/2015	2	3.14E+01	1.20E+00	pCi/g	100
Trench 3	H-3	Vegetation	6/24/2015	2	1.00E-01	6.00E-02	pCi/g	
Trench 3	PU-238	Vegetation	6/24/2015	2	-1.00E-03	1.00E-03	pCi/g	0.02
Trench 3	PU-239/240	Vegetation	6/24/2015	2	1.00E-03	1.00E-03	pCi/g	0.02
Trench 3	Total U	Vegetation	6/24/2015	2	3.50E-02	8.54E-03	pCi/g	0.25
Trench 3	U-233/234	Vegetation	6/24/2015	2	1.90E-02	6.00E-03	pCi/g	
Trench 3	U-235	Vegetation	6/24/2015	2	0.00E+00	1.00E-03	pCi/g	
Trench 3	U-238	Vegetation	6/24/2015	2	1.60E-02	6.00E-03	pCi/g	
Trench 4	Co-60	Vegetation	6/24/2015	2	0.00E+00	0.00E+00	pCi/g	0.1
Trench 4	Cs-137	Vegetation	6/24/2015	2	0.00E+00	0.00E+00	pCi/g	0.2
Trench 4	Gross Beta	Vegetation	6/24/2015	2	5.69E+01	1.60E+00	pCi/g	100
Trench 4	H-3	Vegetation	6/24/2015	2	9.74E+01	2.32E+00	pCi/g	
Trench 4	PU-238	Vegetation	6/24/2015	2	0.00E+00	1.00E-03	pCi/g	0.02
Trench 4	PU-239/240	Vegetation	6/24/2015	2	0.00E+00	1.00E-03	pCi/g	0.02
Trench 4	Total U	Vegetation	6/24/2015	2	1.60E-02	5.92E-03	pCi/g	0.25
Trench 4	U-233/234	Vegetation	6/24/2015	2	1.10E-02	5.00E-03	pCi/g	
Trench 4	U-235	Vegetation	6/24/2015	2	0.00E+00	1.00E-03	pCi/g	
Trench 4	U-238	Vegetation	6/24/2015	2	5.00E-03	3.00E-03	pCi/g	
Trench 4B	Co-60	Vegetation	6/24/2015	2	0.00E+00	0.00E+00	pCi/g	0.1
Trench 4B	Cs-137	Vegetation	6/24/2015	2	0.00E+00	0.00E+00	pCi/g	0.2
Trench 4B	Gross Beta	Vegetation	6/24/2015	2	7.51E+01	2.00E+00	pCi/g	100
Trench 4B	H-3	Vegetation	6/24/2015	2	9.90E-02	5.80E-02	pCi/g	
Trench 4B	PU-238	Vegetation	6/24/2015	2	-1.00E-03	1.00E-03	pCi/g	0.02
Trench 4B	PU-239/240	Vegetation	6/24/2015	2	0.00E+00	1.00E-03	pCi/g	0.02
Trench 4B	Total U	Vegetation	6/24/2015	2	1.60E-02	6.48E-03	pCi/g	0.25
Trench 4B	U-233/234	Vegetation	6/24/2015	2	1.00E-02	5.00E-03	pCi/g	
Trench 4B	U-235	Vegetation	6/24/2015	2	0.00E+00	1.00E-03	pCi/g	
Trench 4B	U-238	Vegetation	6/24/2015	2	6.00E-03	4.00E-03	pCi/g	
Trench 5	Co-60	Vegetation	6/24/2015	2	0.00E+00	0.00E+00	pCi/g	0.1
Trench 5	Cs-137	Vegetation	6/24/2015	2	0.00E+00	0.00E+00	pCi/g	0.2
Trench 5	Gross Beta	Vegetation	6/24/2015	2	3.63E+01	1.30E+00	pCi/g	100
Trench 5	H-3	Vegetation	6/24/2015	2	1.67E+01	1.04E+00	pCi/g	
Trench 5	PU-238	Vegetation	6/24/2015	2	1.00E-03	2.00E-03	pCi/g	0.02
Trench 5	PU-239/240	Vegetation	6/24/2015	2	-3.00E-03	3.00E-03	pCi/g	0.02
Trench 5	Total U	Vegetation	6/24/2015	2	1.80E-02	6.16E-03	pCi/g	0.25
Trench 5	U-233/234	Vegetation	6/24/2015	2	1.20E-02	5.00E-03	pCi/g	
Trench 5	U-235	Vegetation	6/24/2015	2	1.00E-03	2.00E-03	pCi/g	
Trench 5	U-238	Vegetation	6/24/2015	2	5.00E-03	3.00E-03	pCi/g	
Trench 6	Co-60	Vegetation	6/24/2015	2	0.00E+00	0.00E+00	pCi/g	0.1
Trench 6	Cs-137	Vegetation	6/24/2015	2	0.00E+00	0.00E+00	pCi/g	0.2
Trench 6	Gross Beta	Vegetation	6/24/2015	2	6.07E+01	1.60E+00	pCi/g	100
Trench 6	H-3	Vegetation	6/24/2015	2	3.24E+01	1.35E+00	pCi/g	
Trench 6	PU-238	Vegetation	6/24/2015	2	1.00E-03	3.00E-03	pCi/g	0.02
Trench 6	PU-239/240	Vegetation	6/24/2015	2	0.00E+00	1.00E-03	pCi/g	0.02
Trench 6	Total U	Vegetation	6/24/2015	2	4.70E-02	1.02E-02	pCi/g	0.25
Trench 6	U-233/234	Vegetation	6/24/2015	2	2.70E-02	8.00E-03	pCi/g	

Vegetation

Trench 6	U-235	Vegetation	6/24/2015	2	0.00E+00	2.00E-03	pCi/g	
Trench 6	U-238	Vegetation	6/24/2015	2	2.00E-02	6.00E-03	pCi/g	
Trench 7	Co-60	Vegetation	6/24/2015	2	0.00E+00	0.00E+00	pCi/g	0.1
Trench 7	Cs-137	Vegetation	6/24/2015	2	0.00E+00	0.00E+00	pCi/g	0.2
Trench 7	Gross Beta	Vegetation	6/24/2015	2	3.20E+01	1.10E+00	pCi/g	100
Trench 7	H-3	Vegetation	6/24/2015	2	2.37E+00	1.20E-01	pCi/g	
Trench 7	PU-238	Vegetation	6/24/2015	2	0.00E+00	2.00E-03	pCi/g	0.02
Trench 7	PU-239/240	Vegetation	6/24/2015	2	1.00E-03	2.00E-03	pCi/g	0.02
Trench 7	Total U	Vegetation	6/24/2015	2	8.00E-03	3.74E-03	pCi/g	0.25
Trench 7	U-233/234	Vegetation	6/24/2015	2	5.00E-03	3.00E-03	pCi/g	
Trench 7	U-235	Vegetation	6/24/2015	2	0.00E+00	1.00E-03	pCi/g	
Trench 7	U-238	Vegetation	6/24/2015	2	3.00E-03	2.00E-03	pCi/g	
Trench 7A	Co-60	Vegetation	6/24/2015	2	0.00E+00	0.00E+00	pCi/g	0.1
Trench 7A	Cs-137	Vegetation	6/24/2015	2	0.00E+00	0.00E+00	pCi/g	0.2
Trench 7A	Gross Beta	Vegetation	6/24/2015	2	1.95E+01	7.00E-01	pCi/g	100
Trench 7A	H-3	Vegetation	6/24/2015	2	9.80E-02	4.70E-02	pCi/g	
Trench 7A	PU-238	Vegetation	6/24/2015	2	1.00E-03	1.00E-03	pCi/g	0.02
Trench 7A	PU-239/240	Vegetation	6/24/2015	2	0.00E+00	1.00E-03	pCi/g	0.02
Trench 7A	Total U	Vegetation	6/24/2015	2	2.40E-02	5.10E-03	pCi/g	0.25
Trench 7A	U-233/234	Vegetation	6/24/2015	2	1.40E-02	4.00E-03	pCi/g	
Trench 7A	U-235	Vegetation	6/24/2015	2	0.00E+00	1.00E-03	pCi/g	
Trench 7A	U-238	Vegetation	6/24/2015	2	1.00E-02	3.00E-03	pCi/g	
Trench 8	Co-60	Vegetation	6/24/2015	2	0.00E+00	0.00E+00	pCi/g	0.1
Trench 8	Cs-137	Vegetation	6/24/2015	2	0.00E+00	0.00E+00	pCi/g	0.2
Trench 8	Gross Beta	Vegetation	6/24/2015	2	3.95E+01	1.30E+00	pCi/g	100
Trench 8	H-3	Vegetation	6/24/2015	2	6.18E+00	7.41E-01	pCi/g	
Trench 8	PU-238	Vegetation	6/24/2015	2	-2.00E-03	2.00E-03	pCi/g	0.02
Trench 8	PU-239/240	Vegetation	6/24/2015	2	-1.00E-03	2.00E-03	pCi/g	0.02
Trench 8	Total U	Vegetation	6/24/2015	2	2.20E-02	7.14E-03	pCi/g	0.25
Trench 8	U-233/234	Vegetation	6/24/2015	2	1.10E-02	5.00E-03	pCi/g	
Trench 8	U-235	Vegetation	6/24/2015	2	0.00E+00	1.00E-03	pCi/g	
Trench 8	U-238	Vegetation	6/24/2015	2	1.10E-02	5.00E-03	pCi/g	
Trench 9	Co-60	Vegetation	6/24/2015	2	0.00E+00	0.00E+00	pCi/g	0.1
Trench 9	Cs-137	Vegetation	6/24/2015	2	0.00E+00	0.00E+00	pCi/g	0.2
Trench 9	Gross Beta	Vegetation	6/24/2015	2	3.87E+01	1.20E+00	pCi/g	100
Trench 9	H-3	Vegetation	6/24/2015	2	8.96E+00	7.88E-01	pCi/g	
Trench 9	PU-238	Vegetation	6/24/2015	2	1.00E-03	1.00E-03	pCi/g	0.02
Trench 9	PU-239/240	Vegetation	6/24/2015	2	0.00E+00	1.00E-03	pCi/g	0.02
Trench 9	Total U	Vegetation	6/24/2015	2	1.00E-02	5.39E-03	pCi/g	0.25
Trench 9	U-233/234	Vegetation	6/24/2015	2	4.00E-03	3.00E-03	pCi/g	
Trench 9	U-235	Vegetation	6/24/2015	2	0.00E+00	2.00E-03	pCi/g	
Trench 9	U-238	Vegetation	6/24/2015	2	6.00E-03	4.00E-03	pCi/g	

Soil

								Investigation
Location	Contaminant	Media	Date	Qtr	Result	Error	Units	Level
NE Corner	Co-60	Soil	7/30/2015	3	0.00E+00	0.00E+00	pCi/g	0.3
NE Corner	Cs-137	Soil	7/30/2015	3	1.90E-02	3.00E-03	pCi/g	0.25
NE Corner	Gross Beta	Soil	7/30/2015	3	2.46E+01	3.00E+00	pCi/g	35
NE Corner	PU-238	Soil	7/30/2015	3	3.00E-03	7.00E-03	pCi/g	0.03
NE Corner	PU-239/240	Soil	7/30/2015	3	6.00E-03	7.00E-03	pCi/g	0.03
NE Corner	Total U	Soil	7/30/2015	3	1.80E-01	3.00E-02	pCi/g	1
NE Corner	U-233/234	Soil	7/30/2015	3	9.00E-02	2.00E-02	pCi/g	
NE Corner	U-235	Soil	7/30/2015	3	0.00E+00	1.00E-02	pCi/g	
NE Corner	U-238	Soil	7/30/2015	3	9.00E-02	2.00E-02	pCi/g	
NW Corner	Co-60	Soil	7/30/2015	3	0.00E+00	0.00E+00	pCi/g	0.3
NW Corner	Cs-137	Soil	7/30/2015	3	1.00E-02	4.00E-03	pCi/g	0.25
NW Corner	Gross Beta	Soil	7/30/2015	3	2.38E+01	2.80E+00	pCi/g	35
NW Corner	PU-238	Soil	7/30/2015	3	2.00E-03	4.00E-03	pCi/g	0.03
NW Corner	PU-239/240	Soil	7/30/2015	3	0.00E+00	6.00E-03	pCi/g	0.03
NW Corner	Total U	Soil	7/30/2015	3	3.40E-01	4.36E-02	pCi/g	1
NW Corner	U-233/234	Soil	7/30/2015	3	1.80E-01	3.00E-02	pCi/g	
NW Corner	U-235	Soil	7/30/2015	3	1.00E-02	1.00E-02	pCi/g	
NW Corner	U-238	Soil	7/30/2015	3	1.50E-01	3.00E-02	pCi/g	
Station 1	Co-60	Soil	7/30/2015	3	0.00E+00	0.00E+00	pCi/g	0.3
Station 1	Cs-137	Soil	7/30/2015	3	1.40E-02	5.00E-03	pCi/g	0.25
Station 1	Gross Beta	Soil	7/30/2015	3	2.20E+01	1.10E+00	pCi/g	35
Station 1	PU-238	Soil	7/30/2015	3	1.00E-03	4.00E-03	pCi/g	0.03
Station 1	PU-239/240	Soil	7/30/2015	3	2.00E-03	3.00E-03	pCi/g	0.03
Station 1	Total U	Soil	7/30/2015	3	3.20E-01	3.00E-02	pCi/g	1
Station 1	U-233/234	Soil	7/30/2015	3	1.50E-01	2.00E-02	pCi/g	
Station 1	U-235	Soil	7/30/2015	3	1.00E-02	1.00E-02	pCi/g	
Station 1	U-238	Soil	7/30/2015	3	1.60E-01	2.00E-02	pCi/g	
Station 2	Co-60	Soil	7/30/2015	3	0.00E+00	0.00E+00	pCi/g	0.3
Station 2	Cs-137	Soil	7/30/2015	3	0.00E+00	0.00E+00	pCi/g	0.25
Station 2	Gross Beta	Soil	7/30/2015	3	1.83E+01	2.60E+00	pCi/g	35
Station 2	PU-238	Soil	7/30/2015	3	1.00E-03	3.00E-03	pCi/g	0.03
Station 2	PU-239/240	Soil	7/30/2015	3	1.00E-03	3.00E-03	pCi/g	0.03
Station 2	Total U	Soil	7/30/2015	3	1.70E-01	1.41E-02	pCi/g	1
Station 2	U-233/234	Soil	7/30/2015	3	9.00E-02	1.00E-02	pCi/g	
Station 2	U-235	Soil	7/30/2015	3	0.00E+00	0.00E+00	pCi/g	
Station 2	U-238	Soil	7/30/2015	3	8.00E-02	1.00E-02	pCi/g	
Station 3	Co-60	Soil	7/30/2015	3	0.00E+00	0.00E+00	pCi/g	0.3
Station 3	Cs-137	Soil	7/30/2015	3	0.00E+00	0.00E+00	pCi/g	0.25
Station 3	Gross Beta	Soil	7/30/2015	3	2.32E+01	3.00E+00	pCi/g	35
Station 3	PU-238	Soil	7/30/2015	3	-1.00E-03	3.00E-03	pCi/g	0.03
Station 3	PU-239/240	Soil	7/30/2015	3	1.00E-03	5.00E-03	pCi/g	0.03
Station 3	Total U	Soil	7/30/2015	3	2.00E-01	1.41E-02	pCi/g	1
Station 3	U-233/234	Soil	7/30/2015	3	1.00E-01	1.00E-02	pCi/g	
Station 3	U-235	Soil	7/30/2015	3	0.00E+00	0.00E+00	pCi/g	
Station 3	U-238	Soil	7/30/2015	3	1.00E-01	1.00E-02	pCi/g	
Station 4	Co-60	Soil	7/30/2015	3	0.00E+00	0.00E+00	pCi/g	0.3
Station 4	Cs-137	Soil	7/30/2015	3	0.00E+00	0.00E+00	pCi/g	0.25
Station 4	Gross Beta	Soil	7/30/2015	3	2.04E+01	2.70E+00	pCi/g	35
Station 4	PU-238	Soil	7/30/2015	3	0.00E+00	3.00E-03	pCi/g	0.03

Soil

Station 4	PU-239/240	Soil	7/30/2015	3	4.00E-03	7.00E-03	pCi/g	0.03
Station 4	Total U	Soil	7/30/2015	3	3.00E-01	2.83E-02	pCi/g	1
Station 4	U-233/234	Soil	7/30/2015	3	1.40E-01	2.00E-02	pCi/g	
Station 4	U-235	Soil	7/30/2015	3	1.00E-02	0.00E+00	pCi/g	
Station 4	U-238	Soil	7/30/2015	3	1.50E-01	2.00E-02	pCi/g	
Station 5	Co-60	Soil	7/30/2015	3	0.00E+00	0.00E+00	pCi/g	0.3
Station 5	Cs-137	Soil	7/30/2015	3	1.10E-02	3.00E-03	pCi/g	0.25
Station 5	Gross Beta	Soil	7/30/2015	3	2.07E+01	2.80E+00	pCi/g	35
Station 5	PU-238	Soil	7/30/2015	3	-2.00E-03	7.00E-03	pCi/g	0.03
Station 5	PU-239/240	Soil	7/30/2015	3	-3.00E-03	7.00E-03	pCi/g	0.03
Station 5	Total U	Soil	7/30/2015	3	2.00E-01	1.41E-02	pCi/g	1
Station 5	U-233/234	Soil	7/30/2015	3	1.00E-01	1.00E-02	pCi/g	
Station 5	U-235	Soil	7/30/2015	3	0.00E+00	0.00E+00	pCi/g	
Station 5	U-238	Soil	7/30/2015	3	1.00E-01	1.00E-02	pCi/g	
Station 6	Co-60	Soil	7/30/2015	3	0.00E+00	0.00E+00	pCi/g	0.3
Station 6	Cs-137	Soil	7/30/2015	3	1.00E-02	3.00E-03	pCi/g	0.25
Station 6	Gross Beta	Soil	7/30/2015	3	2.13E+01	2.70E+00	pCi/g	35
Station 6	PU-238	Soil	7/30/2015	3	-6.00E-03	6.00E-03	pCi/g	0.03
Station 6	PU-239/240	Soil	7/30/2015	3	0.00E+00	8.00E-03	pCi/g	0.03
Station 6	Total U	Soil	7/30/2015	3	2.20E-01	2.83E-02	pCi/g	1
Station 6	U-233/234	Soil	7/30/2015	3	1.10E-01	2.00E-02	pCi/g	
Station 6	U-235	Soil	7/30/2015	3	0.00E+00	0.00E+00	pCi/g	
Station 6	U-238	Soil	7/30/2015	3	1.10E-01	2.00E-02	pCi/g	
Station 7	Co-60	Soil	7/30/2015	3	0.00E+00	0.00E+00	pCi/g	0.3
Station 7	Cs-137	Soil	7/30/2015	3	5.00E-03	3.00E-03	pCi/g	0.25
Station 7	Gross Beta	Soil	7/30/2015	3	2.09E+01	2.90E+00	pCi/g	35
Station 7	PU-238	Soil	7/30/2015	3	4.00E-03	6.00E-03	pCi/g	0.03
Station 7	PU-239/240	Soil	7/30/2015	3	5.00E-03	6.00E-03	pCi/g	0.03
Station 7	Total U	Soil	7/30/2015	3	2.80E-01	2.83E-02	pCi/g	1
Station 7	U-233/234	Soil	7/30/2015	3	1.40E-01	2.00E-02	pCi/g	
Station 7	U-235	Soil	7/30/2015	3	0.00E+00	0.00E+00	pCi/g	
Station 7	U-238	Soil	7/30/2015	3	1.40E-01	2.00E-02	pCi/g	
Station 8	Co-60	Soil	7/30/2015	3	0.00E+00	0.00E+00	pCi/g	0.3
Station 8	Cs-137	Soil	7/30/2015	3	6.00E-03	3.00E-03	pCi/g	0.25
Station 8	Gross Beta	Soil	7/30/2015	3	1.68E+01	2.60E+00	pCi/g	35
Station 8	PU-238	Soil	7/30/2015	3	4.00E-03	6.00E-03	pCi/g	0.03
Station 8	PU-239/240	Soil	7/30/2015	3	5.00E-03	6.00E-03	pCi/g	0.03
Station 8	Total U	Soil	7/30/2015	3	1.90E-01	2.24E-02	pCi/g	1
Station 8	U-233/234	Soil	7/30/2015	3	9.00E-02	1.00E-02	pCi/g	
Station 8	U-235	Soil	7/30/2015	3	0.00E+00	0.00E+00	pCi/g	
Station 8	U-238	Soil	7/30/2015	3	1.00E-01	2.00E-02	pCi/g	
Station 9	Co-60	Soil	7/30/2015	3	0.00E+00	0.00E+00	pCi/g	0.3
Station 9	Cs-137	Soil	7/30/2015	3	0.00E+00	0.00E+00	pCi/g	0.25
Station 9	Gross Beta	Soil	7/30/2015	3	2.55E+01	2.90E+00	pCi/g	35
Station 9	PU-238	Soil	7/30/2015	3	2.00E-03	7.00E-03	pCi/g	0.03
Station 9	PU-239/240	Soil	7/30/2015	3	2.00E-03	6.00E-03	pCi/g	0.03
Station 9	Total U	Soil	7/30/2015	3	2.50E-01	2.83E-02	pCi/g	1
Station 9	U-233/234	Soil	7/30/2015	3	1.20E-01	2.00E-02	pCi/g	
Station 9	U-235	Soil	7/30/2015	3	0.00E+00	0.00E+00	pCi/g	
Station 9	U-238	Soil	7/30/2015	3	1.30E-01	2.00E-02	pCi/g	

GROUNDWATER

Location	Contaminant	Media	Date	Qtr	Result	Error	Units	Investigation
								Level
Well 10	C-14	Groundwater	3/11/2015	1	3.00E+00	3.40E+00	pCi/l	250
Well 10	Co-60	Groundwater	3/11/2015	1	0.00E+00	0.00E+00	pCi/l	6
Well 10	Cs-137	Groundwater	3/11/2015	1	0.00E+00	0.00E+00	pCi/l	7
Well 10	Gross Alpha	Groundwater	3/11/2015	1	8.00E-01	6.00E-01	pCi/l	12
Well 10	Gross Beta	Groundwater	3/11/2015	1	1.00E+01	8.00E-01	pCi/l	12
Well 10	H-3	Groundwater	3/11/2015	1	3.38E+03	1.86E+02	pCi/l	3600
Well 10	PU-238	Groundwater	3/11/2015	1	3.00E-03	4.00E-03	pCi/l	0.03
Well 10	PU-239/240	Groundwater	3/11/2015	1	2.00E-03	4.00E-03	pCi/l	0.03
Well 10	Tc-99	Groundwater	3/11/2015	1	9.90E+00	3.50E+00	pCi/l	
Well 10	Total U	Groundwater	3/11/2015	1	1.73E+00	1.88E-01	pCi/l	4.5
Well 10	U-233/234	Groundwater	3/11/2015	1	1.10E+00	1.50E-01	pCi/l	
Well 10	U-235	Groundwater	3/11/2015	1	3.00E-02	3.00E-02	pCi/l	
Well 10	U-238	Groundwater	3/11/2015	1	6.00E-01	1.10E-01	pCi/l	
Well 10	C-14	Groundwater	5/13/2015	2	6.30E+00	3.90E+00	pCi/l	250
Well 10	Co-60	Groundwater	5/13/2015	2	0.00E+00	0.00E+00	pCi/l	6
Well 10	Cs-137	Groundwater	5/13/2015	2	0.00E+00	0.00E+00	pCi/l	7
Well 10	Gross Alpha	Groundwater	5/13/2015	2	8.00E-01	5.00E-01	pCi/l	12
Well 10	Gross Beta	Groundwater	5/13/2015	2	6.40E+00	7.00E-01	pCi/l	12
Well 10	H-3	Groundwater	5/13/2015	2	3.13E+03	1.78E+02	pCi/l	3600
Well 10	PU-238	Groundwater	5/13/2015	2	0.00E+00	4.00E-03	pCi/l	0.03
Well 10	PU-239/240	Groundwater	5/13/2015	2	0.00E+00	4.00E-03	pCi/l	0.03
Well 10	Tc-99	Groundwater	5/13/2015	2	6.90E+00	3.40E+00	pCi/l	
Well 10	Total U	Groundwater	5/13/2015	2	2.06E+00	1.87E-01	pCi/l	4.5
Well 10	U-233/234	Groundwater	5/13/2015	2	1.35E+00	2.50E-01	pCi/l	
Well 10	U-235	Groundwater	5/13/2015	2	2.00E-02	5.00E-02	pCi/l	
Well 10	U-238	Groundwater	5/13/2015	2	6.90E-01	1.80E-01	pCi/l	
Well 10	C-14	Groundwater	8/12/2015	3	-2.00E-01	4.70E+00	pCi/l	250
Well 10	Co-60	Groundwater	8/12/2015	3	0.00E+00	0.00E+00	pCi/l	6
Well 10	Cs-137	Groundwater	8/12/2015	3	0.00E+00	0.00E+00	pCi/l	7
Well 10	Gross Alpha	Groundwater	8/12/2015	3	1.00E+00	7.00E-01	pCi/l	12
Well 10	Gross Beta	Groundwater	8/12/2015	3	1.47E+01	9.00E-01	pCi/l	12
Well 10	H-3	Groundwater	8/12/2015	3	3.02E+03	1.74E+02	pCi/l	3600
Well 10	PU-238	Groundwater	8/12/2015	3	-1.00E-03	1.00E-02	pCi/l	0.03
Well 10	PU-239/240	Groundwater	8/12/2015	3	4.00E-03	1.10E-02	pCi/l	0.03
Well 10	Tc-99	Groundwater	8/12/2015	3	1.38E+01	3.80E+00	pCi/l	
Well 10	Total U	Groundwater	8/12/2015	3	2.26E+00	4.44E-01	pCi/l	4.5
Well 10	U-233/234	Groundwater	8/12/2015	3	1.55E+00	3.60E-01	pCi/l	
Well 10	U-235	Groundwater	8/12/2015	3	8.00E-02	1.00E-01	pCi/l	
Well 10	U-238	Groundwater	8/12/2015	3	6.30E-01	2.40E-01	pCi/l	
Well 10	C-14	Groundwater	12/1/2015	4	3.40E+00	3.90E+00	pCi/l	250
Well 10	Co-60	Groundwater	12/1/2015	4	0.00E+00	0.00E+00	pCi/l	6
Well 10	Cs-137	Groundwater	12/1/2015	4	0.00E+00	0.00E+00	pCi/l	7
Well 10	Gross Alpha	Groundwater	12/1/2015	4	1.20E+00	6.00E-01	pCi/l	12
Well 10	Gross Beta	Groundwater	12/1/2015	4	9.30E+00	8.00E-01	pCi/l	12
Well 10	H-3	Groundwater	12/1/2015	4	3.16E+03	1.77E+02	pCi/l	3600
Well 10	PU-238	Groundwater	12/1/2015	4	0.00E+00	4.00E-03	pCi/l	0.03
Well 10	PU-239/240	Groundwater	12/1/2015	4	1.00E-03	3.00E-03	pCi/l	0.03
Well 10	Tc-99	Groundwater	12/1/2015	4	8.40E+00	3.80E+00	pCi/g	
Well 10	Total U	Groundwater	12/1/2015	4	1.71E+00	1.87E-01	pCi/l	4.5
Well 10	U-233/234	Groundwater	12/1/2015	4	1.16E+00	1.50E-01	pCi/l	
Well 10	U-235	Groundwater	12/1/2015	4	2.00E-02	2.00E-02	pCi/l	
Well 10	U-238	Groundwater	12/1/2015	4	5.30E-01	1.10E-01	pCi/l	
Well 13	C-14	Groundwater	3/10/2015	1	3.90E+00	3.40E+00	pCi/l	250
Well 13	Co-60	Groundwater	3/10/2015	1	0.00E+00	0.00E+00	pCi/l	6
Well 13	Cs-137	Groundwater	3/10/2015	1	0.00E+00	0.00E+00	pCi/l	7
Well 13	Gross Alpha	Groundwater	3/10/2015	1	8.00E-01	6.00E-01	pCi/l	12

GROUNDWATER

Well 13	Gross Beta	Groundwater	3/10/2015	1	1.30E+01	9.00E-01	pCi/l	12
Well 13	H-3	Groundwater	3/10/2015	1	4.58E+03	2.11E+02	pCi/l	5000
Well 13	PU-238	Groundwater	3/10/2015	1	0.00E+00	2.00E-03	pCi/l	0.03
Well 13	PU-239/240	Groundwater	3/10/2015	1	-1.00E-03	3.00E-03	pCi/l	0.03
Well 13	Tc-99	Groundwater	3/10/2015	1	1.35E+01	3.60E+00	pCi/l	
Well 13	Total U	Groundwater	3/10/2015	1	1.99E+00	2.07E-01	pCi/l	4.5
Well 13	U-233/234	Groundwater	3/10/2015	1	1.20E+00	1.60E-01	pCi/l	
Well 13	U-235	Groundwater	3/10/2015	1	1.00E-02	2.00E-02	pCi/l	
Well 13	U-238	Groundwater	3/10/2015	1	7.80E-01	1.30E-01	pCi/l	
Well 13	C-14	Groundwater	5/11/2015	2	7.30E+00	5.50E+00	pCi/l	250
Well 13	Co-60	Groundwater	5/11/2015	2	0.00E+00	0.00E+00	pCi/l	6
Well 13	Cs-137	Groundwater	5/11/2015	2	0.00E+00	0.00E+00	pCi/l	7
Well 13	Gross Alpha	Groundwater	5/11/2015	2	8.00E-01	6.00E-01	pCi/l	12
Well 13	Gross Beta	Groundwater	5/11/2015	2	1.17E+01	8.00E-01	pCi/l	12
Well 13	H-3	Groundwater	5/11/2015	2	4.28E+03	2.00E+02	pCi/l	5000
Well 13	PU-238	Groundwater	5/11/2015	2	1.00E-03	5.00E-03	pCi/l	0.03
Well 13	PU-239/240	Groundwater	5/11/2015	2	0.00E+00	4.00E-03	pCi/l	0.03
Well 13	Tc-99	Groundwater	5/11/2015	2	1.62E+01	3.60E+00	pCi/l	
Well 13	Total U	Groundwater	5/11/2015	2	1.92E+00	2.30E-01	pCi/l	4.5
Well 13	U-233/234	Groundwater	5/11/2015	2	1.17E+00	1.80E-01	pCi/l	
Well 13	U-235	Groundwater	5/11/2015	2	1.00E-02	3.00E-02	pCi/l	
Well 13	U-238	Groundwater	5/11/2015	2	7.40E-01	1.40E-01	pCi/l	
Well 13	C-14	Groundwater	8/10/2015	3	1.70E+00	4.10E+00	pCi/l	250
Well 13	Co-60	Groundwater	8/10/2015	3	0.00E+00	0.00E+00	pCi/l	6
Well 13	Cs-137	Groundwater	8/10/2015	3	0.00E+00	0.00E+00	pCi/l	7
Well 13	Gross Alpha	Groundwater	8/10/2015	3	5.00E-01	7.00E-01	pCi/l	12
Well 13	Gross Beta	Groundwater	8/10/2015	3	1.09E+01	9.00E-01	pCi/l	12
Well 13	H-3	Groundwater	8/10/2015	3	4.34E+03	2.03E+02	pCi/l	5000
Well 13	PU-238	Groundwater	8/10/2015	3	-2.00E-03	5.00E-03	pCi/l	0.03
Well 13	PU-239/240	Groundwater	8/10/2015	3	3.00E-03	4.00E-03	pCi/l	0.03
Well 13	Tc-99	Groundwater	8/10/2015	3	2.02E+01	3.90E+00	pCi/l	
Well 13	Total U	Groundwater	8/10/2015	3	1.84E+00	2.73E-01	pCi/l	4.5
Well 13	U-233/234	Groundwater	8/10/2015	3	1.11E+00	2.10E-01	pCi/l	
Well 13	U-235	Groundwater	8/10/2015	3	0.00E+00	4.00E-02	pCi/l	
Well 13	U-238	Groundwater	8/10/2015	3	7.30E-01	1.70E-01	pCi/l	
Well 13	C-14	Groundwater	11/30/2015	4	1.40E+00	3.90E+00	pCi/l	250
Well 13	Co-60	Groundwater	11/30/2015	4	0.00E+00	0.00E+00	pCi/l	6
Well 13	Cs-137	Groundwater	11/30/2015	4	0.00E+00	0.00E+00	pCi/l	7
Well 13	Gross Alpha	Groundwater	11/30/2015	4	1.30E+00	6.00E-01	pCi/l	12
Well 13	Gross Beta	Groundwater	11/30/2015	4	1.21E+01	9.00E-01	pCi/l	12
Well 13	H-3	Groundwater	11/30/2015	4	4.20E+03	2.00E+02	pCi/l	5000
Well 13	PU-238	Groundwater	11/30/2015	4	-3.00E-03	4.00E-03	pCi/l	0.03
Well 13	PU-239/240	Groundwater	11/30/2015	4	0.00E+00	4.00E-03	pCi/l	0.03
Well 13	Tc-99	Groundwater	11/30/2015	4	1.72E+01	3.90E+00	pCi/g	
Well 13	Total U	Groundwater	11/30/2015	4	2.02E+00	2.16E-01	pCi/l	4.5
Well 13	U-233/234	Groundwater	11/30/2015	4	1.27E+00	1.70E-01	pCi/l	
Well 13	U-235	Groundwater	11/30/2015	4	-1.00E-02	3.00E-02	pCi/l	
Well 13	U-238	Groundwater	11/30/2015	4	7.60E-01	1.30E-01	pCi/l	
Well 16	Tc-99	Groundwater	12/3/2015	4	-1.30E+00	3.60E+00	pCi/g	
Well 3	C-14	Groundwater	3/12/2015	1	2.80E+01	3.80E+00	pCi/l	250
Well 3	Co-60	Groundwater	3/12/2015	1	0.00E+00	0.00E+00	pCi/l	6
Well 3	Cs-137	Groundwater	3/12/2015	1	0.00E+00	0.00E+00	pCi/l	7
Well 3	Gross Alpha	Groundwater	3/12/2015	1	8.00E-01	6.00E-01	pCi/l	12
Well 3	Gross Beta	Groundwater	3/12/2015	1	7.90E+00	8.00E-01	pCi/l	12
Well 3	H-3	Groundwater	3/12/2015	1	1.96E+03	1.50E+02	pCi/l	3600
Well 3	PU-238	Groundwater	3/12/2015	1	-2.00E-03	3.00E-03	pCi/l	0.03
Well 3	PU-239/240	Groundwater	3/12/2015	1	-2.00E-03	3.00E-03	pCi/l	0.03
Well 3	Tc-99	Groundwater	3/12/2015	1	2.10E+00	3.40E+00	pCi/l	

GROUNDWATER

Well 3	Total U	Groundwater	3/12/2015	1	2.17E+00	2.15E-01	pCi/l	4.5
Well 3	U-233/234	Groundwater	3/12/2015	1	1.34E+00	1.70E-01	pCi/l	
Well 3	U-235	Groundwater	3/12/2015	1	2.00E-02	2.00E-02	pCi/l	
Well 3	U-238	Groundwater	3/12/2015	1	8.10E-01	1.30E-01	pCi/l	
Well 3	C-14	Groundwater	5/14/2015	2	2.65E+01	4.20E+00	pCi/l	250
Well 3	Co-60	Groundwater	5/14/2015	2	0.00E+00	0.00E+00	pCi/l	6
Well 3	Cs-137	Groundwater	5/14/2015	2	0.00E+00	0.00E+00	pCi/l	7
Well 3	Gross Alpha	Groundwater	5/14/2015	2	1.90E+00	7.00E-01	pCi/l	12
Well 3	Gross Beta	Groundwater	5/14/2015	2	6.90E+00	7.00E-01	pCi/l	12
Well 3	H-3	Groundwater	5/14/2015	2	1.71E+03	1.47E+02	pCi/l	3600
Well 3	PU-238	Groundwater	5/14/2015	2	-2.00E-03	5.00E-03	pCi/l	0.03
Well 3	PU-239/240	Groundwater	5/14/2015	2	2.00E-03	3.00E-03	pCi/l	0.03
Well 3	Tc-99	Groundwater	5/14/2015	2	4.00E+00	3.40E+00	pCi/l	
Well 3	Total U	Groundwater	5/14/2015	2	2.48E+00	2.73E-01	pCi/l	4.5
Well 3	U-233/234	Groundwater	5/14/2015	2	1.54E+00	2.10E-01	pCi/l	
Well 3	U-235	Groundwater	5/14/2015	2	3.00E-02	4.00E-02	pCi/l	
Well 3	U-238	Groundwater	5/14/2015	2	9.10E-01	1.70E-01	pCi/l	
Well 3	C-14	Groundwater	8/13/2015	3	2.87E+01	4.40E+00	pCi/l	250
Well 3	Co-60	Groundwater	8/13/2015	3	0.00E+00	0.00E+00	pCi/l	6
Well 3	Cs-137	Groundwater	8/13/2015	3	0.00E+00	0.00E+00	pCi/l	7
Well 3	Gross Alpha	Groundwater	8/13/2015	3	6.00E-01	8.00E-01	pCi/l	12
Well 3	Gross Beta	Groundwater	8/13/2015	3	2.90E+00	1.00E+00	pCi/l	12
Well 3	H-3	Groundwater	8/13/2015	3	1.77E+03	1.41E+02	pCi/l	3600
Well 3	PU-238	Groundwater	8/13/2015	3	-2.00E-03	6.00E-03	pCi/l	0.03
Well 3	PU-239/240	Groundwater	8/13/2015	3	3.00E-03	7.00E-03	pCi/l	0.03
Well 3	Tc-99	Groundwater	8/13/2015	3	6.70E+00	3.70E+00	pCi/l	
Well 3	Total U	Groundwater	8/13/2015	3	2.22E+00	4.45E-01	pCi/l	4.5
Well 3	U-233/234	Groundwater	8/13/2015	3	1.34E+00	3.40E-01	pCi/l	
Well 3	U-235	Groundwater	8/13/2015	3	0.00E+00	6.00E-02	pCi/l	
Well 3	U-238	Groundwater	8/13/2015	3	8.80E-01	2.80E-01	pCi/l	
Well 3	C-14	Groundwater	12/2/2015	4	2.65E+01	4.40E+00	pCi/l	250
Well 3	Co-60	Groundwater	12/2/2015	4	0.00E+00	0.00E+00	pCi/l	6
Well 3	Cs-137	Groundwater	12/2/2015	4	0.00E+00	0.00E+00	pCi/l	7
Well 3	Gross Alpha	Groundwater	12/2/2015	4	1.90E+00	6.00E-01	pCi/l	12
Well 3	Gross Beta	Groundwater	12/2/2015	4	6.80E+00	7.00E-01	pCi/l	12
Well 3	H-3	Groundwater	12/2/2015	4	1.79E+03	1.43E+02	pCi/l	3600
Well 3	PU-238	Groundwater	12/2/2015	4	4.00E-03	5.00E-03	pCi/l	0.03
Well 3	PU-239/240	Groundwater	12/2/2015	4	1.00E-03	3.00E-03	pCi/l	0.03
Well 3	Tc-99	Groundwater	12/2/2015	4	4.60E+00	3.70E+00	pCi/g	
Well 3	Total U	Groundwater	12/2/2015	4	2.15E+00	2.21E-01	pCi/l	4.5
Well 3	U-233/234	Groundwater	12/2/2015	4	1.32E+00	1.70E-01	pCi/l	
Well 3	U-235	Groundwater	12/2/2015	4	0.00E+00	2.00E-02	pCi/l	
Well 3	U-238	Groundwater	12/2/2015	4	8.30E-01	1.40E-01	pCi/l	
Well 4	C-14	Groundwater	3/12/2015	1	2.59E+01	3.80E+00	pCi/l	250
Well 4	Co-60	Groundwater	3/12/2015	1	0.00E+00	0.00E+00	pCi/l	6
Well 4	Cs-137	Groundwater	3/12/2015	1	0.00E+00	0.00E+00	pCi/l	7
Well 4	Gross Alpha	Groundwater	3/12/2015	1	1.90E+00	6.00E-01	pCi/l	12
Well 4	Gross Beta	Groundwater	3/12/2015	1	6.80E+00	7.00E-01	pCi/l	12
Well 4	H-3	Groundwater	3/12/2015	1	1.91E+03	1.48E+02	pCi/l	3600
Well 4	PU-238	Groundwater	3/12/2015	1	2.00E-03	4.00E-03	pCi/l	0.03
Well 4	PU-239/240	Groundwater	3/12/2015	1	2.00E-03	4.00E-03	pCi/l	0.03
Well 4	Tc-99	Groundwater	3/12/2015	1	2.90E+00	3.40E+00	pCi/l	
Well 4	Total U	Groundwater	3/12/2015	1	2.16E+00	2.10E-01	pCi/l	4.5
Well 4	U-233/234	Groundwater	3/12/2015	1	1.30E+00	1.60E-01	pCi/l	
Well 4	U-235	Groundwater	3/12/2015	1	4.00E-02	4.00E-02	pCi/l	
Well 4	U-238	Groundwater	3/12/2015	1	8.20E-01	1.30E-01	pCi/l	
Well 4	C-14	Groundwater	5/13/2015	2	1.82E+01	4.10E+00	pCi/l	250
Well 4	Co-60	Groundwater	5/13/2015	2	0.00E+00	0.00E+00	pCi/l	6

GROUNDWATER

Well 4	Cs-137	Groundwater	5/13/2015	2	0.00E+00	0.00E+00	pCi/l	7
Well 4	Gross Alpha	Groundwater	5/13/2015	2	1.70E+00	7.00E-01	pCi/l	12
Well 4	Gross Beta	Groundwater	5/13/2015	2	7.70E+00	7.00E-01	pCi/l	12
Well 4	H-3	Groundwater	5/13/2015	2	1.76E+03	1.48E+02	pCi/l	3600
Well 4	PU-238	Groundwater	5/13/2015	2	-3.00E-03	5.00E-03	pCi/l	0.03
Well 4	PU-239/240	Groundwater	5/13/2015	2	0.00E+00	4.00E-03	pCi/l	0.03
Well 4	Tc-99	Groundwater	5/13/2015	2	3.60E+00	3.40E+00	pCi/l	
Well 4	Total U	Groundwater	5/13/2015	2	2.16E+00	3.70E-01	pCi/l	4.5
Well 4	U-233/234	Groundwater	5/13/2015	2	1.43E+00	3.00E-01	pCi/l	
Well 4	U-235	Groundwater	5/13/2015	2	1.00E-02	5.00E-02	pCi/l	
Well 4	U-238	Groundwater	5/13/2015	2	7.20E-01	2.10E-01	pCi/l	
Well 4	C-14	Groundwater	8/12/2015	3	2.68E+01	4.20E+00	pCi/l	250
Well 4	Co-60	Groundwater	8/12/2015	3	0.00E+00	0.00E+00	pCi/l	6
Well 4	Cs-137	Groundwater	8/12/2015	3	0.00E+00	0.00E+00	pCi/l	7
Well 4	Gross Alpha	Groundwater	8/12/2015	3	1.60E+00	1.00E+00	pCi/l	12
Well 4	Gross Beta	Groundwater	8/12/2015	3	3.80E+00	1.20E+00	pCi/l	12
Well 4	H-3	Groundwater	8/12/2015	3	1.97E+03	1.47E+02	pCi/l	3600
Well 4	PU-238	Groundwater	8/12/2015	3	-1.00E-03	8.00E-03	pCi/l	0.03
Well 4	PU-239/240	Groundwater	8/12/2015	3	1.00E-03	9.00E-03	pCi/l	0.03
Well 4	Tc-99	Groundwater	8/12/2015	3	6.40E+00	3.70E+00	pCi/l	
Well 4	Total U	Groundwater	8/12/2015	3	2.20E+00	3.11E-01	pCi/l	4.5
Well 4	U-233/234	Groundwater	8/12/2015	3	1.47E+00	2.50E-01	pCi/l	
Well 4	U-235	Groundwater	8/12/2015	3	1.00E-02	4.00E-02	pCi/l	
Well 4	U-238	Groundwater	8/12/2015	3	7.20E-01	1.80E-01	pCi/l	
Well 4	C-14	Groundwater	12/2/2015	4	2.03E+01	4.40E+00	pCi/l	250
Well 4	Co-60	Groundwater	12/2/2015	4	0.00E+00	0.00E+00	pCi/l	6
Well 4	Cs-137	Groundwater	12/2/2015	4	0.00E+00	0.00E+00	pCi/l	7
Well 4	Gross Alpha	Groundwater	12/2/2015	4	1.10E+00	7.00E-01	pCi/l	12
Well 4	Gross Beta	Groundwater	12/2/2015	4	8.20E+00	7.00E-01	pCi/l	12
Well 4	H-3	Groundwater	12/2/2015	4	1.75E+03	1.41E+02	pCi/l	3600
Well 4	PU-238	Groundwater	12/2/2015	4	-5.00E-03	4.00E-03	pCi/l	0.03
Well 4	PU-239/240	Groundwater	12/2/2015	4	-5.00E-03	5.00E-03	pCi/l	0.03
Well 4	Tc-99	Groundwater	12/2/2015	4	4.60E+00	3.70E+00	pCi/g	
Well 4	Total U	Groundwater	12/2/2015	4	2.19E+00	2.08E-01	pCi/l	4.5
Well 4	U-233/234	Groundwater	12/2/2015	4	1.30E+00	1.60E-01	pCi/l	
Well 4	U-235	Groundwater	12/2/2015	4	4.00E-02	3.00E-02	pCi/l	
Well 4	U-238	Groundwater	12/2/2015	4	8.50E-01	1.30E-01	pCi/l	
Well 5	C-14	Groundwater	3/11/2015	1	4.47E+01	4.00E+00	pCi/l	250
Well 5	Co-60	Groundwater	3/11/2015	1	0.00E+00	0.00E+00	pCi/l	6
Well 5	Cs-137	Groundwater	3/11/2015	1	0.00E+00	0.00E+00	pCi/l	7
Well 5	Gross Alpha	Groundwater	3/11/2015	1	2.20E+00	7.00E-01	pCi/l	12
Well 5	Gross Beta	Groundwater	3/11/2015	1	7.90E+00	7.00E-01	pCi/l	12
Well 5	H-3	Groundwater	3/11/2015	1	2.23E+03	1.57E+02	pCi/l	3600
Well 5	PU-238	Groundwater	3/11/2015	1	2.00E-03	4.00E-03	pCi/l	0.03
Well 5	PU-239/240	Groundwater	3/11/2015	1	0.00E+00	2.00E-03	pCi/l	0.03
Well 5	Tc-99	Groundwater	3/11/2015	1	3.40E+00	3.40E+00	pCi/l	
Well 5	Total U	Groundwater	3/11/2015	1	1.88E+00	2.02E-01	pCi/l	4.5
Well 5	U-233/234	Groundwater	3/11/2015	1	1.17E+00	1.60E-01	pCi/l	
Well 5	U-235	Groundwater	3/11/2015	1	3.00E-02	3.00E-02	pCi/l	
Well 5	U-238	Groundwater	3/11/2015	1	6.80E-01	1.20E-01	pCi/l	
Well 5	C-14	Groundwater	5/12/2015	2	3.66E+01	4.30E+00	pCi/l	250
Well 5	Co-60	Groundwater	5/12/2015	2	0.00E+00	0.00E+00	pCi/l	6
Well 5	Cs-137	Groundwater	5/12/2015	2	0.00E+00	0.00E+00	pCi/l	7
Well 5	Gross Alpha	Groundwater	5/12/2015	2	1.00E+00	6.00E-01	pCi/l	12
Well 5	Gross Beta	Groundwater	5/12/2015	2	7.40E+00	8.00E-01	pCi/l	12
Well 5	H-3	Groundwater	5/12/2015	2	2.26E+03	1.60E+02	pCi/l	3600
Well 5	PU-238	Groundwater	5/12/2015	2	-1.00E-03	5.00E-03	pCi/l	0.03
Well 5	PU-239/240	Groundwater	5/12/2015	2	2.00E-03	3.00E-03	pCi/l	0.03

GROUNDWATER

Well 5	Tc-99	Groundwater	5/12/2015	2	5.90E+00	3.40E+00	pCi/l	
Well 5	Total U	Groundwater	5/12/2015	2	2.30E+00	2.39E-01	pCi/l	4.5
Well 5	U-233/234	Groundwater	5/12/2015	2	1.44E+00	1.90E-01	pCi/l	
Well 5	U-235	Groundwater	5/12/2015	2	4.00E-02	4.00E-02	pCi/l	
Well 5	U-238	Groundwater	5/12/2015	2	8.20E-01	1.40E-01	pCi/l	
Well 5	C-14	Groundwater	8/11/2015	3	5.56E+01	4.80E+00	pCi/l	250
Well 5	Co-60	Groundwater	8/11/2015	3	0.00E+00	0.00E+00	pCi/l	6
Well 5	Cs-137	Groundwater	8/11/2015	3	0.00E+00	0.00E+00	pCi/l	7
Well 5	Gross Alpha	Groundwater	8/11/2015	3	4.00E-01	6.00E-01	pCi/l	12
Well 5	Gross Beta	Groundwater	8/11/2015	3	7.80E+00	8.00E-01	pCi/l	12
Well 5	H-3	Groundwater	8/11/2015	3	2.28E+03	1.55E+02	pCi/l	3600
Well 5	PU-238	Groundwater	8/11/2015	3	1.00E-03	3.00E-03	pCi/l	0.03
Well 5	PU-239/240	Groundwater	8/11/2015	3	1.00E-03	5.00E-03	pCi/l	0.03
Well 5	Tc-99	Groundwater	8/11/2015	3	1.04E+01	3.70E+00	pCi/l	
Well 5	Total U	Groundwater	8/11/2015	3	2.56E+00	5.42E-01	pCi/l	4.5
Well 5	U-233/234	Groundwater	8/11/2015	3	1.64E+00	4.30E-01	pCi/l	
Well 5	U-235	Groundwater	8/11/2015	3	0.00E+00	8.00E-02	pCi/l	
Well 5	U-238	Groundwater	8/11/2015	3	9.20E-01	3.20E-01	pCi/l	
Well 5	C-14	Groundwater	12/1/2015	4	5.49E+01	4.60E+00	pCi/l	250
Well 5	Co-60	Groundwater	12/1/2015	4	0.00E+00	0.00E+00	pCi/l	6
Well 5	Cs-137	Groundwater	12/1/2015	4	0.00E+00	0.00E+00	pCi/l	7
Well 5	Gross Alpha	Groundwater	12/1/2015	4	1.80E+00	7.00E-01	pCi/l	12
Well 5	Gross Beta	Groundwater	12/1/2015	4	9.00E+00	8.00E-01	pCi/l	12
Well 5	H-3	Groundwater	12/1/2015	4	2.16E+03	1.53E+02	pCi/l	3600
Well 5	PU-238	Groundwater	12/1/2015	4	2.00E-03	4.00E-03	pCi/l	0.03
Well 5	PU-239/240	Groundwater	12/1/2015	4	-1.00E-03	4.00E-03	pCi/l	0.03
Well 5	Tc-99	Groundwater	12/1/2015	4	5.60E+00	3.70E+00	pCi/g	
Well 5	Total U	Groundwater	12/1/2015	4	2.36E+00	2.32E-01	pCi/l	4.5
Well 5	U-233/234	Groundwater	12/1/2015	4	1.58E+00	1.90E-01	pCi/l	
Well 5	U-235	Groundwater	12/1/2015	4	4.00E-02	3.00E-02	pCi/l	
Well 5	U-238	Groundwater	12/1/2015	4	7.40E-01	1.30E-01	pCi/l	
Well 6	C-14	Groundwater	3/10/2015	1	4.60E+00	3.40E+00	pCi/l	250
Well 6	Co-60	Groundwater	3/10/2015	1	0.00E+00	0.00E+00	pCi/l	6
Well 6	Cs-137	Groundwater	3/10/2015	1	0.00E+00	0.00E+00	pCi/l	7
Well 6	Gross Alpha	Groundwater	3/10/2015	1	1.10E+00	7.00E-01	pCi/l	12
Well 6	Gross Beta	Groundwater	3/10/2015	1	1.16E+01	8.00E-01	pCi/l	12
Well 6	H-3	Groundwater	3/10/2015	1	5.13E+03	2.22E+02	pCi/l	3600
Well 6	PU-238	Groundwater	3/10/2015	1	2.00E-03	4.00E-03	pCi/l	0.03
Well 6	PU-239/240	Groundwater	3/10/2015	1	0.00E+00	4.00E-03	pCi/l	0.03
Well 6	Tc-99	Groundwater	3/10/2015	1	1.34E+01	3.60E+00	pCi/l	
Well 6	Total U	Groundwater	3/10/2015	1	1.81E+00	1.88E-01	pCi/l	4.5
Well 6	U-233/234	Groundwater	3/10/2015	1	1.12E+00	1.50E-01	pCi/l	
Well 6	U-235	Groundwater	3/10/2015	1	4.00E-02	3.00E-02	pCi/l	
Well 6	U-238	Groundwater	3/10/2015	1	6.50E-01	1.10E-01	pCi/l	
Well 6	C-14	Groundwater	5/11/2015	2	2.30E+00	3.80E+00	pCi/l	250
Well 6	Co-60	Groundwater	5/11/2015	2	0.00E+00	0.00E+00	pCi/l	6
Well 6	Cs-137	Groundwater	5/11/2015	2	0.00E+00	0.00E+00	pCi/l	7
Well 6	Gross Alpha	Groundwater	5/11/2015	2	1.60E+00	6.00E-01	pCi/l	12
Well 6	Gross Beta	Groundwater	5/11/2015	2	1.09E+01	8.00E-01	pCi/l	12
Well 6	H-3	Groundwater	5/11/2015	2	4.71E+03	2.08E+02	pCi/l	3600
Well 6	PU-238	Groundwater	5/11/2015	2	3.00E-03	4.00E-03	pCi/l	0.03
Well 6	PU-239/240	Groundwater	5/11/2015	2	0.00E+00	2.00E-03	pCi/l	0.03
Well 6	Tc-99	Groundwater	5/11/2015	2	1.22E+01	3.50E+00	pCi/l	
Well 6	Total U	Groundwater	5/11/2015	2	2.29E+00	2.77E-01	pCi/l	4.5
Well 6	U-233/234	Groundwater	5/11/2015	2	1.41E+00	2.20E-01	pCi/l	
Well 6	U-235	Groundwater	5/11/2015	2	7.00E-02	5.00E-02	pCi/l	
Well 6	U-238	Groundwater	5/11/2015	2	8.10E-01	1.60E-01	pCi/l	
Well 6	C-14	Groundwater	8/10/2015	3	6.60E+00	6.50E+00	pCi/l	250

GROUNDWATER

Well 6	Co-60	Groundwater	8/10/2015	3	0.00E+00	0.00E+00	pCi/l	6
Well 6	Cs-137	Groundwater	8/10/2015	3	0.00E+00	0.00E+00	pCi/l	7
Well 6	Gross Alpha	Groundwater	8/10/2015	3	1.20E+00	9.00E-01	pCi/l	12
Well 6	Gross Beta	Groundwater	8/10/2015	3	1.41E+01	9.00E-01	pCi/l	12
Well 6	H-3	Groundwater	8/10/2015	3	5.17E+03	2.19E+02	pCi/l	3600
Well 6	PU-238	Groundwater	8/10/2015	3	1.00E-03	6.00E-03	pCi/l	0.03
Well 6	PU-239/240	Groundwater	8/10/2015	3	5.00E-03	6.00E-03	pCi/l	0.03
Well 6	Tc-99	Groundwater	8/10/2015	3	1.70E+01	3.90E+00	pCi/l	
Well 6	Total U	Groundwater	8/10/2015	3	1.29E+00	3.32E-01	pCi/l	4.5
Well 6	U-233/234	Groundwater	8/10/2015	3	8.10E-01	2.60E-01	pCi/l	
Well 6	U-235	Groundwater	8/10/2015	3	0.00E+00	5.00E-02	pCi/l	
Well 6	U-238	Groundwater	8/10/2015	3	4.80E-01	2.00E-01	pCi/l	
Well 6	C-14	Groundwater	11/30/2015	4	2.30E+00	3.90E+00	pCi/l	250
Well 6	Co-60	Groundwater	11/30/2015	4	0.00E+00	0.00E+00	pCi/l	6
Well 6	Cs-137	Groundwater	11/30/2015	4	0.00E+00	0.00E+00	pCi/l	7
Well 6	Gross Alpha	Groundwater	11/30/2015	4	8.00E-01	7.00E-01	pCi/l	12
Well 6	Gross Beta	Groundwater	11/30/2015	4	1.30E+01	9.00E-01	pCi/l	12
Well 6	H-3	Groundwater	11/30/2015	4	4.80E+03	2.12E+02	pCi/l	3600
Well 6	PU-238	Groundwater	11/30/2015	4	1.00E-03	6.00E-03	pCi/l	0.03
Well 6	PU-239/240	Groundwater	11/30/2015	4	-2.00E-03	9.00E-03	pCi/l	0.03
Well 6	Tc-99	Groundwater	11/30/2015	4	1.34E+01	3.90E+00	pCi/g	
Well 6	Total U	Groundwater	11/30/2015	4	1.95E+00	1.87E-01	pCi/l	4.5
Well 6	U-233/234	Groundwater	11/30/2015	4	1.25E+00	1.50E-01	pCi/l	
Well 6	U-235	Groundwater	11/30/2015	4	2.00E-02	2.00E-02	pCi/l	
Well 6	U-238	Groundwater	11/30/2015	4	6.80E-01	1.10E-01	pCi/l	
Well 7	C-14	Groundwater	3/12/2015	1	1.50E+00	3.40E+00	pCi/l	250
Well 7	Co-60	Groundwater	3/12/2015	1	0.00E+00	0.00E+00	pCi/l	6
Well 7	Cs-137	Groundwater	3/12/2015	1	0.00E+00	0.00E+00	pCi/l	7
Well 7	Gross Alpha	Groundwater	3/12/2015	1	1.10E+00	7.00E-01	pCi/l	12
Well 7	Gross Beta	Groundwater	3/12/2015	1	6.30E+00	7.00E-01	pCi/l	12
Well 7	H-3	Groundwater	3/12/2015	1	5.13E+03	2.22E+02	pCi/l	3600
Well 7	PU-238	Groundwater	3/12/2015	1	3.00E-03	4.00E-03	pCi/l	0.03
Well 7	PU-239/240	Groundwater	3/12/2015	1	2.00E-03	3.00E-03	pCi/l	0.03
Well 7	Tc-99	Groundwater	3/12/2015	1	2.60E+00	3.40E+00	pCi/l	
Well 7	Total U	Groundwater	3/12/2015	1	1.91E+00	1.96E-01	pCi/l	4.5
Well 7	U-233/234	Groundwater	3/12/2015	1	1.28E+00	1.60E-01	pCi/l	
Well 7	U-235	Groundwater	3/12/2015	1	4.00E-02	3.00E-02	pCi/l	
Well 7	U-238	Groundwater	3/12/2015	1	5.90E-01	1.10E-01	pCi/l	
Well 7	C-14	Groundwater	5/14/2015	2	4.40E+00	3.90E+00	pCi/l	250
Well 7	Co-60	Groundwater	5/14/2015	2	0.00E+00	0.00E+00	pCi/l	6
Well 7	Cs-137	Groundwater	5/14/2015	2	0.00E+00	0.00E+00	pCi/l	7
Well 7	Gross Alpha	Groundwater	5/14/2015	2	6.00E-01	7.00E-01	pCi/l	12
Well 7	Gross Beta	Groundwater	5/14/2015	2	5.60E+00	7.00E-01	pCi/l	12
Well 7	H-3	Groundwater	5/14/2015	2	4.94E+03	2.12E+02	pCi/l	3600
Well 7	PU-238	Groundwater	5/14/2015	2	-1.00E-03	4.00E-03	pCi/l	0.03
Well 7	PU-239/240	Groundwater	5/14/2015	2	2.00E-03	3.00E-03	pCi/l	0.03
Well 7	Tc-99	Groundwater	5/14/2015	2	6.50E+00	3.40E+00	pCi/l	
Well 7	Total U	Groundwater	5/14/2015	2	1.60E+00	2.87E-01	pCi/l	4.5
Well 7	U-233/234	Groundwater	5/14/2015	2	1.09E+00	2.20E-01	pCi/l	
Well 7	U-235	Groundwater	5/14/2015	2	3.00E-02	7.00E-02	pCi/l	
Well 7	U-238	Groundwater	5/14/2015	2	4.80E-01	1.70E-01	pCi/l	
Well 7	C-14	Groundwater	8/12/2015	3	2.10E+00	4.40E+00	pCi/l	250
Well 7	Co-60	Groundwater	8/12/2015	3	0.00E+00	0.00E+00	pCi/l	6
Well 7	Cs-137	Groundwater	8/12/2015	3	0.00E+00	0.00E+00	pCi/l	7
Well 7	Gross Alpha	Groundwater	8/12/2015	3	1.40E+00	6.00E-01	pCi/l	12
Well 7	Gross Beta	Groundwater	8/12/2015	3	6.60E+00	7.00E-01	pCi/l	12
Well 7	H-3	Groundwater	8/12/2015	3	5.03E+03	2.16E+02	pCi/l	3600
Well 7	PU-238	Groundwater	8/12/2015	3	0.00E+00	4.00E-03	pCi/l	0.03

GROUNDWATER

Well 7	PU-239/240	Groundwater	8/12/2015	3	0.00E+00	4.00E-03	pCi/l	0.03
Well 7	Tc-99	Groundwater	8/12/2015	3	8.50E+00	3.70E+00	pCi/l	
Well 7	Total U	Groundwater	8/12/2015	3	2.14E+00	4.63E-01	pCi/l	4.5
Well 7	U-233/234	Groundwater	8/12/2015	3	1.42E+00	3.70E-01	pCi/l	
Well 7	U-235	Groundwater	8/12/2015	3	0.00E+00	7.00E-02	pCi/l	
Well 7	U-238	Groundwater	8/12/2015	3	7.20E-01	2.70E-01	pCi/l	
Well 7	C-14	Groundwater	12/2/2015	4	3.90E+00	4.20E+00	pCi/l	250
Well 7	Co-60	Groundwater	12/2/2015	4	0.00E+00	0.00E+00	pCi/l	6
Well 7	Cs-137	Groundwater	12/2/2015	4	0.00E+00	0.00E+00	pCi/l	7
Well 7	Gross Alpha	Groundwater	12/2/2015	4	7.00E-01	6.00E-01	pCi/l	12
Well 7	Gross Beta	Groundwater	12/2/2015	4	6.40E+00	7.00E-01	pCi/l	12
Well 7	H-3	Groundwater	12/2/2015	4	4.82E+03	2.12E+02	pCi/l	3600
Well 7	PU-238	Groundwater	12/2/2015	4	3.00E-03	4.00E-03	pCi/l	0.03
Well 7	PU-239/240	Groundwater	12/2/2015	4	2.00E-03	5.00E-03	pCi/l	0.03
Well 7	Total U	Groundwater	12/2/2015	4	1.97E+00	1.95E-01	pCi/l	4.5
Well 7	U-233/234	Groundwater	12/2/2015	4	1.35E+00	1.60E-01	pCi/l	
Well 7	U-235	Groundwater	12/2/2015	4	2.00E-02	2.00E-02	pCi/l	
Well 7	U-238	Groundwater	12/2/2015	4	6.00E-01	1.10E-01	pCi/l	
Well 7	Tc-99	Groundwater	12/19/2015	4	5.80E+00	3.70E+00	pCi/l	
Well 8	C-14	Groundwater	3/11/2015	1	1.20E+00	3.40E+00	pCi/l	250
Well 8	Co-60	Groundwater	3/11/2015	1	0.00E+00	0.00E+00	pCi/l	6
Well 8	Cs-137	Groundwater	3/11/2015	1	0.00E+00	0.00E+00	pCi/l	7
Well 8	Gross Alpha	Groundwater	3/11/2015	1	2.50E+00	7.00E-01	pCi/l	12
Well 8	Gross Beta	Groundwater	3/11/2015	1	7.80E+00	8.00E-01	pCi/l	12
Well 8	H-3	Groundwater	3/11/2015	1	2.45E+03	1.63E+02	pCi/l	3600
Well 8	H-3	Groundwater	3/11/2015	1	2.47E+03	1.63E+02	pCi/l	3600
Well 8	PU-238	Groundwater	3/11/2015	1	3.00E-03	4.00E-03	pCi/l	0.03
Well 8	PU-239/240	Groundwater	3/11/2015	1	1.00E-03	4.00E-03	pCi/l	0.03
Well 8	Tc-99	Groundwater	3/11/2015	1	2.30E+00	3.40E+00	pCi/l	
Well 8	Total U	Groundwater	3/11/2015	1	2.29E+00	2.08E-01	pCi/l	4.5
Well 8	U-233/234	Groundwater	3/11/2015	1	1.33E+00	1.60E-01	pCi/l	
Well 8	U-235	Groundwater	3/11/2015	1	3.00E-02	3.00E-02	pCi/l	
Well 8	U-238	Groundwater	3/11/2015	1	9.30E-01	1.30E-01	pCi/l	
Well 8	C-14	Groundwater	5/13/2015	2	7.30E+00	3.90E+00	pCi/l	250
Well 8	Co-60	Groundwater	5/13/2015	2	0.00E+00	0.00E+00	pCi/l	6
Well 8	Cs-137	Groundwater	5/13/2015	2	0.00E+00	0.00E+00	pCi/l	7
Well 8	Gross Alpha	Groundwater	5/13/2015	2	1.30E+00	8.00E-01	pCi/l	12
Well 8	Gross Beta	Groundwater	5/13/2015	2	6.70E+00	8.00E-01	pCi/l	12
Well 8	H-3	Groundwater	5/13/2015	2	2.17E+03	1.58E+02	pCi/l	3600
Well 8	PU-238	Groundwater	5/13/2015	2	0.00E+00	7.00E-03	pCi/l	0.03
Well 8	PU-239/240	Groundwater	5/13/2015	2	3.00E-03	5.00E-03	pCi/l	0.03
Well 8	Tc-99	Groundwater	5/13/2015	2	5.80E+00	3.40E+00	pCi/l	
Well 8	Total U	Groundwater	5/13/2015	2	2.52E+00	2.75E-01	pCi/l	4.5
Well 8	U-233/234	Groundwater	5/13/2015	2	1.63E+00	2.20E-01	pCi/l	
Well 8	U-235	Groundwater	5/13/2015	2	3.00E-02	4.00E-02	pCi/l	
Well 8	U-238	Groundwater	5/13/2015	2	8.60E-01	1.60E-01	pCi/l	
Well 8	C-14	Groundwater	12/3/2015	4	3.70E+00	3.90E+00	pCi/l	250
Well 8	Co-60	Groundwater	12/3/2015	4	0.00E+00	0.00E+00	pCi/l	6
Well 8	Cs-137	Groundwater	12/3/2015	4	0.00E+00	0.00E+00	pCi/l	7
Well 8	Gross Alpha	Groundwater	12/3/2015	4	1.10E+00	7.00E-01	pCi/l	12
Well 8	Gross Beta	Groundwater	12/3/2015	4	7.50E+00	8.00E-01	pCi/l	12
Well 8	H-3	Groundwater	12/3/2015	4	2.34E+03	1.57E+02	pCi/l	3600
Well 8	PU-238	Groundwater	12/3/2015	4	-4.00E-03	8.00E-03	pCi/l	0.03
Well 8	PU-239/240	Groundwater	12/3/2015	4	4.00E-03	8.00E-03	pCi/l	0.03
Well 8	Tc-99	Groundwater	12/3/2015	4	6.30E+00	3.70E+00	pCi/l	
Well 8	Total U	Groundwater	12/3/2015	4	2.46E+00	2.24E-01	pCi/l	4.5
Well 8	U-233/234	Groundwater	12/3/2015	4	1.63E+00	1.80E-01	pCi/l	
Well 8	U-235	Groundwater	12/3/2015	4	2.00E-02	3.00E-02	pCi/l	

GROUNDWATER

Well 8	U-238	Groundwater	12/3/2015	4	8.10E-01	1.30E-01	pCi/l	
Well 9	C-14	Groundwater	3/10/2015	1	-1.00E-01	3.30E+00	pCi/l	250
Well 9	Co-60	Groundwater	3/10/2015	1	0.00E+00	0.00E+00	pCi/l	6
Well 9	Cs-137	Groundwater	3/10/2015	1	0.00E+00	0.00E+00	pCi/l	7
Well 9	Gross Alpha	Groundwater	3/10/2015	1	1.10E+00	6.00E-01	pCi/l	12
Well 9	Gross Beta	Groundwater	3/10/2015	1	1.07E+01	8.00E-01	pCi/l	12
Well 9	H-3	Groundwater	3/10/2015	1	3.22E+03	1.82E+02	pCi/l	3600
Well 9	PU-238	Groundwater	3/10/2015	1	3.00E-03	4.00E-03	pCi/l	0.03
Well 9	PU-239/240	Groundwater	3/10/2015	1	1.00E-03	3.00E-03	pCi/l	0.03
Well 9	Tc-99	Groundwater	3/10/2015	1	7.80E+00	3.50E+00	pCi/l	
Well 9	Total U	Groundwater	3/10/2015	1	2.00E+00	1.94E-01	pCi/l	4.5
Well 9	U-233/234	Groundwater	3/10/2015	1	1.26E+00	1.50E-01	pCi/l	
Well 9	U-235	Groundwater	3/10/2015	1	3.00E-02	3.00E-02	pCi/l	
Well 9	U-238	Groundwater	3/10/2015	1	7.10E-01	1.20E-01	pCi/l	
Well 9	C-14	Groundwater	5/12/2015	2	7.70E+00	3.90E+00	pCi/l	250
Well 9	Co-60	Groundwater	5/12/2015	2	0.00E+00	0.00E+00	pCi/l	6
Well 9	Cs-137	Groundwater	5/12/2015	2	0.00E+00	0.00E+00	pCi/l	7
Well 9	Gross Alpha	Groundwater	5/12/2015	2	1.00E+00	6.00E-01	pCi/l	12
Well 9	Gross Beta	Groundwater	5/12/2015	2	9.90E+00	8.00E-01	pCi/l	12
Well 9	H-3	Groundwater	5/12/2015	2	3.02E+03	1.76E+02	pCi/l	3600
Well 9	PU-238	Groundwater	5/12/2015	2	2.00E-03	5.00E-03	pCi/l	0.03
Well 9	PU-239/240	Groundwater	5/12/2015	2	2.00E-03	4.00E-03	pCi/l	0.03
Well 9	Tc-99	Groundwater	5/12/2015	2	1.08E+01	3.50E+00	pCi/l	
Well 9	Total U	Groundwater	5/12/2015	2	2.52E+00	2.69E-01	pCi/l	4.5
Well 9	U-233/234	Groundwater	5/12/2015	2	1.59E+00	2.10E-01	pCi/l	
Well 9	U-235	Groundwater	5/12/2015	2	5.00E-02	5.00E-02	pCi/l	
Well 9	U-238	Groundwater	5/12/2015	2	8.80E-01	1.60E-01	pCi/l	
Well 9	C-14	Groundwater	8/10/2015	3	1.20E+00	4.20E+00	pCi/l	250
Well 9	Co-60	Groundwater	8/10/2015	3	0.00E+00	0.00E+00	pCi/l	6
Well 9	Cs-137	Groundwater	8/10/2015	3	0.00E+00	0.00E+00	pCi/l	7
Well 9	Gross Alpha	Groundwater	8/10/2015	3	6.00E-01	6.00E-01	pCi/l	12
Well 9	Gross Beta	Groundwater	8/10/2015	3	1.06E+01	8.00E-01	pCi/l	12
Well 9	H-3	Groundwater	8/10/2015	3	3.16E+03	1.77E+02	pCi/l	3600
Well 9	PU-238	Groundwater	8/10/2015	3	-1.00E-03	1.30E-02	pCi/l	0.03
Well 9	PU-239/240	Groundwater	8/10/2015	3	0.00E+00	1.30E-02	pCi/l	0.03
Well 9	Tc-99	Groundwater	8/10/2015	3	1.64E+01	3.80E+00	pCi/l	
Well 9	Total U	Groundwater	8/10/2015	3	2.03E+00	5.24E-01	pCi/l	4.5
Well 9	U-233/234	Groundwater	8/10/2015	3	1.36E+00	4.20E-01	pCi/l	
Well 9	U-235	Groundwater	8/10/2015	3	9.00E-02	1.40E-01	pCi/l	
Well 9	U-238	Groundwater	8/10/2015	3	5.80E-01	2.80E-01	pCi/l	
Well 9	C-14	Groundwater	11/30/2015	4	5.90E+00	4.10E+00	pCi/l	250
Well 9	Co-60	Groundwater	11/30/2015	4	0.00E+00	0.00E+00	pCi/l	6
Well 9	Cs-137	Groundwater	11/30/2015	4	0.00E+00	0.00E+00	pCi/l	7
Well 9	Gross Alpha	Groundwater	11/30/2015	4	1.40E+00	6.00E-01	pCi/l	12
Well 9	Gross Beta	Groundwater	11/30/2015	4	1.00E+01	8.00E-01	pCi/l	12
Well 9	H-3	Groundwater	11/30/2015	4	2.97E+03	1.73E+02	pCi/l	3600
Well 9	PU-238	Groundwater	11/30/2015	4	-2.00E-03	4.00E-03	pCi/l	0.03
Well 9	PU-239/240	Groundwater	11/30/2015	4	-1.00E-03	6.00E-03	pCi/l	0.03
Well 9	Tc-99	Groundwater	11/30/2015	4	1.21E+01	3.80E+00	pCi/l	
Well 9	Total U	Groundwater	11/30/2015	4	2.09E+00	1.94E-01	pCi/l	4.5
Well 9	U-233/234	Groundwater	11/30/2015	4	1.25E+00	1.50E-01	pCi/l	
Well 9	U-235	Groundwater	11/30/2015	4	5.00E-02	3.00E-02	pCi/l	
Well 9	U-238	Groundwater	11/30/2015	4	7.90E-01	1.20E-01	pCi/l	
Well 9A	H-3	Groundwater	3/10/2015	1	3.36E+03	1.85E+02	pCi/l	3600
Well 9A	H-3	Groundwater	5/12/2015	2	3.24E+03	1.81E+02	pCi/l	3600
Well 9A	H-3	Groundwater	8/11/2015	3	3.15E+03	1.77E+02	pCi/l	3600
Well 9A	H-3	Groundwater	12/1/2015	4	3.12E+03	1.76E+02	pCi/l	3600

Fenceline Direct Radiation

Location	Contaminant	Media	Start Date	Stop Date	Result	Units	Background	Dose, minus station 1 (mrem)	Dose (mrem/day) Corrected	Dose (mrem/day) Uncorrected
1	Direct Gamma	TLD	1/1/2015	4/1/2015	21	mrem	21	0	0.000	0.233
2	Direct Gamma	TLD	1/1/2015	4/1/2015	21	mrem	21	0	0.000	0.233
4	Direct Gamma	TLD	1/1/2015	4/1/2015	20	mrem	21	-1	-0.011	0.222
5	Direct Gamma	TLD	1/1/2015	4/1/2015	22	mrem	21	1	0.011	0.244
2	Direct Gamma	TLD	4/1/2015	7/1/2015	20	mrem	20	0	0.000	0.220
7	Direct Gamma	TLD	1/1/2015	4/1/2015	22	mrem	21	1	0.011	0.244
2	Direct Gamma	TLD	7/1/2015	10/1/2015	22	mrem	22	0	0.000	0.239
9	Direct Gamma	TLD	1/1/2015	4/1/2015	21	mrem	21	0	0.000	0.233
10	Direct Gamma	TLD	1/1/2015	4/1/2015	28	mrem	21	7	0.078	0.311
11	Direct Gamma	TLD	1/1/2015	4/1/2015	40	mrem	21	19	0.211	0.444
12	Direct Gamma	TLD	1/1/2015	4/1/2015	46	mrem	21	25	0.278	0.511
13	Direct Gamma	TLD	1/1/2015	4/1/2015	35	mrem	21	14	0.156	0.389
14	Direct Gamma	TLD	1/1/2015	4/1/2015	30	mrem	21	9	0.100	0.333
15	Direct Gamma	TLD	1/1/2015	4/1/2015	22	mrem	21	1	0.011	0.244
16	Direct Gamma	TLD	1/1/2015	4/1/2015	22	mrem	21	1	0.011	0.244
17	Direct Gamma	TLD	1/1/2015	4/1/2015	20	mrem	21	-1	-0.011	0.222
18	Direct Gamma	TLD	1/1/2015	4/1/2015	22	mrem	21	1	0.011	0.244
Control	Direct Gamma	TLD	1/1/2015	4/1/2015	9	mrem				
1	Direct Gamma	TLD	4/1/2015	7/1/2015	20	mrem	20	0	0.000	0.220
2	Direct Gamma	TLD	10/1/2015	1/4/2016	29	mrem	26	3	0.032	0.305
3	Direct Gamma	TLD	4/1/2015	7/1/2015	21	mrem	20	1	0.011	0.231
4	Direct Gamma	TLD	4/1/2015	7/1/2015	23	mrem	20	3	0.033	0.253
5	Direct Gamma	TLD	4/1/2015	7/1/2015	21	mrem	20	1	0.011	0.231
3	Direct Gamma	TLD	7/1/2015	10/1/2015	23	mrem	22	1	0.011	0.250
7	Direct Gamma	TLD	4/1/2015	7/1/2015	21	mrem	20	1	0.011	0.231
3	Direct Gamma	TLD	10/1/2015	1/4/2016	29	mrem	26	3	0.032	0.305
9	Direct Gamma	TLD	4/1/2015	7/1/2015	21	mrem	20	1	0.011	0.231
10	Direct Gamma	TLD	4/1/2015	7/1/2015	28	mrem	20	8	0.088	0.308
11	Direct Gamma	TLD	4/1/2015	7/1/2015	37	mrem	20	17	0.187	0.407
12	Direct Gamma	TLD	4/1/2015	7/1/2015	41	mrem	20	21	0.231	0.451
13	Direct Gamma	TLD	4/1/2015	7/1/2015	31	mrem	20	11	0.121	0.341
14	Direct Gamma	TLD	4/1/2015	7/1/2015	26	mrem	20	6	0.066	0.286
15	Direct Gamma	TLD	4/1/2015	7/1/2015	21	mrem	20	1	0.011	0.231
16	Direct Gamma	TLD	4/1/2015	7/1/2015	21	mrem	20	1	0.011	0.231
17	Direct Gamma	TLD	4/1/2015	7/1/2015	20	mrem	20	0	0.000	0.220
18	Direct Gamma	TLD	4/1/2015	7/1/2015	21	mrem	20	1	0.011	0.231
Control	Direct Gamma	TLD	4/1/2015	7/1/2015	12	mrem				
1	Direct Gamma	TLD	7/1/2015	10/1/2015	22	mrem	22	0	0.000	0.239
6	Direct Gamma	TLD	1/1/2015	4/1/2015	23	mrem	21	2	0.022	0.256
6	Direct Gamma	TLD	4/1/2015	7/1/2015	20	mrem	20	0	0.000	0.220
4	Direct Gamma	TLD	7/1/2015	10/1/2015	22	mrem	22	0	0.000	0.239
5	Direct Gamma	TLD	7/1/2015	10/1/2015	20	mrem	22	-2	-0.022	0.217
6	Direct Gamma	TLD	7/1/2015	10/1/2015	22	mrem	22	0	0.000	0.239
7	Direct Gamma	TLD	7/1/2015	10/1/2015	20	mrem	22	-2	-0.022	0.217
8	Direct Gamma	TLD	1/1/2015	4/1/2015	23	mrem	21	2	0.022	0.256
9	Direct Gamma	TLD	7/1/2015	10/1/2015	24	mrem	22	2	0.022	0.261
10	Direct Gamma	TLD	7/1/2015	10/1/2015	30	mrem	22	8	0.087	0.326
11	Direct Gamma	TLD	7/1/2015	10/1/2015	38	mrem	22	16	0.174	0.413
12	Direct Gamma	TLD	7/1/2015	10/1/2015	42	mrem	22	20	0.217	0.457
13	Direct Gamma	TLD	7/1/2015	10/1/2015	33	mrem	22	11	0.120	0.359
14	Direct Gamma	TLD	7/1/2015	10/1/2015	27	mrem	22	5	0.054	0.293
15	Direct Gamma	TLD	7/1/2015	10/1/2015	21	mrem	22	-1	-0.011	0.228
16	Direct Gamma	TLD	7/1/2015	10/1/2015	21	mrem	22	-1	-0.011	0.228
17	Direct Gamma	TLD	7/1/2015	10/1/2015	23	mrem	22	1	0.011	0.250
18	Direct Gamma	TLD	7/1/2015	10/1/2015	24	mrem	22	2	0.022	0.261
Control	Direct Gamma	TLD	7/1/2015	10/1/2015	12	mrem				
1	Direct Gamma	TLD	10/1/2015	1/4/2016	26	mrem	26	0	0.000	0.274
8	Direct Gamma	TLD	4/1/2015	7/1/2015	21	mrem	20	1	0.011	0.231
8	Direct Gamma	TLD	7/1/2015	10/1/2015	23	mrem	22	1	0.011	0.250
4	Direct Gamma	TLD	10/1/2015	1/4/2016	26	mrem	26	0	0.000	0.274
5	Direct Gamma	TLD	10/1/2015	1/4/2016	26	mrem	26	0	0.000	0.274
7	Direct Gamma	TLD	10/1/2015	1/4/2016	29	mrem	26	3	0.032	0.305

Fenceline Direct Radiation

Location	Contaminant	Media	Start Date	Stop Date	Result	Units	Background	Dose, minus station 1 (mrem)	Dose (mrem/day) Corrected	Dose (mrem/day) Uncorrected
8	Direct Gamma	TLD	10/1/2015	1/4/2016	30	mrem	26	4	0.042	0.316
9	Direct Gamma	TLD	10/1/2015	1/4/2016	30	mrem	26	4	0.042	0.316
10	Direct Gamma	TLD	10/1/2015	1/4/2016	41	mrem	26	15	0.158	0.432
11	Direct Gamma	TLD	10/1/2015	1/4/2016	52	mrem	26	26	0.274	0.547
12	Direct Gamma	TLD	10/1/2015	1/4/2016	62	mrem	26	36	0.379	0.653
13	Direct Gamma	TLD	10/1/2015	1/4/2016	48	mrem	26	22	0.232	0.505
14	Direct Gamma	TLD	10/1/2015	1/4/2016	35	mrem	26	9	0.095	0.368
15	Direct Gamma	TLD	10/1/2015	1/4/2016	26	mrem	26	0	0.000	0.274
16	Direct Gamma	TLD	10/1/2015	1/4/2016	25	mrem	26	-1	-0.011	0.263
17	Direct Gamma	TLD	10/1/2015	1/4/2016	28	mrem	26	2	0.021	0.295
18	Direct Gamma	TLD	10/1/2015	1/4/2016	28	mrem	26	2	0.021	0.295
Control	Direct Gamma	TLD	10/1/2015	1/4/2016	14	mrem				