

COVID-19 morbidity and mortality by race, ethnicity and spoken language in Washington state

Washington State Department of Health

August 09, 2022



Washington State Department of
Health

To request this document in another format, call 1-800-525-0127. Deaf or hard of hearing customers, please call 711 (Washington Relay) or email civil.rights@doh.wa.gov.

Publication Number 420-289

For more information or additional copies of this report:

Disease Control and Health Statistics
Public Health Outbreak Coordination, Information, and Surveillance
1610 NE 150th Street, MS: K17-9
Shoreline, WA 98155

Phone: 206-418-5700 (24-hour contact for local health jurisdictions only)

Email: CommDisEpi@doh.wa.gov

COVID-19 morbidity and mortality by race, ethnicity and spoken language in Washington state

Washington State Department of Health

August 09, 2022

NOTE: Beginning the week of December 23, 2020, probable cases are included in the metrics calculated for morbidity and mortality associated with race, ethnicity, and spoken language. Probable cases are individuals with a positive antigen test for COVID-19. Also, as of December 16, 2020, probable cases are included in all case, hospitalization, and death counts on the Washington State Department of Health COVID-19 dashboard. Probable cases since June 2020, when the first antigen results were reported in Washington, are now included in the dashboard. This places the report on “COVID-19 Morbidity and Mortality by Race, Ethnicity and Spoken Language in Washington State” in alignment with the Washington State Department of Health COVID-19 Data Dashboard.

Overview

The impacts of COVID-19 morbidity and mortality have not been felt equally by all populations in Washington state. The pandemic has exacerbated the underlying and persistent inequities among historically marginalized communities and those disproportionately impacted due to structural racism and other forms of systemic oppression. This report provides an overview of confirmed or probable COVID-19 case, hospitalization, and death rates by race and ethnicity at state and regional levels. It also provides counts and percentages of confirmed or probable cases and hospitalizations by primary language spoken. Throughout this report, the COVID-19 case definition includes both molecular testing and antigen testing. Molecular positive cases are considered confirmed cases and antigen positive cases are considered probable cases. All hospitalization, death, and testing data reported here are based on positive molecular or antigen test results.

All rates presented in this report are adjusted for age using the Washington state population distribution based on the Office of Financial Management’s (OFM) April 1, 2020 population estimates by age, sex, race, and Hispanic origin. The rate calculations are for the population groups available from OFM for the Washington state population and follow Department of Health guidelines. Hispanic ethnicity was assigned first, regardless of race, and then racial groups were identified for those identifying as non-Hispanic. Based on this, the current report includes the following groups:

- Hispanic; and

- non-Hispanic race categorizations for white, Black, Native Hawaiian and Pacific Islander, Asian, and American Indian/Alaska Native.

While this allows assessment of data by race and ethnicity groups, this categorization is incomplete and does not reflect the diversity of people and experiences across the state. Additionally, there is a significant lack of race and ethnicity reporting for confirmed or probable COVID-19 cases and hospitalizations (about 29% missing) and for deaths (about 0% missing). Primary language spoken is missing for about 78% of cases and hospitalizations. Age information is missing for a small percentage of confirmed or probable cases (about 0.1%), and these cases are not included in age-adjusted rates. The lack of data limits our ability to draw firm conclusions; however, there are some concerning patterns reported below.

Cumulative age-adjusted confirmed or probable COVID-19 case, hospitalization, and death rates by race and ethnicity per 100,000 population

The table and figures below describe the counts and age-adjusted rates per 100,000 population in Washington by race and ethnicity for confirmed or probable cases, hospitalizations, and deaths for the entire time period from the start of the pandemic through 2022-08-08 based on the specimen collection date. 95% confidence intervals are included in the charts.

The data show that communities of color are disproportionately impacted by COVID-19 in significant ways, including the following.

COVID-19 confirmed or probable case rates

- Native Hawaiian and Pacific Islander (NHPI) and Hispanic populations have the highest age-adjusted confirmed or probable case rates while Asian and multiracial populations have the lowest case rates.
- Confirmed or probable case rates for NHPI and Hispanic populations are approximately three times higher than case rates for Asian and multiracial populations.
- Confirmed or probable case rates for Black populations are approximately two times higher than case rates among Asian and multiracial populations.

COVID-19 hospitalization rates among confirmed or probable cases

- Hospitalization rates among confirmed or probable COVID-19 cases are the highest for NHPI populations and lowest for multiracial populations.
- NHPI hospitalization rates among confirmed or probable COVID-19 cases are six times higher than white populations.
- Hispanic hospitalization rates among confirmed or probable COVID-19 cases are approximately two times higher than white populations.
- Hospitalization rates among confirmed or probable COVID-19 cases for Black and American Indian and Alaska Native (AIAN) populations are two times higher compared to white populations.


COVID-19 death rates among confirmed or probable cases

- Asian populations have the lowest death rates among confirmed or probable COVID-19 cases of all race/ethnicity groups.
- NHPI populations have death rates among confirmed or probable COVID-19 cases that are approximately five times higher than white and Asian populations.
- AIAN and Hispanic populations have death rates among confirmed or probable COVID-19 cases that are approximately three times higher than Asian populations.
- Black populations have death rates among confirmed or probable COVID-19 cases that are about twice as high as white populations.

Table 1. Confirmed or probable COVID-19 case, hospitalization, and death count and age-adjusted rates by race/ethnicity (January 17, 2020 – August 08, 2022).


Race/Ethnicity	Case Count	Age-Adjusted Case Rate per 100,000	Hospitalization Count	Age-Adjusted Hospitalization Rate per 100,000	Death Count	Age-Adjusted Death Rate per 100,000
All Races	1,753,983	22909.3	69,542	908.3	13,745	179.5
Unknown	503,574		10,236		35	
Hispanic	226,546	22678.3	7,471	1360.5	1,265	368.3
White	773,001	15567.2	41,337	698.2	10,283	160.0
Asian	112,849	15114.7	3,116	525.5	756	151.0
Black	68,978	21894.2	3,310	1381.6	471	259.2
NHPI	21,420	38218.6	1,577	4257.0	220	822.5
Multiracial	18,776	6255.8	658	429.8	206	175.5
AIAN	18,771	19583.8	1,208	1474.2	295	424.4
Other	10,068		629		192	

The following graph indicates the age-adjusted confirmed or probable COVID-19 case rate per 100,000 population by race/ethnicity during the time period 2020-01-18 to 2022-08-08




Source: Washington Disease Reporting System (WDRS)

The following graph indicates the age-adjusted hospitalization rate among confirmed or probable COVID-19 cases per 100,000 population by race/ethnicity during the time period 2020-01-18 to 2022-08-08



Source: Washington Disease Reporting System (WDRS)

The following graph indicates the age-adjusted death rate among confirmed or probable COVID-19 cases per 100,000 population by race/ethnicity during the time period 2020-01-18 to 2022-08-08




Source: Electronic Death Registration System (EDRS) and Washington Health and Life Events System (WHALES)

Analysis of confirmed or probable COVID-19 cases, hospitalizations, and deaths by geographic region

Regional groupings of Washington state counties

Some counties may not have sufficient case counts to analyze trends by race and ethnicity. In order to incorporate data from counties of all sizes, counties were assigned into one of 8 analytic regions (see Map of Washington Counties and Analysis Regions below). The regions presented were developed by the Washington State Department of Health in order to better understand geographic differences in disease spread and how disease spread may be changing over time. While infection rates may not be the same within any given region, this regional grouping allows for more specific geographic analyses without excluding any counties or communities due to concerns about smaller numbers.

Map of Washington counties by DOH analysis regions



Missing race/ethnicity data by region

The North and Southwest regions have the highest percentage of missing race/ethnicity data among confirmed or probable COVID-19 cases and the North Central and Puget Sound regions have the lowest percentage of missing data on race/ethnicity, as indicated in the following table. The total number of confirmed or probable cases, and the number and percentage of confirmed or probable cases with missing data are shown in Table 2.

Table 2. Counts and percentage of confirmed or probable COVID-19 cases with unknown race/ethnicity by DOH analytic region (January 17, 2020 – August 08, 2022).

Region	Case Count	Cases with Unknown Race/Ethnicity	% Cases with Unknown Race/Ethnicity
East	175,904	47,159	27%
North	84,915	35,275	42%

Region	Case Count	Cases with Unknown Race/Ethnicity	% Cases with Unknown Race/Ethnicity
North Central	82,444	18,575	23%
Northwest	65,459	24,029	37%
Puget Sound	905,484	238,316	26%
South Central	193,164	57,122	30%
Southwest	130,279	50,388	39%
West	114,054	31,060	27%
Unknown	3,410	2,338	69%


*Source: Washington Disease Reporting System (WDRS)
Includes data from 2020-01-18 to 2022-08-08*

Cumulative age-adjusted confirmed or probable COVID-19 case rates by race, ethnicity, and analytic region

The following figures describe the age-adjusted confirmed or probable COVID-19 case rates per 100,000 population by race/ethnicity and region. They were calculated using the confirmed or probable cases with known race/ethnicity (about 71% of all reported cases).

It is important to note that the numeric scale differs across regions, so use caution when comparing two or more regions, as their scales may differ. The last figure (lower right corner) presents the age-adjusted confirmed or probable COVID-19 case rates for the whole state.

These data indicate that COVID-19 is found in significant numbers across racial and ethnic groups throughout the state, and it is not confined to certain areas, such as rural, urban, or suburban regions. Population centers in Puget Sound contribute substantially to the counts. However less populated regions, like South Central Washington, show larger rate differences by race/ethnicity, although they have smaller populations of racial and ethnic minorities. Further, while extreme disparities exist, people of all races and ethnicities are impacted.




Source: Washington Disease Reporting System (WDRS)

Includes data from 2020-01-18 to 2022-08-08

Age-adjusted confirmed or probable COVID-19 case rates by race and ethnicity per two-week period (Mar 2020-July* 2022)

*July 2022 data include all confirmed or probable cases with a specimen collection date through 2022-07-30 to include the most recent, complete two-week period of data collection.



Confirmed or probable COVID-19 case rates, adjusted for age by race and ethnicity, were calculated to better understand how race- and ethnicity-specific patterns may be changing over time by two-week period. Race/ethnicity-specific counts and age-adjusted rates increased for all race/ethnicity groups through July and early August 2020. All groups declined from early August to mid/late-August and flattened through September 2020. All race/ethnicity-age-adjusted rates began to rapidly increase in mid-October through the end of November. Rates of confirmed or probable cases remain highest for Hispanic and NHOPi population, and higher Black and AIAN populations in comparison to white, Asian, and multiracial populations.

Table 3. Age-adjusted confirmed or probable COVID-19 case rates by race and ethnicity per two-week period (Mar 1, 2020 - July 30, 2022).

Race/Ethnicity	Two-Week Period	Case Count	Age-Adjusted Case Rate per 100,000	Lower 95% Confidence Interval	Upper 95% Confidence Interval
Hispanic	Mar 01, 20-Mar 14, 20	107	15.1	12.1	18.8
	Mar 15, 20-Mar 28, 20	704	103.3	94.7	112.7
	Mar 29, 20-Apr 11, 20	1,215	175.7	164.3	187.9
	Apr 12, 20-Apr 25, 20	1,372	176.8	166.0	188.3
	Apr 26, 20-May 09, 20	1,475	177.6	167.1	188.8
	May 10, 20-May 23, 20	1,711	195.6	184.9	206.8
	May 24, 20-Jun 06, 20	2,003	236.9	224.7	249.8
	Jun 07, 20-Jun 20, 20	2,498	293.5	279.9	307.7
	Jun 21, 20-Jul 04, 20	2,925	329.2	315.0	344.1
	Jul 05, 20-Jul 18, 20	3,785	403.1	388.1	418.7
	Jul 19, 20-Aug 01, 20	3,473	373.1	358.5	388.3
	Aug 02, 20-Aug 15, 20	2,829	308.6	295.2	322.6
	Aug 16, 20-Aug 29, 20	2,229	240.7	228.9	253.0
	Aug 30, 20-Sept 12, 20	1,744	186.7	176.5	197.5
Sept 13, 20-Sept 26, 20	1,548	170.2	160.3	180.8	

Race/Ethnicity	Two-Week Period	Case Count	Age-Adjusted Case Rate per 100,000	Lower 95% Confidence Interval	Upper 95% Confidence Interval
	Sept 27, 20- Oct 10, 20	1,841	194.3	183.9	205.2
	Oct 11, 20- Oct 24, 20	2,161	226.6	215.6	238.2
	Oct 25, 20- Nov 07, 20	4,137	427.8	412.5	443.7
	Nov 08, 20- Nov 21, 20	7,124	756.4	735.8	777.5
	Nov 22, 20- Dec 05, 20	7,313	767.0	746.3	788.2
	Dec 06, 20- Dec 19, 20	6,868	728.5	708.3	749.4
	Dec 20, 20- Jan 02, 21	5,293	567.4	549.5	586.0
	Jan 03, 21- Jan 16, 21	6,042	625.6	607.0	644.8
	Jan 17, 21- Jan 30, 21	3,526	380.9	366.0	396.5
	Jan 31, 21- Feb 13, 21	2,328	242.4	230.9	254.5
	Feb 14, 21- Feb 27, 21	1,685	172.7	163.1	182.9
	Feb 28, 21- Mar 13, 21	1,442	142.9	134.5	151.9
	Mar 14, 21- Mar 27, 21	1,766	168.9	159.9	178.3
	Mar 28, 21- Apr 10, 21	2,292	214.3	204.3	224.8
	Apr 11, 21- Apr 24, 21	2,873	267.4	256.3	279.0
	Apr 25, 21- May 08, 21	2,774	256.0	245.1	267.4

Race/Ethnicity	Two-Week Period	Case Count	Age-Adjusted Case Rate per 100,000	Lower 95% Confidence Interval	Upper 95% Confidence Interval
	May 09, 21- May 22, 21	2,011	182.0	173.0	191.5
	May 23, 21- June 05, 21	1,277	118.8	111.4	126.8
	June 06, 21- June 19, 21	944	92.9	86.1	100.2
	June 20, 21- July 03, 21	752	74.2	68.1	81.0
	July 04, 21- July 17, 21	1,174	120.9	112.7	129.7
	July 18, 21- July 31, 21	2,677	255.5	244.4	267.2
	Aug 01, 21- Aug 14, 21	5,260	499.0	483.4	515.2
	Aug 15, 21- Aug 28, 21	6,136	596.4	578.9	614.4
	Aug 29, 21- Sept 11, 21	6,027	576.2	559.0	594.0
	Sept 12, 21- Sept 25, 21	5,499	512.5	496.5	529.0
	Sept 26, 21- Oct 09, 21	4,463	422.5	407.8	437.8
	Oct 10, 21- Oct 23, 21	3,611	349.8	336.3	363.9
	Oct 24, 21- Nov 06, 21	2,944	277.0	265.2	289.3
	Nov 07, 21- Nov 20, 21	2,399	228.7	217.9	240.1
	Nov 21, 21- Dec 04, 21	2,168	204.1	194.0	214.7
	Dec 05, 21- Dec 18, 21	2,418	220.5	210.2	231.2

Race/Ethnicity	Two-Week Period	Case Count	Age-Adjusted Case Rate per 100,000	Lower 95% Confidence Interval	Upper 95% Confidence Interval
	Dec 19, 21-Jan 01, 22	7,425	706.0	687.4	725.0
	Jan 02, 22-Jan 15, 22	27,934	2,512.7	2,478.5	2,547.4
	Jan 16, 22-Jan 29, 22	22,104	2,008.3	1,977.0	2,040.1
	Jan 30, 22-Feb 12, 22	7,603	714.2	694.9	734.1
	Feb 13, 22-Feb 26, 22	1,970	198.6	187.9	209.8
	Feb 27, 22-Mar 12, 22	800	86.6	79.2	94.6
	Mar 13, 22-Mar 26, 22	467	49.6	44.3	55.6
	Mar 27, 22-Apr 09, 22	718	75.9	69.4	83.0
	Apr 10, 22-Apr 23, 22	1,096	116.0	107.9	124.7
	Apr 24, 22-May 07, 22	1,579	159.9	150.7	169.6
	May 08, 22-May 21, 22	2,341	246.4	234.5	259.0
	May 22, 22-June 04, 22	2,301	245.8	233.8	258.3
	June 05, 22-June 18, 22	2,363	254.3	241.9	267.2
	June 19, 22-July 02, 22	2,640	297.4	283.9	311.5
	July 03, 22-July 16, 22	2,693	328.2	313.1	344.0
	July 17, 22-July 30, 22	2,540	296.0	282.0	310.6

Race/Ethnicity	Two-Week Period	Case Count	Age-Adjusted Case Rate per 100,000	Lower 95% Confidence Interval	Upper 95% Confidence Interval
White	Mar 01, 20-Mar 14, 20	642	11.0	10.1	11.9
	Mar 15, 20-Mar 28, 20	2,393	42.4	40.7	44.1
	Mar 29, 20-Apr 11, 20	1,806	32.1	30.6	33.6
	Apr 12, 20-Apr 25, 20	1,045	18.3	17.2	19.5
	Apr 26, 20-May 09, 20	883	15.6	14.6	16.7
	May 10, 20-May 23, 20	602	10.9	10.0	11.8
	May 24, 20-Jun 06, 20	774	14.7	13.7	15.8
	Jun 07, 20-Jun 20, 20	1,346	26.0	24.6	27.4
	Jun 21, 20-Jul 04, 20	2,924	59.2	57.1	61.4
	Jul 05, 20-Jul 18, 20	3,521	69.8	67.6	72.2
	Jul 19, 20-Aug 01, 20	3,519	68.6	66.3	70.9
	Aug 02, 20-Aug 15, 20	2,818	55.3	53.3	57.4
	Aug 16, 20-Aug 29, 20	2,231	44.3	42.5	46.2
	Aug 30, 20-Sept 12, 20	2,250	44.7	42.9	46.7
	Sept 13, 20-Sept 26, 20	2,798	55.0	53.0	57.1
Sept 27, 20-Oct 10, 20	3,960	78.5	76.1	81.0	

Race/Ethnicity	Two-Week Period	Case Count	Age-Adjusted Case Rate per 100,000	Lower 95% Confidence Interval	Upper 95% Confidence Interval
	Oct 11, 20- Oct 24, 20	4,931	96.7	94.0	99.5
	Oct 25, 20- Nov 07, 20	8,109	159.8	156.4	163.4
	Nov 08, 20- Nov 21, 20	14,940	294.7	290.0	299.6
	Nov 22, 20- Dec 05, 20	15,218	298.1	293.3	302.9
	Dec 06, 20- Dec 19, 20	14,636	285.6	281.0	290.3
	Dec 20, 20- Jan 02, 21	13,355	261.0	256.5	265.5
	Jan 03, 21- Jan 16, 21	14,639	289.7	285.0	294.5
	Jan 17, 21- Jan 30, 21	9,233	182.8	179.0	186.6
	Jan 31, 21- Feb 13, 21	6,792	134.9	131.7	138.2
	Feb 14, 21- Feb 27, 21	5,226	104.6	101.7	107.5
	Feb 28, 21- Mar 13, 21	4,847	97.9	95.2	100.8
	Mar 14, 21- Mar 27, 21	6,373	129.9	126.7	133.2
	Mar 28, 21- Apr 10, 21	8,075	165.7	162.1	169.4
	Apr 11, 21- Apr 24, 21	10,031	205.8	201.7	209.9
	Apr 25, 21- May 08, 21	9,075	187.0	183.2	190.9
	May 09, 21- May 22, 21	6,533	133.7	130.5	137.1

Race/Ethnicity	Two-Week Period	Case Count	Age-Adjusted Case Rate per 100,000	Lower 95% Confidence Interval	Upper 95% Confidence Interval
	May 23, 21- June 05, 21	4,473	91.4	88.8	94.2
	June 06, 21- June 19, 21	3,112	62.6	60.4	64.9
	June 20, 21- July 03, 21	2,730	54.7	52.6	56.8
	July 04, 21- July 17, 21	4,473	90.8	88.1	93.5
	July 18, 21- July 31, 21	10,076	203.3	199.4	207.4
	Aug 01, 21- Aug 14, 21	19,400	392.5	387.0	398.2
	Aug 15, 21- Aug 28, 21	23,781	477.6	471.5	483.7
	Aug 29, 21- Sept 11, 21	23,984	483.9	477.7	490.1
	Sept 12, 21- Sept 25, 21	21,748	443.7	437.8	449.7
	Sept 26, 21- Oct 09, 21	17,971	366.4	361.0	371.9
	Oct 10, 21- Oct 23, 21	16,764	338.0	332.9	343.2
	Oct 24, 21- Nov 06, 21	14,870	299.7	294.9	304.6
	Nov 07, 21- Nov 20, 21	12,241	249.3	244.9	253.9
	Nov 21, 21- Dec 04, 21	10,990	224.1	219.9	228.3
	Dec 05, 21- Dec 18, 21	11,955	247.5	243.0	252.0
	Dec 19, 21- Jan 01, 22	37,759	776.5	768.6	784.4

Race/Ethnicity	Two-Week Period	Case Count	Age-Adjusted Case Rate per 100,000	Lower 95% Confidence Interval	Upper 95% Confidence Interval
	Jan 02, 22-Jan 15, 22	101,945	2,116.0	2,102.9	2,129.2
	Jan 16, 22-Jan 29, 22	75,852	1,569.8	1,558.6	1,581.2
	Jan 30, 22-Feb 12, 22	31,279	637.6	630.5	644.8
	Feb 13, 22-Feb 26, 22	9,955	198.4	194.5	202.4
	Feb 27, 22-Mar 12, 22	4,386	86.2	83.7	88.9
	Mar 13, 22-Mar 26, 22	3,498	69.2	67.0	71.6
	Mar 27, 22-Apr 09, 22	5,466	108.9	106.0	111.8
	Apr 10, 22-Apr 23, 22	9,070	178.8	175.2	182.6
	Apr 24, 22-May 07, 22	13,519	267.4	262.9	272.0
	May 08, 22-May 21, 22	17,380	341.8	336.7	347.0
	May 22, 22-June 04, 22	16,025	313.6	308.7	318.6
	June 05, 22-June 18, 22	15,229	296.8	292.0	301.6
	June 19, 22-July 02, 22	16,524	317.2	312.4	322.2
	July 03, 22-July 16, 22	14,587	276.9	272.4	281.5
	July 17, 22-July 30, 22	11,594	220.4	216.4	224.5
Asian	Mar 01, 20-Mar 14, 20	122	18.9	15.7	22.8

Race/Ethnicity	Two-Week Period	Case Count	Age-Adjusted Case Rate per 100,000	Lower 95% Confidence Interval	Upper 95% Confidence Interval
	Mar 15, 20-Mar 28, 20	306	43.9	39.1	49.3
	Mar 29, 20-Apr 11, 20	376	54.5	49.1	60.4
	Apr 12, 20-Apr 25, 20	269	39.5	34.9	44.7
	Apr 26, 20-May 09, 20	154	21.9	18.6	25.8
	May 10, 20-May 23, 20	122	17.4	14.4	20.9
	May 24, 20-Jun 06, 20	85	11.7	9.4	14.5
	Jun 07, 20-Jun 20, 20	116	16.1	13.4	19.5
	Jun 21, 20-Jul 04, 20	294	39.8	35.4	44.7
	Jul 05, 20-Jul 18, 20	328	44.4	39.7	49.6
	Jul 19, 20-Aug 01, 20	326	45.2	40.4	50.5
	Aug 02, 20-Aug 15, 20	279	37.8	33.6	42.7
	Aug 16, 20-Aug 29, 20	265	35.9	31.7	40.6
	Aug 30, 20-Sept 12, 20	215	29.8	26.0	34.2
	Sept 13, 20-Sept 26, 20	254	35.1	30.9	39.9
	Sept 27, 20-Oct 10, 20	354	46.8	42.1	52.0
	Oct 11, 20-Oct 24, 20	381	50.1	45.2	55.5

Race/Ethnicity	Two-Week Period	Case Count	Age-Adjusted Case Rate per 100,000	Lower 95% Confidence Interval	Upper 95% Confidence Interval
	Oct 25, 20-Nov 07, 20	816	109.9	102.5	117.9
	Nov 08, 20-Nov 21, 20	1,722	231.2	220.3	242.7
	Nov 22, 20-Dec 05, 20	1,991	272.5	260.5	285.0
	Dec 06, 20-Dec 19, 20	1,875	262.1	250.1	274.5
	Dec 20, 20-Jan 02, 21	1,703	233.3	222.3	245.0
	Jan 03, 21-Jan 16, 21	1,817	251.4	239.8	263.6
	Jan 17, 21-Jan 30, 21	1,166	163.0	153.6	172.8
	Jan 31, 21-Feb 13, 21	761	105.5	98.1	113.4
	Feb 14, 21-Feb 27, 21	604	82.8	76.3	89.8
	Feb 28, 21-Mar 13, 21	538	71.5	65.6	78.0
	Mar 14, 21-Mar 27, 21	801	107.1	99.8	115.0
	Mar 28, 21-Apr 10, 21	947	122.8	115.1	131.1
	Apr 11, 21-Apr 24, 21	1,102	143.6	135.2	152.5
	Apr 25, 21-May 08, 21	797	103.1	96.0	110.6
	May 09, 21-May 22, 21	365	47.7	43.0	53.0
	May 23, 21-June 05, 21	233	31.5	27.6	35.9

Race/Ethnicity	Two-Week Period	Case Count	Age-Adjusted Case Rate per 100,000	Lower 95% Confidence Interval	Upper 95% Confidence Interval
	June 06, 21- June 19, 21	169	23.1	19.8	27.0
	June 20, 21- July 03, 21	148	19.4	16.4	22.8
	July 04, 21- July 17, 21	278	36.2	32.1	40.8
	July 18, 21- July 31, 21	772	102.0	95.0	109.6
	Aug 01, 21- Aug 14, 21	1,296	170.3	161.1	180.1
	Aug 15, 21- Aug 28, 21	1,448	193.6	183.7	204.1
	Aug 29, 21- Sept 11, 21	1,411	188.0	178.2	198.3
	Sept 12, 21- Sept 25, 21	1,206	162.0	152.9	171.6
	Sept 26, 21- Oct 09, 21	1,131	153.6	144.8	163.0
	Oct 10, 21- Oct 23, 21	1,134	155.1	146.1	164.6
	Oct 24, 21- Nov 06, 21	1,015	137.7	129.3	146.6
	Nov 07, 21- Nov 20, 21	827	112.8	105.2	120.9
	Nov 21, 21- Dec 04, 21	725	97.5	90.5	105.0
	Dec 05, 21- Dec 18, 21	1,303	172.7	163.4	182.5
	Dec 19, 21- Jan 01, 22	7,240	938.2	916.5	960.4
	Jan 02, 22- Jan 15, 22	21,452	2,844.6	2,806.1	2,883.6

Race/Ethnicity	Two-Week Period	Case Count	Age-Adjusted Case Rate per 100,000	Lower 95% Confidence Interval	Upper 95% Confidence Interval
	Jan 16, 22- Jan 29, 22	11,125	1,499.4	1,471.3	1,528.0
	Jan 30, 22- Feb 12, 22	4,170	564.1	546.9	581.8
	Feb 13, 22- Feb 26, 22	1,499	201.3	191.2	212.0
	Feb 27, 22- Mar 12, 22	662	89.3	82.6	96.6
	Mar 13, 22- Mar 26, 22	752	100.9	93.8	108.6
	Mar 27, 22- Apr 09, 22	1,450	186.8	177.2	196.8
	Apr 10, 22- Apr 23, 22	2,547	338.8	325.6	352.5
	Apr 24, 22- May 07, 22	3,830	512.8	496.5	529.6
	May 08, 22- May 21, 22	4,612	617.4	599.5	635.9
	May 22, 22- June 04, 22	4,428	589.2	571.7	607.2
	June 05, 22- June 18, 22	3,852	515.9	499.5	532.8
	June 19, 22- July 02, 22	3,857	514.4	498.0	531.2
	July 03, 22- July 16, 22	3,504	470.6	454.9	486.8
	July 17, 22- July 30, 22	2,492	339.1	325.7	353.0
Black	Mar 01, 20- Mar 14, 20	36	13.6	9.6	19.3
	Mar 15, 20- Mar 28, 20	213	76.8	66.6	88.5

Race/Ethnicity	Two-Week Period	Case Count	Age-Adjusted Case Rate per 100,000	Lower 95% Confidence Interval	Upper 95% Confidence Interval
	Mar 29, 20-Apr 11, 20	318	115.9	103.2	130.3
	Apr 12, 20-Apr 25, 20	312	106.6	94.9	119.6
	Apr 26, 20-May 09, 20	213	71.6	62.2	82.3
	May 10, 20-May 23, 20	160	51.6	43.9	60.6
	May 24, 20-Jun 06, 20	133	45.2	37.7	54.1
	Jun 07, 20-Jun 20, 20	195	62.2	53.8	72.1
	Jun 21, 20-Jul 04, 20	387	121.4	109.4	134.7
	Jul 05, 20-Jul 18, 20	514	160.0	146.4	174.8
	Jul 19, 20-Aug 01, 20	566	183.1	168.1	199.5
	Aug 02, 20-Aug 15, 20	522	172.3	157.5	188.4
	Aug 16, 20-Aug 29, 20	324	104.6	93.4	117.1
	Aug 30, 20-Sept 12, 20	246	80.1	70.3	91.3
	Sept 13, 20-Sept 26, 20	277	89.8	79.3	101.6
	Sept 27, 20-Oct 10, 20	366	114.0	102.6	126.7
	Oct 11, 20-Oct 24, 20	427	135.9	123.1	150.0
	Oct 25, 20-Nov 07, 20	943	290.6	272.3	310.2

Race/Ethnicity	Two-Week Period	Case Count	Age-Adjusted Case Rate per 100,000	Lower 95% Confidence Interval	Upper 95% Confidence Interval
	Nov 08, 20- Nov 21, 20	1,518	481.4	457.0	507.1
	Nov 22, 20- Dec 05, 20	1,639	534.9	508.5	562.6
	Dec 06, 20- Dec 19, 20	1,559	519.0	492.7	546.8
	Dec 20, 20- Jan 02, 21	1,283	422.6	399.1	447.5
	Jan 03, 21- Jan 16, 21	1,285	412.6	389.8	436.7
	Jan 17, 21- Jan 30, 21	827	269.8	251.3	289.6
	Jan 31, 21- Feb 13, 21	488	159.6	145.4	175.1
	Feb 14, 21- Feb 27, 21	438	142.8	129.5	157.5
	Feb 28, 21- Mar 13, 21	435	137.1	124.5	151.0
	Mar 14, 21- Mar 27, 21	598	187.3	172.5	203.4
	Mar 28, 21- Apr 10, 21	849	256.8	239.8	275.0
	Apr 11, 21- Apr 24, 21	1,141	347.6	327.5	368.8
	Apr 25, 21- May 08, 21	1,079	332.5	312.7	353.6
	May 09, 21- May 22, 21	673	207.0	191.6	223.6
	May 23, 21- June 05, 21	509	156.4	143.0	170.9
	June 06, 21- June 19, 21	404	126.4	114.2	139.8

Race/Ethnicity	Two-Week Period	Case Count	Age-Adjusted Case Rate per 100,000	Lower 95% Confidence Interval	Upper 95% Confidence Interval
	June 20, 21- July 03, 21	304	93.8	83.6	105.3
	July 04, 21- July 17, 21	452	134.4	122.4	147.5
	July 18, 21- July 31, 21	928	281.0	263.1	300.2
	Aug 01, 21- Aug 14, 21	1,485	457.0	433.8	481.4
	Aug 15, 21- Aug 28, 21	1,637	513.4	488.4	539.6
	Aug 29, 21- Sept 11, 21	1,466	466.0	442.0	491.4
	Sept 12, 21- Sept 25, 21	1,260	393.4	371.7	416.3
	Sept 26, 21- Oct 09, 21	995	308.3	289.1	328.7
	Oct 10, 21- Oct 23, 21	899	284.2	265.6	304.0
	Oct 24, 21- Nov 06, 21	683	215.0	199.0	232.3
	Nov 07, 21- Nov 20, 21	498	158.1	144.3	173.1
	Nov 21, 21- Dec 04, 21	526	160.9	147.4	175.5
	Dec 05, 21- Dec 18, 21	1,100	335.2	315.6	356.1
	Dec 19, 21- Jan 01, 22	5,013	1,537.4	1,494.4	1,581.6
	Jan 02, 22- Jan 15, 22	11,230	3,494.1	3,428.3	3,561.2
	Jan 16, 22- Jan 29, 22	5,953	1,872.6	1,824.2	1,922.2

Race/Ethnicity	Two-Week Period	Case Count	Age-Adjusted Case Rate per 100,000	Lower 95% Confidence Interval	Upper 95% Confidence Interval
	Jan 30, 22-Feb 12, 22	2,040	656.4	627.4	686.7
	Feb 13, 22-Feb 26, 22	624	206.8	190.3	224.6
	Feb 27, 22-Mar 12, 22	279	92.6	81.9	104.7
	Mar 13, 22-Mar 26, 22	254	83.0	73.0	94.5
	Mar 27, 22-Apr 09, 22	381	122.7	110.5	136.3
	Apr 10, 22-Apr 23, 22	650	207.2	191.3	224.4
	Apr 24, 22-May 07, 22	983	325.7	305.0	347.7
	May 08, 22-May 21, 22	1,482	480.6	455.7	506.8
	May 22, 22-June 04, 22	1,389	450.3	426.3	475.6
	June 05, 22-June 18, 22	1,320	432.9	409.3	457.9
	June 19, 22-July 02, 22	1,387	457.2	432.8	483.0
	July 03, 22-July 16, 22	1,394	475.9	450.3	503.1
	July 17, 22-July 30, 22	1,076	369.6	347.0	393.7
NHPI	Mar 01, 20-Mar 14, 20	11	24.9	12.8	48.6
	Mar 15, 20-Mar 28, 20	35	89.0	59.3	133.7
	Mar 29, 20-Apr 11, 20	68	158.8	119.7	210.8

Race/Ethnicity	Two-Week Period	Case Count	Age-Adjusted Case Rate per 100,000	Lower 95% Confidence Interval	Upper 95% Confidence Interval
	Apr 12, 20-Apr 25, 20	102	192.4	155.9	237.3
	Apr 26, 20-May 09, 20	89	171.6	136.8	215.3
	May 10, 20-May 23, 20	119	216.2	177.6	263.1
	May 24, 20-Jun 06, 20	147	261.2	217.2	314.1
	Jun 07, 20-Jun 20, 20	208	366.6	316.4	424.7
	Jun 21, 20-Jul 04, 20	200	363.3	311.1	424.2
	Jul 05, 20-Jul 18, 20	155	270.5	228.2	320.6
	Jul 19, 20-Aug 01, 20	117	216.5	176.1	266.2
	Aug 02, 20-Aug 15, 20	114	222.2	179.9	274.5
	Aug 16, 20-Aug 29, 20	127	238.1	195.5	290.0
	Aug 30, 20-Sept 12, 20	116	217.0	175.9	267.6
	Sept 13, 20-Sept 26, 20	98	182.8	145.9	229.1
	Sept 27, 20-Oct 10, 20	115	225.9	181.8	280.7
	Oct 11, 20-Oct 24, 20	124	242.5	196.2	299.7
	Oct 25, 20-Nov 07, 20	254	462.7	403.6	530.5
	Nov 08, 20-Nov 21, 20	476	855.7	774.5	945.4

Race/Ethnicity	Two-Week Period	Case Count	Age-Adjusted Case Rate per 100,000	Lower 95% Confidence Interval	Upper 95% Confidence Interval
	Nov 22, 20- Dec 05, 20	441	823.9	738.2	919.6
	Dec 06, 20- Dec 19, 20	445	815.0	732.3	907.0
	Dec 20, 20- Jan 02, 21	461	872.5	785.6	969.1
	Jan 03, 21- Jan 16, 21	495	862.0	781.4	950.9
	Jan 17, 21- Jan 30, 21	426	785.1	703.8	875.7
	Jan 31, 21- Feb 13, 21	327	608.6	538.4	687.9
	Feb 14, 21- Feb 27, 21	227	388.8	337.8	447.4
	Feb 28, 21- Mar 13, 21	149	266.8	223.5	318.4
	Mar 14, 21- Mar 27, 21	215	367.0	317.9	423.7
	Mar 28, 21- Apr 10, 21	220	389.4	336.4	450.9
	Apr 11, 21- Apr 24, 21	347	586.9	523.1	658.4
	Apr 25, 21- May 08, 21	326	523.2	465.0	588.6
	May 09, 21- May 22, 21	241	419.8	363.5	484.8
	May 23, 21- June 05, 21	154	258.2	216.4	308.0
	June 06, 21- June 19, 21	126	202.0	167.8	243.2
	June 20, 21- July 03, 21	94	163.8	131.1	204.7

Race/Ethnicity	Two-Week Period	Case Count	Age-Adjusted Case Rate per 100,000	Lower 95% Confidence Interval	Upper 95% Confidence Interval
	July 04, 21- July 17, 21	178	297.7	252.9	350.3
	July 18, 21- July 31, 21	232	381.8	331.0	440.4
	Aug 01, 21- Aug 14, 21	497	841.0	761.2	929.2
	Aug 15, 21- Aug 28, 21	567	999.1	910.2	1,096.8
	Aug 29, 21- Sept 11, 21	590	1,001.4	915.3	1,095.6
	Sept 12, 21- Sept 25, 21	457	812.9	732.9	901.6
	Sept 26, 21- Oct 09, 21	363	641.2	571.3	719.7
	Oct 10, 21- Oct 23, 21	362	610.1	543.7	684.5
	Oct 24, 21- Nov 06, 21	323	564.6	498.4	639.6
	Nov 07, 21- Nov 20, 21	246	413.8	361.9	473.1
	Nov 21, 21- Dec 04, 21	233	405.9	350.4	470.2
	Dec 05, 21- Dec 18, 21	354	593.7	528.7	666.6
	Dec 19, 21- Jan 01, 22	1,431	2,474.5	2,334.6	2,622.6
	Jan 02, 22- Jan 15, 22	3,381	5,822.4	5,606.8	6,046.4
	Jan 16, 22- Jan 29, 22	1,691	2,982.2	2,824.6	3,148.6
	Jan 30, 22- Feb 12, 22	562	998.7	907.4	1,099.1

Race/Ethnicity	Two-Week Period	Case Count	Age-Adjusted Case Rate per 100,000	Lower 95% Confidence Interval	Upper 95% Confidence Interval
Multiracial	Feb 13, 22- Feb 26, 22	223	418.2	358.7	487.4
	Feb 27, 22- Mar 12, 22	77	139.8	109.5	178.5
	Mar 13, 22- Mar 26, 22	41	71.6	51.3	99.9
	Mar 27, 22- Apr 09, 22	79	139.4	107.8	180.2
	Apr 10, 22- Apr 23, 22	155	289.7	242.1	346.6
	Apr 24, 22- May 07, 22	206	414.3	352.8	486.7
	May 08, 22- May 21, 22	318	658.0	573.8	754.5
	May 22, 22- June 04, 22	249	484.6	417.0	563.2
	June 05, 22- June 18, 22	280	558.7	487.0	640.8
	June 19, 22- July 02, 22	330	629.6	556.2	712.6
	July 03, 22- July 16, 22	285	584.5	510.8	668.9
	July 17, 22- July 30, 22	238	493.8	428.2	569.5
	Mar 01, 20- Mar 14, 20	12	8.9	4.7	16.6
	Mar 15, 20- Mar 28, 20	66	32.7	24.9	43.0
	Mar 29, 20- Apr 11, 20	77	35.1	27.1	45.6
Apr 12, 20- Apr 25, 20	53	27.4	20.1	37.4	

Race/Ethnicity	Two-Week Period	Case Count	Age-Adjusted Case Rate per 100,000	Lower 95% Confidence Interval	Upper 95% Confidence Interval
	Apr 26, 20-May 09, 20	58	22.9	17.2	30.5
	May 10, 20-May 23, 20	48	20.4	14.9	28.0
	May 24, 20-Jun 06, 20	71	32.8	25.3	42.6
	Jun 07, 20-Jun 20, 20	109	36.6	29.3	45.7
	Jun 21, 20-Jul 04, 20	209	67.4	57.4	79.1
	Jul 05, 20-Jul 18, 20	229	88.1	75.8	102.4
	Jul 19, 20-Aug 01, 20	243	94.3	81.2	109.6
	Aug 02, 20-Aug 15, 20	162	56.5	46.9	68.1
	Aug 16, 20-Aug 29, 20	108	37.2	29.9	46.4
	Aug 30, 20-Sept 12, 20	105	37.0	29.2	46.8
	Sept 13, 20-Sept 26, 20	93	35.9	28.3	45.6
	Sept 27, 20-Oct 10, 20	137	51.8	42.2	63.5
	Oct 11, 20-Oct 24, 20	182	65.7	55.2	78.1
	Oct 25, 20-Nov 07, 20	415	145.9	130.1	163.5
	Nov 08, 20-Nov 21, 20	533	186.9	169.2	206.5
	Nov 22, 20-Dec 05, 20	544	196.1	177.9	216.1

Race/Ethnicity	Two-Week Period	Case Count	Age-Adjusted Case Rate per 100,000	Lower 95% Confidence Interval	Upper 95% Confidence Interval
	Dec 06, 20- Dec 19, 20	549	196.0	177.9	215.9
	Dec 20, 20- Jan 02, 21	427	153.5	137.6	171.4
	Jan 03, 21- Jan 16, 21	542	189.0	171.1	208.7
	Jan 17, 21- Jan 30, 21	329	115.2	101.1	131.4
	Jan 31, 21- Feb 13, 21	244	82.7	71.1	96.3
	Feb 14, 21- Feb 27, 21	163	56.6	47.0	68.1
	Feb 28, 21- Mar 13, 21	158	56.0	46.5	67.4
	Mar 14, 21- Mar 27, 21	266	92.9	80.5	107.2
	Mar 28, 21- Apr 10, 21	367	111.6	99.2	125.5
	Apr 11, 21- Apr 24, 21	484	152.2	137.2	168.9
	Apr 25, 21- May 08, 21	400	112.8	100.6	126.5
	May 09, 21- May 22, 21	269	74.3	64.6	85.5
	May 23, 21- June 05, 21	172	48.8	40.8	58.2
	June 06, 21- June 19, 21	104	31.4	25.1	39.3
	June 20, 21- July 03, 21	103	31.7	24.8	40.5
	July 04, 21- July 17, 21	170	52.2	43.7	62.4

Race/Ethnicity	Two-Week Period	Case Count	Age-Adjusted Case Rate per 100,000	Lower 95% Confidence Interval	Upper 95% Confidence Interval
	July 18, 21- July 31, 21	354	114.3	101.3	129.0
	Aug 01, 21- Aug 14, 21	612	190.3	173.1	209.2
	Aug 15, 21- Aug 28, 21	613	189.7	172.3	208.8
	Aug 29, 21- Sept 11, 21	646	207.4	188.7	228.0
	Sept 12, 21- Sept 25, 21	646	197.3	179.5	216.9
	Sept 26, 21- Oct 09, 21	572	174.6	157.7	193.3
	Oct 10, 21- Oct 23, 21	566	163.8	148.3	180.8
	Oct 24, 21- Nov 06, 21	446	135.8	121.0	152.4
	Nov 07, 21- Nov 20, 21	443	135.4	121.0	151.6
	Nov 21, 21- Dec 04, 21	378	120.1	106.2	135.8
	Dec 05, 21- Dec 18, 21	559	157.2	142.2	173.7
	Dec 19, 21- Jan 01, 22	621	194.2	177.0	213.0
	Jan 02, 22- Jan 15, 22	1,349	388.6	363.8	415.0
	Jan 16, 22- Jan 29, 22	859	251.7	231.6	273.5
	Jan 30, 22- Feb 12, 22	457	160.7	143.0	180.7
	Feb 13, 22- Feb 26, 22	127	48.9	39.3	60.8

Race/Ethnicity	Two-Week Period	Case Count	Age-Adjusted Case Rate per 100,000	Lower 95% Confidence Interval	Upper 95% Confidence Interval
AIAN	Feb 27, 22-Mar 12, 22	66	29.3	21.5	40.0
	Mar 13, 22-Mar 26, 22	60	25.7	18.7	35.4
	Mar 27, 22-Apr 09, 22	152	53.2	43.5	64.9
	Apr 10, 22-Apr 23, 22	130	52.6	42.6	65.0
	Apr 24, 22-May 07, 22	151	66.7	55.1	80.7
	May 08, 22-May 21, 22	168	75.7	63.1	90.8
	May 22, 22-June 04, 22	137	66.4	54.3	81.1
	June 05, 22-June 18, 22	121	60.8	49.4	74.9
	June 19, 22-July 02, 22	119	52.9	42.5	65.8
	July 03, 22-July 16, 22	124	59.6	48.4	73.6
	July 17, 22-July 30, 22	78	38.7	29.9	50.1
	Mar 01, 20-Mar 14, 20	7	9.0	4.1	20.0
	Mar 15, 20-Mar 28, 20	34	38.0	26.9	53.6
	Mar 29, 20-Apr 11, 20	55	62.0	47.4	81.2
	Apr 12, 20-Apr 25, 20	44	46.0	34.2	61.9
Apr 26, 20-May 09, 20	78	80.4	64.4	100.5	

Race/Ethnicity	Two-Week Period	Case Count	Age-Adjusted Case Rate per 100,000	Lower 95% Confidence Interval	Upper 95% Confidence Interval
	May 10, 20- May 23, 20	62	65.6	50.9	84.6
	May 24, 20- Jun 06, 20	99	106.4	87.0	130.2
	Jun 07, 20- Jun 20, 20	113	117.1	97.3	141.0
	Jun 21, 20- Jul 04, 20	113	120.8	100.0	145.8
	Jul 05, 20- Jul 18, 20	107	114.9	94.5	139.7
	Jul 19, 20- Aug 01, 20	162	170.5	145.6	199.5
	Aug 02, 20- Aug 15, 20	126	138.8	115.7	166.5
	Aug 16, 20- Aug 29, 20	80	83.4	66.7	104.2
	Aug 30, 20- Sept 12, 20	60	65.0	50.1	84.5
	Sept 13, 20- Sept 26, 20	66	67.4	52.9	85.9
	Sept 27, 20- Oct 10, 20	72	74.6	59.1	94.1
	Oct 11, 20- Oct 24, 20	63	67.1	52.0	86.6
	Oct 25, 20- Nov 07, 20	134	141.3	118.9	167.9
	Nov 08, 20- Nov 21, 20	312	334.5	298.6	374.8
	Nov 22, 20- Dec 05, 20	463	486.3	443.3	533.5
	Dec 06, 20- Dec 19, 20	467	494.8	451.2	542.7

Race/Ethnicity	Two-Week Period	Case Count	Age-Adjusted Case Rate per 100,000	Lower 95% Confidence Interval	Upper 95% Confidence Interval
	Dec 20, 20-Jan 02, 21	373	396.3	357.4	439.5
	Jan 03, 21-Jan 16, 21	402	414.9	376.0	457.9
	Jan 17, 21-Jan 30, 21	293	305.2	271.6	342.9
	Jan 31, 21-Feb 13, 21	249	257.8	227.4	292.4
	Feb 14, 21-Feb 27, 21	168	171.9	147.5	200.3
	Feb 28, 21-Mar 13, 21	169	170.1	146.2	197.9
	Mar 14, 21-Mar 27, 21	172	173.3	149.2	201.4
	Mar 28, 21-Apr 10, 21	201	207.2	180.0	238.6
	Apr 11, 21-Apr 24, 21	262	266.3	235.6	301.0
	Apr 25, 21-May 08, 21	213	218.7	190.9	250.6
	May 09, 21-May 22, 21	192	194.9	169.0	224.9
	May 23, 21-June 05, 21	108	108.0	89.4	130.5
	June 06, 21-June 19, 21	84	87.1	70.1	108.3
	June 20, 21-July 03, 21	55	58.8	44.7	77.3
	July 04, 21-July 17, 21	75	76.6	60.8	96.4
	July 18, 21-July 31, 21	249	257.2	226.8	291.7

Race/Ethnicity	Two-Week Period	Case Count	Age-Adjusted Case Rate per 100,000	Lower 95% Confidence Interval	Upper 95% Confidence Interval
	Aug 01, 21-Aug 14, 21	453	468.2	426.5	514.0
	Aug 15, 21-Aug 28, 21	619	643.1	593.7	696.6
	Aug 29, 21-Sept 11, 21	630	656.3	606.1	710.5
	Sept 12, 21-Sept 25, 21	555	575.7	528.8	626.7
	Sept 26, 21-Oct 09, 21	500	516.1	472.1	564.3
	Oct 10, 21-Oct 23, 21	439	454.6	413.5	499.9
	Oct 24, 21-Nov 06, 21	347	357.6	321.4	397.9
	Nov 07, 21-Nov 20, 21	246	251.8	221.6	286.0
	Nov 21, 21-Dec 04, 21	235	242.9	213.4	276.5
	Dec 05, 21-Dec 18, 21	236	244.6	214.8	278.5
	Dec 19, 21-Jan 01, 22	722	744.9	691.8	802.2
	Jan 02, 22-Jan 15, 22	2,319	2,390.6	2,293.7	2,491.5
	Jan 16, 22-Jan 29, 22	1,718	1,758.9	1,676.8	1,845.1
	Jan 30, 22-Feb 12, 22	803	843.4	785.7	905.3
	Feb 13, 22-Feb 26, 22	257	274.9	242.3	311.9
	Feb 27, 22-Mar 12, 22	107	114.4	94.0	139.3

Race/Ethnicity	Two-Week Period	Case Count	Age-Adjusted Case Rate per 100,000	Lower 95% Confidence Interval	Upper 95% Confidence Interval
	Mar 13, 22- Mar 26, 22	83	88.9	71.3	110.9
	Mar 27, 22- Apr 09, 22	94	93.2	76.1	114.1
	Apr 10, 22- Apr 23, 22	170	177.1	152.0	206.4
	Apr 24, 22- May 07, 22	215	226.2	197.3	259.3
	May 08, 22- May 21, 22	309	327.6	292.3	367.2
	May 22, 22- June 04, 22	305	325.5	290.1	365.2
	June 05, 22- June 18, 22	288	314.7	279.2	354.6
	June 19, 22- July 02, 22	348	382.7	343.3	426.7
	July 03, 22- July 16, 22	379	410.1	369.7	454.9
	July 17, 22- July 30, 22	280	309.0	273.9	348.5

Source: Washington Disease Reporting System (WDRS)

Cumulative crude confirmed or probable case counts and percentages by language spoken

Analysis of language spoken provides another important method to understand health disparities and communities impacted by COVID-19. Use of one method alone may mask health disparities and community-specific impacts. Almost half of reported confirmed or probable cases are missing information on primary language. Despite missing data, there are some important observations.

The following table presents counts and percentages of confirmed or probable cases, by primary language spoken. The percentage of the Washington state population 5 years and over with limited English proficiency that speak each language are also included to provide context. The information on the percentage of the Washington state population with limited English

proficiency come from the Office of Financial Management 2016 estimates. Findings should be interpreted with caution due to the high proportion of missing data (78%).

Table 4. Confirmed or probable COVID-19 case count and percentage of cases by primary language spoken (January 17, 2020 – August 08, 2022).

Language	Case Count	% of Cases	% of WA Population with Limited English Proficiency*
All Cases	1,755,113	100.0%	
Unknown Language	1,366,833	77.9%	
Known Language	388,280	22.1%	
English	338,473	87.2*%	
Spanish	42,198	10.9*%	6.4
Marshallese	356	0.1*%	0.1
Vietnamese	1,332	0.3*%	0.5
Russian	1,772	0.5*%	0.3
Chinese (all)	506	0.1*%	0.3
Ukrainian	314	0.1*%	0.2
Somali	365	0.1*%	0.1
Tagalog	183	0.0*%	0.1
Amharic	208	0.1*%	0.1
Other	2,573	0.7*%	

*For more information on the selected WA populations by primary language reported here, please see the WA OFM methodology, https://ofm.wa.gov/sites/default/files/public/legacy/pop/subject/ofm_pop_limited_english_proficiency_methodology.pdf


Cumulative hospitalization percentages among confirmed or probable COVID-19 cases by language spoken

The following table and graph present the percentages of confirmed or probable cases who were hospitalized, by primary language spoken. The high rates of hospitalizations among confirmed or probable cases whose primary language was other than English or Spanish

suggests that increased exposures and/or barriers to care may contribute to more severe disease in these populations. Languages with less than 10 individuals hospitalized were removed from this analysis to protect patient confidentiality. Findings should be interpreted with caution due to the high proportion of missing data (78%).

Table 5: Percentages of confirmed or probable COVID-19 cases hospitalized by primary language spoken (January 17, 2020 – August 08, 2022).

Language	Case Count	Hospitalization Count	% language specific cases hospitalized
All Cases	1,755,113	69,547	4%
English	338,473	15,861	4.7%
Spanish	42,198	1,884	4.5%
Marshallese	356	57	16%
Vietnamese	1,332	140	10.5%
Russian	1,772	296	16.7%
Chinese (all)	506	62	12.3%
Ukrainian	314	75	23.9%
Somali	365	27	7.4%
Tagalog	183	40	21.9%
Amharic	208	18	8.7%
Other	2,573	300	11.7%



Washington State Department of
Health