



Contaminants




# PFAS Point-Of-Use Filter Options




331-713 • 2/8/2023



## NSF Certified, PFAS-Reducing Water Filter Brands (Point-of-Use type)




NSF is an independent organization that verifies manufacturer claims about water filters. To be certified for PFAS removal, a filter must reduce a water concentration of 1,500 parts per trillion (ppt) PFOS +PFOA to less than 70 ppt PFOA and PFOS over the life span of the filter.

Filters listed below are not endorsed by DOH. We compiled this information in January 2023. Check the manufacturer website and [NSF website](#) for the most current information. Do-it-yourself installation instructions are included with all units, but some people may want a plumber's help. For additional home water treatment information, see [Home Water Treatment for PFAS 331-699 \(PDF\)](#) on how to reduce PFAS levels in your household tap water.

Company	PFAS Filter Model	Filter Type	Filter Cost	Filter lifespan (Replacement Schedule)	Water Flow Rate	Replacement Filter Cost	Additional Considerations
A.O. Smith <a href="#">Clean Water Filter for Refrigerators &amp; Freezers   A. O. Smith (aosmithatlowes.com)</a>	AO-FF	<p>Fridge/Freezer</p> <p><b>Do-it-Yourself Installation</b></p> <p>Choose a location to mount the system. The ideal location depends on the origin of your refrigerator water supply. If water from the sink, the system can be installed near that water line.</p> <p>Other most important: It is not acceptable to freeze temperatures. Do not install in damp/wet. Permeate capact may vary with ambient conditions.</p>  <p>See owners manual for complete installation instructions.</p>	\$55	200 gallons or 6 months	½ gallon per minute	\$30	1 year warranty
A.O. Smith <a href="#">The Clean Water Filter For Main Faucets   A. O. Smith (aosmithatlowes.com)</a>	AO-MF-ADV	<p>Under sink</p> <p><b>Do-it-Yourself Installation</b></p> <p>The System Head must be installed less than three feet away from the cold water intake valve. Make sure you have at least 20 inches of space available for installation. Leaving an additional 2 inches of clearance from the base of the cartridge for easy replacements.</p> <p><i>Note: We recommend using an approved or certified professional if drilling is required.</i></p>  <p>System can be installed vertically or horizontally.</p>	\$110	784 gallons or 6 months	1 ½ gallons per minute	\$77	1 year warranty
A.O. Smith <a href="#">2-Stage Brushed Nickel Water Filtration System   A. O. Smith (aosmithatlowes.com)</a>	AO-US-200	<p>2 Stage Filter under sink</p> <p><b>Do-it-Yourself Installation</b></p> <p>Select a space under your sink for the filter that is at least 12" from the bottom of your cabinet and allows for easy access to a cold water supply line.</p> <p>Faucet may be mounted on sink using an existing hole for a sprayer nozzle or soap dispenser, or by drilling a hole no more than 1/2" in diameter. Be sure location of faucet allows space to extend slightly past the edge of the sink.</p> <p><i>Note: We recommend using an approved or certified professional if drilling is required.</i></p> 	\$139	500 gallons or 6 months	½ gallon per minute	\$66 (two pack)	1 year warranty

Company	PFAS Filter Model	Filter Type	Filter Cost	Filter Replacement Schedule	Water Flow Rate	Replacement Filter Cost	Additional Considerations
Aquasana <a href="#">Aquasana Clean Water Machine   Powered Countertop Water Filter</a>	AQ-CWM2-B	Counter-top unit 	\$200	300 gallons or 6 months	½ gallon per minute	\$60 (two pack)	1 year warranty, a 2-pack of filters is provided with unit.
Aquasana <a href="#">3-Stage Fast Flow Rate Under Sink Water Filter   Aquasana</a>	AQ-5300+.55	3 Stage Filter, under sink with dedicated faucet 	\$225	800 gallons or 6 months	¾ gallon per minute	\$80 (set of three)	1 year warranty
Cyclopure <a href="#">Purefast™   Cyclopure</a>	Purefast	Filter Cartridge for Brita pitcher 	\$45	65 gallons per filter	1 pitcher load of water takes about 20 min to filter	\$45 per filter	Fits inside a Brita water filter, Brita pitcher is not included. Filters come with prepaid return shipping for used filters.

Company	PFAS Filter Model	Filter Type	Filter Cost	Filter Replacement Schedule	Water Flow Rate	Replacement Filter Cost	Additional Considerations
Hydroviv <a href="#">Hydroviv Filters For Your Home   Hydroviv</a>		Can be installed on Fridge/Freezer or Under Sink connected to existing faucet. 	\$175 each	6 months		\$87	Filters are optimized for water quality in your area
KineticoPRO <a href="#">KPMF HC610-PFAS - PFAS Series, 10" PFOA/PFOS reduction filter cartridge   KineticoPRO</a>	HC Series KPMF HC610-PFAS	Under sink, connected to existing faucet 		2000 gallons	2¾ gallons per minute		Contact the company directly for cost <a href="mailto:WaterCare@KineticoPRO.com">WaterCare@KineticoPRO.com</a> <a href="tel:1-800-321-5022">1-800-321-5022</a>

Company	PFAS Filter Model	Filter Type	Filter Cost	Filter Replacement Schedule	Water Flow Rate	Replacement Filter Cost	Additional Considerations
ZeroWater <a href="#">5-Stage Water Filter Pitchers &amp; Dispensers - Pure Tasting Water – ZeroWater</a>	5-Stage	Countertop units (sizes range from 7-40 cup pitchers) 	\$24-\$75	25-40 gallons depending on level of PFAS in water	6.5 ounces per minute (slow).	\$90 for a 6-pack of filters	Filter discounts for multiple purchases
Multipure <a href="#">Under Counter Water Filter - Aquaperform   Multipure</a>	Aquaperform MP880	Below Sink or Countertop Filter 	\$590	600 gallons	1 gallon per minute	\$145	Lifetime housing warranty, additional fees based on type of filter purchased
Multipure <a href="#">Aqualuxe - The Ultimate Water Filter Machine   Multipure</a>	Aqualuxe	Below Sink or Countertop Filter 	\$1250	500 gallons	3/4 gallon per minute	\$175	Lifetime housing warranty, additional fees based on type of filter purchased

## Reverse Osmosis Filter Options (Point-Of-Use filters)

No reverse osmosis (RO) filters are currently NSF certified for PFOA/PFOS reduction, but independent research shows RO filters are highly effective for removing many types of PFAS. Below are some examples of RO filters on the market. Note that RO filters block PFAS from entering your tap water but send the blocked PFAS to your septic tank or sewer where PFAS can re-enter the environment. RO systems also waste water. On average, three to four gallons of water are sent down the drain for every one gallon of filtered water.

Company	PFAS Filter Model	Filter Type	Filter Cost	Filter and Membrane Replacement Schedule	Water Flow Rate	Replacement Filter and Membrane Costs	Additional Considerations
A.O. Smith <a href="#">Clean Water Filter With Reverse Osmosis Boost   A. O. Smith (aosmithatlowes.com)</a>	AO-US-RO-4000	Under sink unit.	\$219	Filter lasts 365 gallons or 6 months, membrane lasts 1 year	½ gallon per minute	Filter: \$100 Membrane: \$100	2 year warranty
A.O. Smith <a href="#">Clean Reverse Osmosis Water Filtration System   A. O. Smith (aosmithatlowes.com)</a>	AO-US-RO-MB-4000	Under sink unit	\$269	Filter lasts 365 gallons or 6 months, membrane lasts 1 year	½ gallon per minute	Filter: \$100 Membrane: \$100	2 year warranty RO System with Microbial Boost
Aquasana <a href="#">Reverse Osmosis Under Sink Drinking Water Filter   Aquasana</a>	AQ-RO-3.55	Under sink unit	\$250	Filter lasts 365 gallons or 6 months, membrane lasts 1 year		Filter: \$70 Membrane: \$60 Remineralizer: \$40	2 year warranty



To request this document in another format, call 1-800-525-0127. Deaf or hard of hearing customers, please call 711 (Washington Relay) or email [civil.rights@doh.wa.gov](mailto:civil.rights@doh.wa.gov).