DANCESAFE XYLAZINE TEST STRIPS

DANCESAFE XYLAZINE TEST STRIPS

DANCESAFE XYLAZINE TEST STRIPS

WHAT IS XYLAZINE?

- **Xylazine**, also known as "trang," is an animal tranquilizer that is sometimes added to fentanyl and other opioids. Xylazine is not an opioid.
- Xylazine may cause you to lose consciousness and can cause severe skin wounds.
- Xylazine is usually mixed with fentanyl so always administer naloxone if you suspect an overdose.

WHY SHOULD I TEST MY DRUGS FOR XYLAZINE?

• If you know xylazine might be in your fentanyl, it can help you make decisions to lower your risk of overdose & severe wounds.

WHAT SHOULD I KNOW ABOUT **XYLAZINE TEST STRIPS?**

 Xylazine isn't always mixed evenly into drugs. A single negative test does not mean your entire supply is xylazine-free.

ONLY USE THESE STRIPS TO TEST FENTANYL

Xylazine test strips may produce a false positive when testing cocaine and other drugs.

- Test strips should be used in combination with other harm reduction strategies:
 - Start with a smaller dose or test shot.
 - Take turns using with a friend.
 - · Call a friend or the Never Use Alone Hotline (877-696-1996) if you use alone.
 - · Carry naloxone and know how to use it.

WHAT IS XYLAZINE?

- **Xylazine**, also known as "trang," is an animal tranquilizer that is sometimes added to fentanyl and other opioids. Xylazine is not an opioid.
- Xylazine may cause you to lose consciousness and can cause severe skin wounds.
- Xylazine is usually mixed with fentanyl so always administer naloxone if you suspect an overdose.

WHY SHOULD I TEST MY DRUGS FOR XYLAZINE?

• If you know xylazine might be in your fentanyl, it can help you make decisions to lower your risk of overdose & severe wounds.

WHAT SHOULD I KNOW ABOUT **XYLAZINE TEST STRIPS?**

 Xylazine isn't always mixed evenly into drugs. A single negative test does not mean your entire supply is xylazine-free.

ONLY USE THESE STRIPS TO TEST FENTANYL

Xylazine test strips may produce a false positive when testing cocaine and other drugs.

- Test strips should be used in combination with other harm reduction strategies:
 - Start with a smaller dose or test shot.
 - Take turns using with a friend.
 - · Call a friend or the Never Use Alone Hotline (877-696-1996) if you use alone.
 - Carry naloxone and know how to use it.

Deaf or hard of hearing customers, please call 711 Washington Relay) or email doh.information@doh.wa.gov.

WHAT IS XYLAZINE?

- **Xylazine**, also known as "trang," is an animal tranquilizer that is sometimes added to fentanyl and other opioids. Xylazine is not an opioid.
- Xylazine may cause you to lose consciousness and can cause severe skin wounds.
- Xylazine is usually mixed with fentanyl so always administer naloxone if you suspect an overdose.

WHY SHOULD I TEST MY DRUGS FOR XYLAZINE?

• If you know xylazine might be in your fentanyl, it can help you make decisions to lower your risk of overdose & severe wounds.

WHAT SHOULD I KNOW ABOUT **XYLAZINE TEST STRIPS?**

 Xylazine isn't always mixed evenly into drugs. A single negative test does not mean your entire supply is xylazine-free.

ONLY USE THESE STRIPS TO TEST FENTANYL

Xylazine test strips may produce a false positive when testing cocaine and other drugs.

- Test strips should be used in combination with other harm reduction strategies:
 - Start with a smaller dose or test shot.
 - Take turns using with a friend.
 - · Call a friend or the Never Use Alone Hotline (877-696-1996) if you use alone.
 - · Carry naloxone and know how to use it.



HOW TO USE DANCESAFE XYLAZINE TEST STRIPS

HOW TO USE DANCESAFE XYLAZINE TEST STRIPS


HOW TO USE DANCESAFE XYLAZINE TEST STRIPS

ONLY USE THESE STRIPS TO TEST FENTANYL

Xylazine test strips may produce a false positive when testing cocaine and other drugs.

1. PREPARE YOUR SAMPLE

- Crush up your drugs and mix them up.
- Add 10mg of drugs
 (about the size of a match head or grain of rice) in a cooker.



 Add 5mL of water (a full cooker) for every 10mg of drugs. Mix well.

2. DIP THE STRIP FOR 15 SECONDS.

Hold the solid red end of the test strip.
 Don't dip it past the dotted area.

3. WAIT 3 MINUTES FOR RESULTS.

READING RESULTS

One line means the test is positive. You may have xylazine in your drugs.

1 RED LINE = POSITIVE for XYLAZINE:

KYL XYL XYL XYL XYL XYL XYL XY

Two lines means the test is negative. Look closely for a second line – it can be very faint!

2 RED LINES = NEGATIVE for XYLAZINE:

KYL XYL XYL XYL XYL XYL XYL XYL XY

If two red lines appear, no matter how faint, the test result is negative. Look closely for a second line.


If only a red line on the left appears, or no red lines appear, the test is INVALID. Redo the test with a new strip.

ONLY USE THESE STRIPS TO TEST FENTANYL

Xylazine test strips may produce a false positive when testing cocaine and other drugs.

1. PREPARE YOUR SAMPLE

- Crush up your drugs and mix them up.
- Add 10mg of drugs
 (about the size of a match head or grain of rice) in a cooker.



 Add 5mL of water (a full cooker) for every 10mg of drugs. Mix well.

2. DIP THE STRIP FOR 15 SECONDS.

- Hold the solid red end of the test strip.
 Don't dip it past the dotted area.
- 3. WAIT 3 MINUTES FOR RESULTS.

READING RESULTS

One line means the test is positive. You may have xylazine in your drugs.

1 RED LINE = POSITIVE for XYLAZINE:

YL XYL XYL XYL XYL XYL XYL XYL X

Two lines means the test is negative. Look closely for a second line – it can be very faint!

2 RED LINES = NEGATIVE for XYLAZINE:

KYL XYL XYL XYL XYL XYL XYL XYL XY

If two red lines appear, no matter how faint, the test result is negative. Look closely for a second line.


If only a red line on the left appears, or no red lines appear, the test is INVALID. Redo the test with a new strip.

ONLY USE THESE STRIPS TO TEST FENTANYL

Xylazine test strips may produce a false positive when testing cocaine and other drugs.

1. PREPARE YOUR SAMPLE

- Crush up your drugs and mix them up.
- Add 10mg of drugs
 (about the size of a match head or grain of rice) in a cooker.



 Add 5mL of water (a full cooker) for every 10mg of drugs. Mix well.

2. DIP THE STRIP FOR 15 SECONDS.

- Hold the solid red end of the test strip.
 Don't dip it past the dotted area.
- 3. WAIT 3 MINUTES FOR RESULTS.

READING RESULTS

One line means the test is positive. You may have xylazine in your drugs.

1 RED LINE = POSITIVE for XYLAZINE:

CAL XAL XAL XAL XAL XAL XAL XAL XAL

Two lines means the test is negative. Look closely for a second line – it can be very faint!

2 RED LINES = NEGATIVE for XYLAZINE:

YL XYL XYL XYL XYL XYL XYL XY XYL XYL XYL XYL XYL XYL XYL

If two red lines appear, no matter how faint, the test result is negative. Look closely for a second line.

If only a red line on the left appears, or no red lines appear, the test is INVALID. Redo the test with a new strip.