Version 2.0

Please complete this questionnaire for all laboratory-confirmed listeriosis cases.

Instructions are available in a separate two-page document.

Please remove this page before submitting form to CDC

State public health laboratory isolate ID:				
Patient's name:			Date of Birth://	
Address:				
City:	State:	Zip:		
Phone numbers: (h)	(w)		(m)	
Hospital:		Hospital:		(if >1 hospital)
Hospital contact:				
Phone:	-			
If surrogate interview:				
Interviewee name:				
Interviewee phone number(s):				
Public reporting burden of this collection of information is estim and maintaining the data needed, and completing and reviewin information unless it displays a currently valid OMB control num for reducing this burden to CDC/ASTSDR Reports Clearance Office	g the collection of informatic ber. Send comments regardir	on. An agency may not conduct or sp ng this burden estimate or any other	oonsor, and a person is not required to r aspect of this collection of informatio	respond to a collection of

Form Approved - OMB No. 0920-0728

Log of Attempts to Call Patient or Surrogate (Optional)

(This page is for health department use only; please remove it before submitting form to CDC)

Last Na	me:			First Name:		
	Date	Time	Caller First initial & last name	Results* (May include more than one)	Comments**	Plan
Call 1	//	:				
Call 2	//	:				
Call 3	//	:				
Call 4	//	:				
Call 5	//	:				
Call 6	//	:				
Call 7	//	:				
Call 8	_/_/	:	<u> </u>			
Call 9	_/_/	:	<u> </u>			
Call 10	_/_/	:				
Call 11	_/_/	:				
Call 12	_/_/	:				
Call 13	_/_/	:				
Call 14	_/_/	:				
Call 15	//	•	<u> </u>			

*Key for Results:

1 Left message with person

- 2 Left message on voicemail
- 3 Did not leave message

- ****Key for Comments:**
- 1 Interviewed with standard questionnaire
- 2 Called back for more information
- 3 Interviewed with supplemental questionnaire
- 4 Language barrier, indicate plan
- 5 No answer
- 6 Phone not in service, indicate plan
- 7 Refused

	· · · · · · ·							
State epi case ID	Local epi case ID		Date form completed:///					
FoodNet ID (if applicable)		S ID (if available)						
Name of interviewer first name last name Was the isolate sent to public health laboratory? Yes No Unknown If No, why not, and could it still be obtained?								
BOX 1: Case-patient demographic data								
State of residence County		emale 🗆 Unknown	Age (if pregnancy-associated, use age of mother)					
Ethnicity: Is the case-patient of Hispanic, Latino, or Spanish original								
☐ Yes> <i>If yes:</i> □ No	Mexican, Mexican American, Chican Puerto Rican	10	Another Hispanic, Latino, or Spanish origin (<i>specify</i>)					
🗆 Unknown	🗆 Cuban		Unknown Hispanic ancestry/declined to specify					
Declined to answer			· · · · · · ·					
Race (One or more categories may be selected) African American/Black	Acian (specify)		White (specify)					
Anical American/Black Native American Indian or Alaska Native	□ Asian (<i>specify</i>) □ Asian Indian		White (<i>specify</i>) Middle Eastern/North African					
□ Native Hawaiian or other Pacific Islander (<i>specify</i>)	Chinese		Not Middle Eastern/North African					
	☐ Filipino □ Japanese		Unknown					
Guamanian or Chamorro	□ Korean		Other (specify)					
Samoan Other Pacific Islander	Utetnamese		□ Declined to answer					
DOV 2. Is the listeric case area sinted with a	Other Asian (<i>specify</i>)		ripfonts <(0 days old)					
BOX 2: Is the Listeria case associated with p Yes If yes, skip to Box 4. No Unknown		EMENT	ninfants ≤60 days old)					
		Its and children > 4	(0 days old)					
BOX 3: Cases <u>not</u> associated with pregnanc								
Type(s) of specimen(s) that grew Listeria (check all that apply)	Specimen collection date (mm/dd/yyyy)	State public health I (<u>Important</u> : must have	ab isolate ID # at least one, if available)					
Blood	SEE SUPPL	EMENT						
□ CSF	l							
Other (specify)	/							
Other (specify)	//							
Did patient have any of the following type(s) of illnesses Bloodstream infection/sepsis Meningitis Meningitis Joint infection/septic arthritis Bone infection/osteomy	igoencephalitis 🛛 Brain abscess 🗌	Rhombencephalitis	Peritonitis Pneumonia Wound infection					
Was patient hospitalized for listeriosis? Yes No Un If yes: Admit date:// Discharge date:	nknown / / □ Still hospi	talized as of:/	_/					
Patient's outcome: Survived Died Unknown	Date of death: / /							
If died: Was listeriosis or <i>Listeria</i> infection listed on death cert If survived: Last known date alive?//								
BOX 4: Cases associated with pregnancy (III	ness in pregnant woman, fetus	s, or infants ≤ 60 da	ays old)					
Type(s) of specimen(s) that grew Listeria	Specimen collection date	State public health l						
(check all that apply)	(мм7од/үүүү)	(Important: must have	at least one, if available)					
Blood from mother								
Blood from infant								
CSF from mother								
CSF from infant	SEE SUPPLE	MENT						
Placenta								
Amniotic fluid	//							
Entry Fetal tissue	/							
Other (<i>specify</i>)								
Other (specify)								

Outcome of pregnancy (single gestation or twin 1) (check one)	Weeks of gestation				Weeks of gestation	Date (mm/dd/yyyy)
□ Still pregnant		// Still pregnant			J	
 Delivery (live birth) Vaginal delivery C-section Unknown delivery type 		/	Delivery (live birth) Vaginal delivery C-section Unknown delivery type			//
Fetal death (miscarriage or stillbirth)		//	□ Fetal death (miscarriage or	stillbirth)		//
Other (specify)		//	□ Other (<i>specify</i>)			/
Type(s) of illness in mother (check all that apply) Fever Bacteremia/sepsis Meningitis Gastroenteritis Amnionitis		Type(s) of illness in infant (twin 1) (check all that apply) Bacteremia/sepsis Meningitis Pneumonia None Other (specify)		Type(s) of illness in infant 2 (twin 2) (check all that apply) Bacteremia/sepsis Meningitis Pneumonia None Other (specify) Unknown		
Was mother hospitalized for listeriosis? Yes If yes: Admit or birth date: / / Discharge date: / / Discharge date: / / Still hospitalized Hospital name:		/here was the infant (twin] Hospital: Admit or birth date: / Discharge date: / [Still hospitalized Hospital name: Home] Other (specify) Unknown	Where was infant 2 (twin 2) delivered? Hospital: Admit or birth date: Discharge date: Jischarge date: Jischarge date: Jischarge date: Hospital Hospital Hospital name: Home Other (specify) Unknown			
		Was the infant (twin 1) hospitalized for listeriosis? (may include above dates) Yes If yes: Admit or birth date: / / Discharge date: / / Still hospitalized Still hospitalized No Unknown Unknown		 Was infant 2 (twin 2) hospitalized for listeriosis? (may include above dates) Yes If yes: Admit or birth date: / Discharge date: / Still hospitalized No Unknown 		
Mother's outcome Survived Died Unknown If survived: Last known date alive? /	tificate?	nfant 1's (twin 1's) outcome Survived Uied Unknown <i>survived</i> : Last known date a / / <i>fdied</i> : Was listeriosis/ <i>Listeria</i> i		Survived Died Unknown If survived: La If died: Was liss	win 2's) outcome st known date aliv / teriosis/ <i>Listeria</i> inf] No Unk	e?

CDC Listeria Initiative Case Classification Supplement

Is the Listeria case associated with pregnancy? (Illness in a pregnant woman, fetus, or infant ≤ 28 days old) □Yes (go to Box 4 Supplement) □No (go to Box 3 Supplement) □Unknown							
Box 3 Supplement: Cases not associated with pregnancy. (Illness in non-pregnant adults and children							
		> 28	B days old)				
State Epi Case ID:							
Specimen Collection Infor	rmation						
Source (check all that apply)	Collection Date (mm/dd/yyyy)	Culture Result		CIDT Result		State public health lab isolate ID	
Blood	//	□ Positive □ Not done	□Negative □Unknown	□ Positive □ Not done	□Negative □Unknown		
	//	□ Positive □ Not done	□Negative □Unknown	□ Positive □ Not done	□Negative □Unknown		
Other (specify)	/	□ Positive □ Not done	□Negative □Unknown	□ Positive □ Not done	□Negative □Unknown		
Other (specify)	//	□ Positive □ Not done	□Negative □Unknown	□ Positive □ Not done	□Negative □Unknown		
Laboratory Criteria for Diagnosis Confirmatory*: Isolation of L. monocytogenes from a normally sterile site reflective of an invasive infection (e.g. blood, cerebrospinal fluid, pleural, peritoneal, pericardial, hepatobiliary, or vitreous fluid; orthopedic site such as bone, bone marrow, or joint; or other sterile sites including organs such as spleen, liver, and heart, but not sources such as urine, stool, or external wound) Presumptive: Detection of L. monocytogenes by culture-independent diagnostic test (CIDT) in a specimen collected from a normally sterile site e.g. blood, cerebrospinal fluid, pleural, periconeal, pericardial, hepatobiliary, or vitreous fluid; orthopedic site such as bone, bone marrow, or joint; or other sterile site e.g. blood, cerebrospinal fluid, pleural, peritoneal, pericardial, hepatobiliary, or vitreous fluid; orthopedic site such as bone, bone marrow, or joint; or other sterile site e.g. blood, cerebrospinal fluid, pleural, peritoneal, pericardial, hepatobiliary, or vitreous fluid; orthopedic site such as bone, bone marrow, or joint; or other sterile site e.g. blood, cerebrospinal fluid, pleural, peritoneal, pericardial, hepatobiliary, or vitreous fluid; orthopedic site such as bone, bone marrow, or joint; or other sterile sites including organs such as spleen, liver, and heart, but not sources such as urine, stool, or external wound) Supportive*: Isolation of L. monocytogenes from a non-invasive clinical specimen (e.g. stool, urine, wound) *requires culture confirmation							
Laboratory criteria met by ca	ase: Confirmatory	Presumpt	ive 🗆 Sup	portive			
Case Classification (To be used to determine eligibility for interview with the Listeria Initiative form. Official case classifications will be determined by CDC.) Confirmed*: A person who meets confirmatory laboratory evidence Probable*: A person who meets the presumptive laboratory evidence Suspect: A person with supportive laboratory evidence * reportable to CDC							
Case Classification:	med	□Suspect					

Box 4 Supplement: Cases associated with pregnancy. (Illness in a pregnant woman, fetus, or infant ≤ 28 days old)

Maternal State Epi Case ID:

Neonatal State Epi Case ID:

Important: If mother and neonate are counted as separate cases (see Case Classification, below), please provide the state id for both cases. Specimen Collection Information

Maternal Source (check all that	Collection Date	Culture Result		CIDT Result		State public health lab isolate ID
apply)	(mm/dd/yyyy)					
		□ Positive	□ Negative	□Positive	□Negative	
	//	🗆 Not done	Unknown	🗆 Not done	Unknown	
		□ Positive	□Negative	□Positive	□Negative	
	//	🗆 Not done	Unknown	🗆 Not done	Unknown	
Other (specify)		□ Positive	□Negative	□Positive	□Negative	
	//	🗆 Not done	Unknown	🗆 Not done	Unknown	
Products of Conception						
		□ Positive	□Negative	□Positive	□Negative	
	//	🗆 Not done	Unknown	🗆 Not done	Unknown	
□ Amniotic fluid		□ Positive	□Negative	□Positive	□Negative	
	//	🗆 Not done	Unknown	🗆 Not done	Unknown	
Fetal tissue (from pregnancy		□ Positive	□Negative	□Positive	□Negative	
loss or intrauterine fetal demise)	//	🗆 Not done	Unknown	🗆 Not done	Unknown	
□Other product of conception		□ Positive	□Negative	□Positive	□Negative	
(specify)	//	🗆 Not done	Unknown	🗆 Not done	Unknown	
		□ Positive	□Negative	□Positive	□Negative	
□None	//	🗆 Not done	Unknown	🗆 Not done	Unknown	

Neonatal Source (check all that apply)	Collection Date (mm/dd/yyyy)	Age at Collection	Culture Result	CIDT Result	State public health lab isolate ID
	(1111) (10) (19)	$\Box \le 48$ hours			
				□ Negative	
Blood	//	\Box > 48 hours but \leq 28 days	□ Not done	□ Not done	
		□≤ 48 hours			
				□ Negative	
CSF	//	\Box > 48 hours but \leq 28 days	□ Not done	□ Not done	
		□≤ 48 hours			
				Negative	
Meconium	//	\Box > 48 hours but \leq 28 days	□ Not done	□ Negative	
		□≤ 48 hours			
□Tracheal aspirate	/ /	\Box > 48 hours but \leq 28 days	□ Negative	□ Negative	
			□ Not done	□ Not done	
		□≤ 48 hours			
Other <i>(specify)</i>	/ /	\Box > 48 hours but \leq 28 days	□ Negative	□ Negative	
			□ Not done	□ Not done	
			Unknown	Unknown	
		□≤ 48 hours	□ Positive	□ Positive	
Other (specify)	1 1	\Box > 48 hours but \leq 28 days	□ Negative	□Negative	
	//		Not done	Not done	
			Unknown	Unknown	
		□≤ 48 hours	□Positive	□ Positive	
□None	1 1	\Box > 48 hours but \leq 28 days	□Negative	□Negative	
	/		Not done	Not done	
			Unknown	Unknown	

Box 4 Supplement Continued

Laboratory Criteria for Diagnosis

peritoneal pericardial benatohiliary or vitreous fluid: orthopedic site such as hope hope marrow, or joint: or other sterile sites including organs such as								
peritoneal, pericardial, hepatobiliary, or vitreous fluid; orthopedic site such as bone, bone marrow, or joint; or other sterile sites including organs such as								
spleen, liver, and heart, but not sources such as urine, stool, or external wound) OR								
For MATERNAL isolates in the setting of pregnancy, pregnancy loss, intrauterine fetal demise, or birth: Isolation of L. monocytogenes from products of								
FOR MATERINAL isolates in the setting of pregnancy, pregnancy loss, intrauterine jetal aemise, or birth: isolation of L. monocytogenes from products of conception (e.g. chorionic villi, placenta, fetal tissue, umbilical cord blood, amniotic fluid) collected at the time of delivery								
OR								
For NEONATAL isolates in the setting of live birth: Isolation of L. monocytogenes from a non-sterile neonatal specimen (e.g. meconium, tracheal aspirate, but								
not products of conception) collected within 48 hours of delivery								
Presumptive: Detection of L. monocytogenes by culture-independent diagnostic test (CIDT) in a specimen collected from a normally sterile site e.g. blood, cerebrospinal fluid, pleural, peritoneal, pericardial, hepatobiliary, or vitreous fluid; orthopedic site such as bone, bone marrow, or joint; or other sterile sites including organs such as spleen, liver, and heart, but not sources such as urine, stool, or external wound) OR <u>For MATERNAL isolates in the setting of pregnancy, pregnancy loss, intrauterine fetal demise, or birth:</u> Detection of L. monocytogenes from products of								
conception (e.g. chorionic villi, placenta, fetal tissue, umbilical cord blood, amniotic fluid) collected at the time of delivery								
OR								
For NEONATAL isolates in the setting of live birth: Detection of L. monocytogenes from a non-sterile neonatal specimen (e.g. meconium, tracheal aspirate, but not products of conception) collected within 48 hours of delivery								
Supportive*: Isolation of L. monocytogenes from a non-invasive clinical specimen (e.g. stool, urine, wound, other than those specified under maternal and neonatal specimens above)								
*requires culture confirmation								
Laboratory criteria met by maternal case: Confirmatory Presumptive Supportive None								
Laboratory criteria met by maternal case: Confirmatory Presumptive Supportive None Laboratory criteria met by neonatal case: Confirmatory Presumptive Supportive None								
Laboratory criteria met by neonatal case: Confirmatory Presumptive Supportive None								
Laboratory criteria met by neonatal case: Confirmatory Presumptive Supportive None Case Classification								
Laboratory criteria met by neonatal case: Confirmatory Presumptive Supportive None Case Classification (To be used to determine eligibility for interview with the Listeria Initiative form. Official case classifications will be determined by CDC.)Confirmed*: A person who meets confirmatory laboratory evidence Probable*: A person who meets the presumptive laboratory evidence								
Laboratory criteria met by neonatal case: Confirmatory Presumptive Supportive None Case Classification (To be used to determine eligibility for interview with the Listeria Initiative form. Official case classifications will be determined by CDC.)Confirmed*: A person who meets confirmatory laboratory evidence								
Laboratory criteria met by neonatal case: Confirmatory Presumptive Supportive None Case Classification (To be used to determine eligibility for interview with the Listeria Initiative form. Official case classifications will be determined by CDC.)Confirmed*: A person who meets confirmatory laboratory evidence Probable*: A person who meets the presumptive laboratory evidence OR								
Laboratory criteria met by neonatal case: Confirmatory Presumptive Supportive None Case Classification (To be used to determine eligibility for interview with the Listeria Initiative form. Official case classifications will be determined by CDC.)Confirmed*: A person who meets confirmatory laboratory evidence Probable*: A person who meets the presumptive laboratory evidence OR A mother or neonate who meets epidemiologic linkage criteria but who does not have confirmatory laboratory evidence (See Epidemiologic Linkage, below)								
Laboratory criteria met by neonatal case: Confirmatory Presumptive Supportive None Case Classification (To be used to determine eligibility for interview with the Listeria Initiative form. Official case classifications will be determined by CDC.)Confirmed*: A person who meets confirmatory laboratory evidence Probable*: A person who meets the presumptive laboratory evidence OR A mother or neonate who meets epidemiologic linkage criteria but who does not have confirmatory laboratory evidence (See Epidemiologic Linkage, below) Suspect: A person with supportive laboratory evidence * reportable to CDC Notes: Pregnancy loss and intrauterine fetal demise are considered maternal outcomes and would be counted as a single case in the mother.								
Laboratory criteria met by neonatal case: Confirmatory Presumptive Supportive None Case Classification (To be used to determine eligibility for interview with the Listeria Initiative form. Official case classifications will be determined by CDC.)Confirmed*: A person who meets confirmatory laboratory evidence Probable*: A person who meets the presumptive laboratory evidence OR A mother or neonate who meets epidemiologic linkage criteria but who does not have confirmatory laboratory evidence (See Epidemiologic Linkage, below) Suspect: A person with supportive laboratory evidence * reportable to CDC Notes: Pregnancy loss and intrauterine fetal demise are considered maternal outcomes and would be counted as a single case in the mother. A case in a neonate is counted if live-born.								
Laboratory criteria met by neonatal case: Confirmatory Presumptive Supportive None Case Classification (To be used to determine eligibility for interview with the Listeria Initiative form. Official case classifications will be determined by CDC.)Confirmed*: A person who meets confirmatory laboratory evidence Probable*: A person who meets the presumptive laboratory evidence OR A mother or neonate who meets epidemiologic linkage criteria but who does not have confirmatory laboratory evidence (See Epidemiologic Linkage, below) Suspect: A person with supportive laboratory evidence * reportable to CDC Notes: Pregnancy loss and intrauterine fetal demise are considered maternal outcomes and would be counted as a single case in the mother.								
Laboratory criteria met by neonatal case: Confirmatory Presumptive Supportive None Case Classification (To be used to determine eligibility for interview with the Listeria Initiative form. Official case classifications will be determined by CDC.)Confirmed*: A person who meets confirmatory laboratory evidence Probable*: A person who meets the presumptive laboratory evidence OR A mother or neonate who meets epidemiologic linkage criteria but who does not have confirmatory laboratory evidence (See Epidemiologic Linkage, below) Suspect: A person with supportive laboratory evidence * reportable to CDC Notes: Pregnancy loss and intrauterine fetal demise are considered maternal outcomes and would be counted as a single case in the mother. A case in a neonate is counted if live-born.								

Epidemiologic Linkage

For PROBABLE MATERNAL cases: A mother who does not meet the confirmed case criteria, BUT who gave birth to a neonate who meets the confirmatory or presumptive laboratory evidence for diagnosis, AND the neonatal specimen was collected ≤ 28 days after birth

For PROBABLE NEONATAL cases: A neonate who does not meet the confirmed case criteria AND whose mother meets confirmatory or presumptive laboratory evidence for diagnosis from products of conception OR a clinically compatible neonate whose mother meets confirmatory or presumptive laboratory evidence for diagnosis from a normally sterile site

Maternal Case Classification: Confirmed Probable Suspect Not a case If Probable, does case have an epidemiologic link to a neonatal case? Yes No Unknown								
Neonatal Case Classification:	□ Confirmed [□Probable □S	uspect 🗌 Not	a case 🗌 Not	t applicable (pregnancy loss or intrauterine			
fetal demise) If Probable, does case have and epidemiologic link to a maternal case? Yes No Unknown								
If Confirmed or Probable: Age of infant: □c	lay(s)) Sex o	f infant: 🗆 Male	Female	Unknown			

PulseNet ID or state public health lab isolate ID _____

BOX 5: (Optional): Underlying conditions and treatments (Check all that apply and specify when information available)							
 No underlying conditions, medications, or treatments (previously healthy) Cancer/malignancy Leukemia Lymphoma Hodgkin's Non-Hodgkin's Multiple myeloma Myeloproliferative disorder Other cancer/malignancy (specify) 	 □ Unknown □ Other conditions □ Crohn's disease □ Diabetes mellitus □ Type 1 □ Type 2 □ Giant cell (temporal) arteritis □ Hemochromatosis/iron overload □ HIV/AIDS* □ HIV (no AIDS) 	 Pregnancy Immunosuppressive medication Corticosteroids/steroids Cancer chemotherapy Other immunosuppressive therapy (specify) Excessive alcohol use Injection drug use, e.g., heroin Medications that suppress stomach acid (e.g., 					
On kidney dialysis Cirrhosis/advanced liver disease Chronic obstructive pulmonary disease (COPD) Heart disease (specify) Organ transplant (specify)	AIDS AIDS AIDS AIDS ARbeumatoid arthritis Sarcoidosis Sickle cell disease Splenectomy/asplenia Ulcerative colitis Other condition (specify)	Maalox, Zantac, Prilosec, Nexium) (specify medications, if available):					

Was patient or surrogate able to be interviewed? 🛛 Yes 🗌 No							
If no, why not?	\Box Refused	\Box Unable to reach \Box	□ Language barrier	Other (specify)			

If you are not able to interview the patient or surrogate and no food exposure information is available, please submit only pages 3–5 of this form to CDC. (Please also include page 6 if you are able to record symptoms associated with listeriosis)

> Please send completed forms to: Enteric Diseases Epidemiology Branch, Centers for Disease Control and Prevention Mailstop C-09 Atlanta, GA 30329. Fax: (404) 639-2205; Email: Listeria@cdc.gov.

1. Patient Interview		nterviewer: In the question stems and interviewee instructions, the text " <case>" is used in place of "you/he/she," and "<case's>" is used in place of "your/his/ er." For pregnancy-associated cases, the mother is the case-patient and she should be asked about her food history during the 4 weeks before delivery.</case's></case>						
1. Date of interview		2. Respondent was Case-patient Surrogate Unknown None available (chart review only) If surrogate, relationship to patient: Parent Child Sibling Spouse Other, Specify						
3. When did <case's> illness begin? (Onset of illness) / / Not applicable (e.g. pregnant woman without clinical illness)</case's>								
4. During the 4 weeks before <ca< td=""> to a hospital (i.e., stayed at least own of yes, Hospital name</ca<>	ernight)?] No 🗆 DK	in a nursing hom If yes, Facility nan Admission date:	ne or other lo ne//	<case's> illness/delivery date, wang term care facility? Yes N ' ' or Still residing in facility</case's>	o 🗆 DK		
6. During the 4 weeks before <ca state outside of <case's> state o <i>If yes</i>, please list states visited</case's></ca 	7. During the 4 weeks before <case's> illness/delivery date, did <case> travel outside the U.S.? Yes No If yes, Names of countries visited If yes, Date of departure from U.S. /</case></case's>							
8. Which of the following sympto	oms were associated wit	h illness? (read each) (ask moth	er for her symptoms i	if case was prec	gnancy-associated or in infant \leq 60 da	ys old)		
Chills □ Diarrhea (≥3loose stools/day) □	Yes No DK Yes No DK Yes No DK Yes No DK	Muscle Aches 🛛 Yes	Stiff Neck Yes No DK No DK Altered mental status Yes No DK No DK Other (specify)			□No □DK		
2. Food History Interview	ver: In this section, "case" re	fers to patient except when patie	nt is infant ≤60 days	old, when que	estions apply to mother.			
					. For most of the interview, I will be asi o look at a calendar available for refere			
1.Did <case> have any allergies 1a. If yes: What foods? Milk Milk Other (specify)</case>				K	2. Did <case> have a vege Yes No DK 2a. If yes, Which one? Ve</case>	2		
3.Did <case> have a special or re</case> 3a. <i>If yes:</i> Please Describe:	estricted diet (medical, v	weight-loss, religious, cultura	l) or are there any	types of food	ds <case> didn't eat? □ Yes □</case>	No 🗆 DK		
Food Purchase History (the lists of	store and restaurant types b	pelow are meant to prompt the resp	pondent)					
					s before <case's> illness began. I'm goi as sick. Did <case> eat foods from?</case>*</case's>			
 Grocery stores or supermarkets Warehouse stores, such as Costco o Small markets (convenience stores, 		 Ethnic specialty markets (e.g. Farmer's markets Online stores or foods receive 			• Did <case> eat food at home from a the 4 weeks before illness began?</case>	any other place during		
Store Name			Location (address	, city, state)				
1.								
2.								
3.								
4.								
5.								
Would you be willing to release your shopper card information so we can get an exact list of your foods and when they were purchased? Pes No No None available			Store name:	tore name: Shopper card #: tore name: Shopper card #: tore name: Shopper card #:				
B. Restaurants: "Now I have a few questions about restaurants where <case> might have eaten. For each <u>type</u> of restaurant, please tell me the names of every restaurant <case> ate food from during the 4 weeks before <case> was sick. Did <case> eat foods from?</case>" (interviewer name all types)</case></case></case>								
 Buffet-style (where you serve yourself) Ethnic restaurants that are not fast-food, such as Mexican, Italian, Chinese Sandwich shops or delis Fast-food (drive up or pay at counter) Any other type of restaurant 						staurant		
Restaurant Name	Location (address, city, state) What foods did <case> eat? Date(s)</case>				Date(s)			
1.								
2.								
3.								
4.								
5.								

						ocations, such as salad bars (including eddings or parties during the 4 week p		afeterias, food truc	ks, picnics, potl	ucks, concession		
Location Name				on (addres			What foods did <	case> eat?	Date(s)			
1.												
2.												
3.												
3 . Food Consumption History												
						eriod. For each food item, please give n ea, please say 'don't know.' I'll start by			e> ate the food	. If you're not sure, you		
A. Cheese	Ate (=1)	Likely ate (=2)	Likely did NOT eat (=3)	Did NOT eat (=4)	Don't know (=99)	Details (e.g., type, variety, brand, packagi prepared)	ng, shape/size, how	Made from raw milk? (circle one)	Place of pur consumptio			
Feta	1	2	3	4	99			Y N DK				
Goat cheese	1	2	3	4	99			Y N DK				
Blue-veined cheese (gorgonzola, bleu)	1	2	3	4	99			Y N DK				
Brie or camembert	1	2	3	4	99			Y N DK				
Gouda	1	2	3	4	99			Y N DK				
Prepackaged, shredded cheese	1	2	3	4	99			Y N DK				
Fresh mozzarella, sold in water	1	2	3	4	99			Y N DK				
Cottage cheese	1	2	3	4	99			Y N DK				
Ricotta cheese	1	2	3	4	99			Y N DK				
Other gourmet, fancy, or artisanal cheese	1	2	3	4	99			Y N DK				
Any cheese sliced at a deli counter	1	2	3	4	99			Y N DK				
Middle Eastern-style cheese (e.g., akawi, nabulsi)	1	2	3	4	99			Y N DK				
Mexican- or Latin-style cheese (e.g., queso fresco)	1	2	3	4	99			Y N DK				
If ate or likely ate Mexican- or L	atin-styl	le cheese, w	hat type(s)	?		-			-			
- Queso fresco	1	2	3	4	99			Y N DK				
- Queso blanco	1	2	3	4	99			Y N DK				
- Queso casero	1	2	3	4	99			Y N DK				
- Cuajada	1	2	3	4	99			Y N DK				
- Asadero	1	2	3	4	99			Y N DK				
- Cotija	1	2	3	4	99			Y N DK				
- Panella	1	2	3	4	99			Y N DK				
- Queso ranchero	1	2	3	4	99			Y N DK				
- Requeson	1	2	3	4	99			Y N DK				
- Оахаса	1	2	3	4	99			Y N DK				
- Other Mexican- or Latin- style cheese (<i>specify</i>)	1	2	3	4	99			Y N DK				
Other soft cheese (not cream, cottage, or ricotta) — specify type	1	2	3	4	99			Y N DK				
Any cheese from raw/ unpasteurized milk	1	2	3	4	99			Y N DK				
Any other cheeses (specify)	1	2	3	4	99			Y N DK				

DC Listeria Initiative Case	· ·					Iservet ID or state public health lab isolate ID	
B. Other Dairy	Ate (=1)	Likely ate (=2)	Likely did NOT eat (=3)	Did NOT eat (=4)	Don't know (=99)	Details (e.g., type, variety, brand, packaging, shape/size, how prepared)	Place of purchase or consumption
"Now I'd like to ask you about o	ther daiı	ry items tha	nt <case> at</case>	e in the 4 w	eeks befor	re <case's> illness began."</case's>	
Milk	1	2	3	4	99		
	lf 1 or	2, Was an	y of this mi	lk raw			
			i)? □ Yes		🗆 DK		
- Whole	1	2	3	4	99		
- 2%	1	2	3	4	99		
- 1%	1	2	3	4	99		
- Skim	1	2	3	4	99		
- Other milk (e.g., chocolate, buttermilk)	1	2	3	4	99		
Non-dairy milk (e.g., soy, almond—specify)	1	2	3	4	99		
Frozen yogurt	1	2	3	4	99		
Yogurt	1	2	3	4	99		
	(unpa		iy of this yo I)? □ Yes yes		□ DK		
Yogurt drinks	1	2	3	4	99		
Butter (not margarine or other butter substitute)	1	2	3	4	99		
Cream or half-and-half	1	2	3	4	99		
Ice cream bars, milkshakes, or frozen dairy dessert items	1	2	3	4	99		
Ice cream	1	2	3	4	99		
		any of the es 🗆 No	ice cream s	oft serve	?		
Sour cream or crema	1	2	3	4	99		
C. Seafood	Ate	Likely	Likely	Did NOT		Details (e.g., type, variety, brand, packaging, shape/size,	Place of purchase or consumption
C. Sealoou	(=1)	ate (=2)	did NOT eat (=3)	eat (=4)	know (=99)	how prepared)	
"Now I have some questions ab	out seaf	food <case:< td=""><td>> might have</td><td>e eaten in tl</td><td>he 4 weeks</td><td>before <case's> illness began."</case's></td><td></td></case:<>	> might have	e eaten in tl	he 4 weeks	before <case's> illness began."</case's>	
Precooked shrimp	1	2	3	4	99		
Precooked shellfish (e.g., crab, mussels, clams— specify)	1	2	3	4	99		
Refrigerated smoked or cured fish that was not from a can (e.g., smoked salmon)	1	2	3	4	99		
Any raw fish or seafood, including sushi	1	2	3	4	99		
Frozen processed seafood (e.g., fish sticks or breaded fish)	1	2	3	4	99		
D. Dips and Spreads	Ate	Likely	Likely	Did NOT	Don't	Details (e.g., type, variety, brand, packaging, shape/size,	Place of purchase or consumption
bi bips una spicaas	(=1)	ate (=2)	did NOT eat (=3)	eat (=4)	know (=99)	how prepared)	
"Now I have some questions ab	out dips	and spread	ls <case> m</case>	ight have e	aten in the	e 4 weeks before <case's> illness began."</case's>	
Hummus	1	2	3	4	99		
Refrigerated, <u>fresh</u> salsa or	1	2	3	4	99		
pico de gallo							
pico de gallo (not from a jar or can) Guacamole	1	2	3	4	99		

E. Fruit	Ate (=1)	Likely ate (=2)	Likely did NOT eat (=3)	Did NOT eat (=4)	Don't know (=99)	Details (e how prepa	.g., type, variety, brand, packaging, shape/size, rred)	Place of purchase or consumption
"Now I have some questions abo	ut <u>fresh, f</u>	frozen, or drie	<u>ed</u> fruits, but i	not canne	d or cooked,	<case> mig</case>	ht have eaten in the 4 weeks before <case's> illness be</case's>	gan. Again, I'm interested in fresh, frozen, or dried."
Apples, including apple slices	1	2	3	4	99	🗆 Fresh	🗆 Frozen 🗆 Dried	
		2, were ite s 🗌 No	ms purchas	ed pre-	sliced?			
Caramel apples	1	2	3	4	99			
Grapes	1	2	3	4	99			
Raisins	1	2	3	4	99			
Pears	1	2	3	4	99	🗆 Fresh	Frozen Dried	
Peaches	1	2	3	4	99	🗆 Fresh	🗆 Frozen 🔲 Dried	
Nectarines	1	2	3	4	99	🗆 Fresh	🗆 Frozen 🔲 Dried	
Apricots	1	2	3	4	99	🗆 Fresh	🗆 Frozen 🔲 Dried	
Plums	1	2	3	4	99	🗆 Fresh	🗆 Frozen 🔲 Dried	
Strawberries	1	2	3	4	99	🗆 Fresh	🗆 Frozen 🔲 Dried	
Raspberries	1	2	3	4	99	🗆 Fresh	🗆 Frozen 🔲 Dried	
Blueberries	1	2	3	4	99	🗆 Fresh	Frozen Dried	
Blackberries	1	2	3	4	99	🗆 Fresh	🗆 Frozen 🗆 Dried	
Cherries	1	2	3	4	99	🗆 Fresh	Frozen Dried	
Honeydew melon	1	2	3	4	99	Į		
		2, were ite s 🛛 No	ms purchas	ed pre-	sliced?			
Cantaloupe	1	2	3	4	99			
		2, were ite s 🗆 No	ms purchas	ed pre-	sliced?			
Watermelon	1	2	3	4	99	j		
		2, were ite s 🛛 No	ms purchas	ed pre-	sliced?			
Pineapple	1	2	3	4	99			
		2, were ite s 🗆 No	ms purchas	ed pre-	sliced?			
Mango	1	2	3	4	99	🗆 Fresh	🗆 Frozen 🔲 Dried	
		2, were ite s 🛛 No	ms purchas	ed pre-	sliced?			
Papaya	1	2	3	4	99	🗆 Fresh	🗆 Frozen 🔲 Dried	
Avocado (including homemade guacamole)	1	2	3	4	99	□ Fresh	🗆 Frozen 🔲 Dried	
Fruit salad (including pre-cut cubes of a single fruit)	1	2	3	4	99			
Other fruit (<i>specify</i>)	1	2	3	4	99	□ Fresh	□ Frozen □ Dried	
Fruit sorbet	1	2	3	4	99			
F. Animal Contact	Contac (=1)	t Likely contact (=2)	Likely Notect (=3)		10 contact =4)	Don't know (=99)	Type of animal or pet food	Place of contact or purchase
"Now I have three questions ab	out anim			t have ha	id in the 4 v	. ,	<case's> illness beaan."</case's>	
Spent time at a petting zoo, farm, or other venue with livestock, such as cattle, sheep, goats, etc.	1	2	3	4	99			
Fed a cat or dog <u>raw</u> pet food (i.e., pet food marketed as raw)	1	2	3	4	99			
Fed a cat or dog refrigerated, frozen, or freeze-dried pet treats	1	2	3	4	99			

DC <i>Listeria</i> Initiative Case	· · · · · · · · · · · · · · · · · · ·				IseNet ID or state public health lab isolate ID	I
G. Deli Meats	Ate Likel (=1) ate (=2)	did NOT	Did NOT eat (=4)	Don't know (=99)	Details (e.g., type, variety, brand, packaging, shape/size, how prepared)	Place of purchase or consumption
"For this section, I'm going to as	k you question.	s about deli mea	ts <case></case>	might have	e eaten in the 4 weeks before <case's> illness began."</case's>	•
Ham	1 2		4	99		
	lf 1 or 2, Was	s this item slice □ Yes □ No	ed at a de	li		
Bologna	1 2	3	4	99		
-	If 1 or 2, Slice	ed at a deli cou	unter?			
	🗆 Yes 🗆	No 🗆 DK				
Turkey breast	1 2	3	4	99		
		ed at a deli cou No □ DK	unter?			
Chicken deli meat	1 2	3	4	99		
(NOT fresh or rotisserie chicken)		ed at a deli cou No □ DK	unter?			
Roast beef	1 2	3	4	99		
		ed at a deli co No □ DK	unter?			
Pastrami or corned beef	1 2	3	4	99		
		ed at a deli cou No □ DK	unter?			
Liverwurst or	1 2	3	4	99		
braunschweiger		ed at a deli co No □ DK	unter?			
Paté or meat spread that was not canned	1 2	3	4	99		
Head cheese	1 2	3	4	99		
		ed at a deli cou No □ DK	unter?			
Pepperoni	1 2	3	4	99		
		ed at a deli cou No □ DK	unter?			
Any other Italian-style meats,	1 2	3	4	99		
such as salami or prosciutto		ed at a deli cou No □ DK	unter?			
Other deli/luncheon meat	1 2	3	4	99		
(specify)		ed at a deli co u No □ DK	unter?			
Anything from a deli area	1 2		4	99		
where meat is sliced		ed at a deli co u No □ DK	unter?			
H. Other Meat/ Poultry	Ate Like (=1) ate (=2)	did NOT	Did NOT eat (=4)	Don't know (=99)	Details (e.g., type, variety, brand, packaging, shape/size, how prepared)	Place of purchase or consumption
"Now I have some questions abo					I ems, <case> might have eaten in the 4 weeks before <case's> ill</case's></case>	ness hearn "
Precooked sausage	1 2		4	99		
Precooked sausage Precooked chicken (whole or parts, including rotisserie)	1 2		4	99		
Other precooked meat (<i>specify</i>)	1 2	3	4	99		
Cured or dried meat (e.g., jerky)	1 2	3	4	99		
Hot dogs	1 2		4	99		
	<i>If 1 or 2,</i> Wei before being	re the hot dog eaten	s: □ Hea heated bef	ited fore being		
Frozen processed poultry (e.g., chicken nuggets or turkey pot pie— <i>specify</i>)	1 2	3	4	99		
Ground chicken or turkey (specify)	1 2	3	4	99		

DC <i>Listeria</i> Initiative Case	Keport	Form			Pu	IseNet ID or state public health lab isolate ID			
l. Vegetables and other produce	Ate (=1)	Likely ate (=2)	Likely did NOT eat (=3)	Did NOT eat (=4)	Don't know (=99)	Details (e.g., type, variety, brand, packaging, shape/size, how prepared)	Place of purchase or consumption		
"Now I have some questions abo	• out veget	tables, not	canned or co	oked, <cas< td=""><td>se> might</td><td>have eaten in the 4 weeks before <case's> illness began."</case's></td><td>•</td></cas<>	se> might	have eaten in the 4 weeks before <case's> illness began."</case's>	•		
Sprouts (including in a sandwich, salad, soup, sushi, or other food)		2 2, Which o ts did you	3 f the follov eat?	4 ving type	99 es of				
- Alfalfa	1	2	3	4	99				
- Bean (e.g. mung, soybean)	1	2	3	4	99				
- Clover	1	2	3	4	99				
- Radish	1	2	3	4	99				
- Broccoli	1	2	3	4	99				
- Mixed	1	2	3	4	99				
- Other sprouts (specify)	1	2	3	4	99				
Cucumbers	1	2	3	4	99				
Pea pods/snap peas/snow peas	1	2	3	4	99				
Sweet peppers (green, red, orange, or yellow bell peppers)	1	2	3	4	99				
Hot chili peppers such as jalapenos or serranos	1	2	3	4	99				
Green onions or scallions	1	2	3	4	99				
Celery	1	2	3	4	99				
Mini-carrots	1	2	3	4	99				
Fresh mushrooms	1	2	3	4	99				
Pre-cut raw vegetables or vegetable mixes (e.g., celery, onions—specify)	1	2	3	4	99				
Fresh basil	1	2	3	4	99				
Fresh cilantro	1	2	3	4	99				
Fresh parsley	1	2	3	4	99				
Other fresh herbs (sage, thyme, dill, etc.—specify)	1	2	3	4	99				
Fresh tomatoes	1	2	3	4	99				
	lf 1 or 2	2, what ty	pe(s) of tor	natoes?					
- Red round	1	2	3	4	99				
- Roma	1	2	3	4	99				
- Cherry/grape	1	2	3	4	99				
- Vine-ripe, sold on vine	1	2	3	4	99				
- Other (specify)	1	2	3	4	99				
Any lettuce	1 2 3 4 99 If 1 or 2, Was any of this lettuce prepackaged? Yes (specify type & brand) Image: No Image: No Image: No Image: No								
			pe(s) of let			<u> </u>			
- Iceberg	1	2	3	4	99				
- Romaine	1	2	3	4	99				
- Mesclun ("spring mix")	1	2	3	4	99				
- Radish	1	2	3	4	99				
- Any other leaf lettuce									
(specify)	1	2	3	4	99				

I. Vegetables and other produce	Ate (=1)	Likely ate (=2)	Likely did NOT eat (=3)	Did NOT eat (=4)	Don't know (=99)	Details (e.g., type, variety, brand, packaging, shape/size, how prepared)	Place of purchase or consumption
(Continued)							
Other prepackaged leafy green (e.g., kale, spinach— specify)	1	2	3	4	99		
Premade green salad that includes other ingredients besides greens (e.g., cobb, Caesar salads)	1	2	3	4	99		
Other produce (specify)	1	2	3	4	99		
J. Deli Salads	Ate (=1)	Likely ate (=2)	Likely did NOT eat (=3)	Did NOT eat (=4)	Don't know (=99)	Details (e.g., type, variety, brand, packaging, shape/size, how prepared)	Place of purchase or consumption
"Now I have some questions ab restaurant, or outside the home		salads that	<case> mig</case>	ht have ea	ten in the 4	4 weeks before <case's> illness began. Please do not include home</case's>	emade items, but only those made in a factory,
Potato salad	1	2	3	4	99		
		2, Was thi ounter?	s item purc □ Yes □				
Pasta salad	1	2	3	4	99		
		<i>2,</i> Purcha s s □ No	sed from a o	deli count	ter?		
Egg salad	1	2	3	4	99		
		<i>2,</i> Purcha s s □ No	sed from a o	deli count	ter?		
Tuna salad	1	2	3	4	99		
		<i>2,</i> Purcha : s □ No	sed from a o	deli count	ter?		
Chicken salad	1	2	3	4	99		
		<i>2,</i> Purcha : s □ No	sed from a o	deli count	ter?		
Bean salad	1	2	3	4	99		
		<i>2,</i> Purcha : es □ No	sed from a o	deli count	ter?		
Seafood salad	1	2	3	4	99		
		<i>2,</i> Purcha s es □ No	sed from a o	deli count	ter?		
Cole slaw	1	2	3	4	99		
		<i>2,</i> Purcha : s □ No	sed from a o	deli count	ter?		
Other ready-to-eat meat or	1	2	3	4	99		
vegetable salad not made at home		2, Purcha s es 🗆 No	sed from a o	deli count	ter?		
Anything from a salad bar	1	2	3	4	99		

K. Other Foods	Ate (=1)	Likely ate (=2)	Likely did NOT eat (=3)	Did NOT eat (=4)	Don't know (=99)	Details (e.g., type, variety, brand, packaging, shape/size, how prepared)	Place of purchase or consumption			
"Now I have some questions about other foods <case> might have eaten in the 4 weeks before <case's> illness began."</case's></case>										
Freshly-made smoothie with fresh or frozen fruit or produce	1	2	3	4	99					
Tahini	1	2	3	4	99					
Tofu, tempeh, or seitan	1	2	3	4	99					
Rice noodles	1	2	3	4	99					
Sandwiches from a refrigerated case or vending machine	1	2	3	4	99					
Peanut butter or other nut butters or nut cheeses	1	2	3	4	99					
Nuts, including peanuts, almonds, cashews	1	2	3	4	99					
Seeds, including chia, hemp, flax, or sunflower	1	2	3	4	99					
Food brought here from another country	1	2	3	4	99					
Any seasonal foods or special foods <case> ate during the last 4 weeks?</case>										
Optional questions: (Interviewer note: These questions can be helpful in outbreak investigations and for targeting prevention efforts.) In what country was <case> born?</case> In the United States or its territories (e.g., Puerto Rico, Guam) Outside the United States (<i>specify</i>)										
 If outside the United States: What year did this person come to live in the United States?										