## Washington State Department of Health RETAIL FOOD SAFETY ADVISORY COUNCIL



# **Issue Submission Form**

Food Code Section/Reference	Date Submitted		Issue Number:	24-01
05210	12/13/2024		Date Received:	12/16/2024
Contact Information				
Name				
Dave Price				
Agency or Organization (if applicable)				
King County Public Health - Plumbing & Gas Piping Program				
Phone		Email		
206-848-0906		daprice@kingcounty.gov		

Issues must be submitted at least 30 days before the next meeting in order to be considered.

### **Issue Information**

## **Issue/Concern Description**

One important factor in encouraging the usage of handwashing sinks is to provide warm water for handwashing without a lengthy wait time. This is addressed by Section 404.3 of the 2021 Washington State Energy Code which limits the length of uncirculated hot water piping runouts to public lavatories. While this measure is intended primarily to conserve energy used for water heating, implementing this requirement into the Retail Food Code would ensure hot water is delivered at the fixture within a few seconds. Hand washing sinks in food service establishments are not considered by all jurisdictions to be equivalent to 'public lavatories' as defined by State plumbing and energy codes and therefore this section of the energy code is often not adhered to when designing plumbing systems serving handwashing sinks. Referencing this energy code section directly within the Food Code would alleviate any confusion surrounding fixture classification and applicability.

#### **Recommended Solution** (if any)

Provide a new subsection within Section 05210 of the Retail Food Code noting that compliance with Section C404.3 of the State Energy Code is required for handwashing sinks in food service establishments.

#### **Other Comments**

The 2021 WA State Commercial Energy Code is available for reference at this link: https://sbcc.wa.gov/sites/default/files/2024-01/2021 WSEC C 2ndEd 012824.pdf

The actual code language is too lengthy to include on this form.

Contact the Food Safety Advisory Council Coordinator at 360-236-3330 or <a href="mailto:food.safety@doh.wa.gov">food.safety@doh.wa.gov</a> with questions.

### Submit this form by email:

Open the online Word form and complete it, save the form to your computer, and then attach the form to an email addressed to food.safety@doh.wa.gov.