

# STATE SUPPLIED RSV ANTIBODY PRODUCTS AT-A-GLANCE

| Characteristics               | Nirsevimab 50 mg<br>(Beyfortus)   | Nirsevimab 100 mg<br>(Beyfortus)   | Clesrovimab 105 mg<br>(Enflonsia)   |
|-------------------------------|---|--|---|
| <b>Manufacturer</b>           | Sanofi  | Sanofi   | Merck   |
| <b>Formulation</b>            | 0.5 mL single-dose prefilled syringe<br>Purple plunger rod  | 1 mL single-dose prefilled syringe<br>Light blue plunger rod   | 0.7 mL single-dose prefilled syringe<br>Pink plunger rod  |
| <b>Packaging</b>              | 5-dose pack   | 5-dose pack  | 1-dose pack<br>10-dose pack   |
| <b>CPT/CVX Codes</b>          | 90380 / 306   | 90381 / 307  | 90382 / 332   |
| <b>NDC Number</b>             | 49281-0575-15   | 49281-0574-15  | 00006-5073-01 (1-dose pack)<br>00006-5073-02 (10-dose pack)   |
| <b>Eligibility</b>            | Birth to <8 months<br>Infants weighing less than 5 kg (<11 lbs.)  | Birth to <8 months<br>Infants weighing 5 kg or more (≥11 lbs.)<br><br>8–19 months (high-risk): Two x 100 mg  | Birth to <8 months<br>Same dose regardless of weight<br><br>Not licensed for 8–19 months  |
| <b>Storage and Handling</b>   | <ul style="list-style-type: none"> <li>Store refrigerated at <b>2-8°C (36-46°F)</b>.</li> <li>Keep in original carton to protect from light.</li> <li>May be kept at room temperature (68–77°F / 20–25°C) for up to 8 hours</li> <li>After removal from the refrigerator, must be <b>used within 8 hours</b>.</li> <li>Do <b>NOT</b> freeze, shake, or expose to heat.</li> </ul> | <ul style="list-style-type: none"> <li>Store refrigerated at <b>2°-8°C (36-46°F)</b>.</li> <li>Keep in original carton to protect from light.</li> <li>May be kept at room temperature (68–77°F / 20–25°C) for up to 8 hours</li> <li>After removal from the refrigerator, must be <b>used within 8 hours</b>.</li> <li>Do <b>NOT</b> freeze, shake, or expose to heat.</li> </ul> | <ul style="list-style-type: none"> <li>Store refrigerated at <b>2-8°C (36-46°F)</b></li> <li>Keep in original carton to protect from light.</li> <li>May be kept at room temperature (20–25°C / 68–77°F) for up to 48 hours</li> <li>After removal from the refrigerator, must be <b>used within 48 hours</b>.</li> <li>Do <b>NOT</b> freeze or shake.</li> </ul> |
| <b>Shelf Life</b>             | Up to 18-24 months<br><i>May ship with shorter expiration</i>   | Up to 18-24 months<br><i>May ship with shorter expiration</i>  | Up to 30 months<br><i>May ship with shorter expiration</i>  |
| <b>Special Considerations</b> |   | <ul style="list-style-type: none"> <li>Only product licensed for 8–19 months high-risk second RSV season use.</li> </ul>   | <ul style="list-style-type: none"> <li>Longer shelf life</li> <li>Simplified outpatient operations</li> <li>Ideal for low-utilization clinics (use 1-dose pack)</li> <li>Not licensed for second season use — clinics must also stock Nirsevimab 100 mg for eligible patients.</li> </ul>   |

To request this document in another format, call 1-800-525-0127. Deaf or hard of hearing customers, please call 711 (Washington Relay) or email [doh.information@doh.wa.gov](mailto:doh.information@doh.wa.gov).