

# Masks Guidance During COVID-19

## Summary of April 3, 2023 Changes

- Removed references to the Secretary of Health Mask Order, which is rescinded as of April 3, 2023
- Updated guidance for [masking in health care settings](#)
- Updated recommendations for when masks should be worn in [non-health care congregate settings](#)

## Introduction

When you wear a mask or respirator (i.e., specialized filtering masks such as N95s), you help protect others around you as well as yourself. Wearing a mask or respirator can reduce the spread of COVID-19, saving lives and keeping the economy open. Combined strategies, such as staying [up to date](#) on vaccines and wearing masks or respirators, can help prevent severe illness and lower the burden on the healthcare system.

When you choose to wear a [mask or respirator](#), use the best-fitting and highest quality one available to you. **When worn properly, respirators [approved by the National Institute for Occupational Safety and Health \(NIOSH\)](#) (such as N95s) offer the most protection, followed by international respirators (such as KN95s and KF94s), surgical masks, and then cloth face masks.** If you are [at risk of severe COVID-19 disease](#), consult with your healthcare provider about whether you should get fit tested for a NIOSH-approved respirator or if you should consider other respirator options that do not require fit testing. For more information on fit testing and mask selection, visit [Washington State Department of Labor and Industries \(L&I\) webpage on voluntary masking](#). When respirators are required, they must be worn according to [Chapter 296-842 WAC](#) and as part of a respiratory protection program.

For more information about different types of masks and respirators and how to improve fit, see [types of masks and respirators](#). This [webpage](#) provides some information on how well different types of masks and respirators filter out particles, including when modifications are made to masks to improve fit.

People who cannot wear a mask due to developmental, behavioral, or medical conditions can use a face shield with a drape. These may also be used by children in child care, day camp, and K-12 settings if a well-fitting mask is not tolerated. **However, a face shield with a drape does not provide the same level of protection for the wearer as a well-fitting mask or respirator.** See the Washington State Department of Health (WA DOH) [K-12 School and Child Care](#) mask guidance. Also see CDC's [Considerations for specific groups of people](#). DOH recommends not using masks with exhalation valves or vents, single layer cloth masks, single layer bandanas, or gaiters.

Guidance published by Washington State Labor and Industries (L&I) has [additional information on the use of respirators with exhalation valves in workplaces](#).

Please visit [DOH's webpage on masks](#) for a list of frequently asked mask questions.

Throughout the rest of this document, mask is used to refer to both masks and respirators.

## Current Requirements

The Secretary of Health Mask Order that established statewide requirements for masking in specific indoor settings has been rescinded. However, you may still be required to wear a mask in certain circumstances or settings.

### Washington State Labor and Industries (L&I)

Although masks are not generally required in most workplaces, employers remain obligated to follow [L&I Requirements and Guidance for Preventing COVID-19](#). Additionally, private businesses can choose to require masks, and visitors should respect the [rules of the room](#). [WAC 296-62-609](#) protects a worker's right to wear a mask during a public health emergency. In accordance with [WAC 296-62-609](#), employers cannot prevent employees from wearing masks, respirators, or other personal protective devices or equipment except as narrowly permitted by law. This requirement will be in effect statewide for COVID-19 until May 11, 2023. After that date, employers should check with L&I to understand what requirements they must follow. See L&I's [What Workers Should Know About Voluntary Use of Masks](#) for more information.

### Local Public Health Officials

Public health authorities may require masks in some situations, such as outbreaks. Local health officials have the authority to issue health orders to control diseases within their jurisdiction, including but not limited to orders that activate the requirements of [WAC 296-62-609](#) and [RCW 49.17.485](#). Check with your [local health jurisdiction](#) and follow all health orders in place for that area.

## Recommendations

Below are public health recommendations in addition to the specific requirements above.

### Public Transportation Settings

WA DOH recommends that workers and passengers aged two years or older wear a well-fitting mask or respirator in [indoor public transportation settings](#), including conveyances (such as airplanes, buses, trains, ferries, subways, taxis, rideshares, and non-emergent medical transportation) and hubs (such as airports, bus or ferry terminals, train or subway stations, and seaports). These are settings that many people pass through, and they can be crowded and/or poorly ventilated (such as airport jetways). Travelers and workers can protect themselves and those around them by wearing a well-fitting mask or respirator to help keep travel and public transportation safer for everyone. Please see [CDC guidance on using face masks in public](#)

[transportation settings](#) for details. WA DOH encourages operators of public transportation to support mask wearing by all people.

### Masking in Health Care Settings

All health care settings can access personal protective equipment and source control guidance in [COVID-19 Infection Prevention in Healthcare Settings](#). Licensed health care facilities are required to have infection prevention policies and systems in place. Any health care facility may choose to require workers and visitors to wear masks.

### Masking Recommendations for Non-health Care Congregate Settings

Indoor mask use is recommended for people aged two years or older as an enhanced mitigation measure in the settings below when the CDC [COVID-19 Community Level](#) is medium or high or when there is an outbreak in the facility:

- [Homeless service provider sites](#)
- [Commercial maritime settings](#) (e.g., commercial seafood vessels, cargo ships, cruise ships)
- Crowded work settings where physical distancing is not possible due to the nature of the work, such as in warehouses, factories, food packaging and meat processing facilities, and employer-provided transportation
- Shared living areas of congregate living facilities (not bedrooms), including work release sites, transitional housing, juvenile rehabilitation or detention facilities, and temporary worker housing
- Correctional and detention facilities
- Indoors in settings where people incarcerated in adult prisons, adult jails, juvenile rehabilitation facilities, or juvenile detention facilities are present (e.g., court rooms)

People who live or work in the above settings should follow the same recommendations as the general public when not in these settings (e.g., when out in the community).

Non-health care establishments (such as businesses and organizations) may require masking in their facilities. These establishments should consider each of the following factors when deciding whether to require masks in their setting:

- Vulnerability of people in the setting
  - People not [up to date](#) on COVID-19 vaccines are more likely to get COVID-19 and to develop severe disease.
  - People with [certain medical conditions](#) are at higher risk of severe COVID-19.
- Quality of ventilation in the setting - see [Ventilation and Air Quality for Reducing Transmission of Airborne Illnesses](#) and [Clean Air in Buildings Challenge, EPA](#) for information and ventilation options, including for facilities with and without heating, ventilation, and air conditioning (HVAC) systems
- Ability of people to physically distance in the setting
- Suspected or confirmed outbreak of COVID-19 in the setting

- Indoor mask use is strongly recommended when there is an outbreak in a non-health care congregate setting.

When [CDC COVID-19 Community Level](#) is high, CDC and DOH recommend that all people wear masks indoors, regardless of vaccination status. Establishments should not discourage individuals from wearing masks if they choose to do so. See below for individual masking recommendations and risk-based considerations.

### Individual Mask Recommendations

People aged two years or older with symptoms, a positive test, or exposure to someone with COVID-19 should wear a high quality mask or respirator, in accordance with [COVID-19 Decision Trees for the General Public](#), [What to do if you test positive for COVID-19](#), and [What to do if you were potentially exposed to someone with COVID-19](#). Mask use is not recommended for children less than two years of age.

You can choose to wear a mask at any time. Consider the following factors when deciding whether to wear a mask:

- Your vaccination status and the vaccination status of those around you. People who are not [up to date](#) on COVID-19 vaccines and boosters are more susceptible to COVID-19 and to developing severe disease.
- Your [medical conditions](#) and the medical conditions of those around you that are at increased risk of severe COVID-19 disease. People with certain medical conditions are more susceptible to COVID-19 and to developing severe disease.
- The characteristics of the setting you are in (e.g., crowded, poorly ventilated, indoors).
- [CDC COVID-19 Community Level](#)
  - When community levels of disease are [high](#), CDC and WA DOH recommend wearing masks indoors, regardless of vaccination status.
  - When community levels of disease are [medium or high](#), CDC and WA DOH recommend that people at [high risk of getting very sick](#) from COVID-19 wear a high-quality mask or respirator when indoors in public. People who have household or social contact with someone at high risk of getting very sick should consider wearing a high-quality mask when indoors with them.

### Mental and Behavioral Health Resources

Please visit the DOH [Behavioral Health Resources and Recommendations](#) webpage.

### More COVID-19 Information and Resources

Stay up-to-date on the [current COVID-19 situation in Washington](#), [symptoms](#), [how it spreads](#), [how and when people should get tested](#), and [where to find vaccines](#). See our [Frequently Asked Questions](#) for more information.

A person's race/ethnicity or nationality does not, itself, put them at greater risk of COVID-19. However, data are revealing that communities of color are being disproportionately impacted by COVID-19 - this is due to the effects of racism, and in particular, structural racism, that leaves some groups with fewer opportunities to protect themselves and their communities. [Stigma will not help to fight the illness](#). Share accurate information with others to keep rumors and misinformation from spreading.

- [WA State Department of Health COVID-19 Response](#)
- [Find Your Local Health Department or District](#)
- [CDC Coronavirus \(COVID-19\)](#)

**Have more questions?** Call our COVID-19 Information hotline at **1-800-525-0127**. Hotline hours:

- Monday from 6 a.m. to 10 p.m.
- Tuesday through Sunday from 6 a.m. to 6 p.m.
- [Observed state holidays](#) from 6 a.m. to 6 p.m.

For interpretative services, **press #** when they answer and **say your language**. For questions about your own health or testing results, please contact a health care provider.

To request this document in another format, call 1-800-525-0127.

Deaf or hard of hearing customers, please call 711 ([Washington Relay](#)) or email [civil.rights@doh.wa.gov](mailto:civil.rights@doh.wa.gov).

## Appendix A

### Health Care Setting

Health care settings and long-term care settings are any public or private setting that is primarily used for the delivery of in-person health care services to people, with some exceptions. If located in a facility that is primarily used for the delivery of health-care services, such as a hospital, then the entire facility is a health care setting or long-term care setting. If located in a facility that is primarily used for another purpose, such as a pharmacy within a grocery store or a school nurse's office, the health care setting or long-term care setting includes only the areas that are primarily used for the delivery of health care, but not the other areas of the facility. Unless excluded below, health care providers include individuals with credentials listed in the [Healthcare Professional Credentialing Requirements](#) list as well as individuals who are permitted by law to provide health care services without holding a credential.

The following is a non-exclusive list of health care settings and long-term care settings:

- Acute care facilities, including, but not limited to, hospitals;
- Long-term acute care facilities;
- Inpatient rehabilitation facilities;

- Inpatient behavioral health facilities, including, but not limited to, evaluation and treatment facilities, residential treatment facilities, secure detox facilities;
- Residential long-term care facilities, including, but not limited to, nursing homes, assisted living facilities, adult family homes, settings where certified community residential services and supports are provided, and enhanced services facilities;
- Mobile clinics or other vehicles where health care is delivered;
- Outpatient facilities, including, but not limited to, dialysis centers, infusion centers, physician offices, and behavioral health facilities (including offices of psychiatrists, mental health counselors, and substance use disorder professionals);
- Dental and dental specialty facilities;
- Optometry and ophthalmology facilities;
- Pharmacies (not including the retail areas);
- Massage therapy offices (this includes designated areas where massage is administered within non-health care settings like spas and wellness/fitness centers);
- Chiropractic and physical therapy offices;
- Midwifery practices and stand-alone birth centers;
- Isolation and/or quarantine facilities;
- Ambulatory surgical facilities;
- Urgent care centers;
- Hospice care centers; and
- Settings where home health care, home care, personal care, or hospice care services are delivered by paid providers.

Health care settings and long-term care settings do not include:

- Settings where sports and spectator events or other gatherings are held (including when credentialed athletic trainers are providing care to players), other than areas primarily used for the delivery of health care services, such as designated first aid areas (which are health care settings);
- Department of Children, Youth & Families (DCYF)-licensed foster homes that do not primarily provide health care services;
- Research facilities where no health care is delivered to people;
- Veterinary health care settings;
- Animal control agencies;
- Non-profit humane societies; and
- Marijuana retail outlets, including those where medical marijuana consultants provide services.

If the health care facility requires masks outdoors, you must adhere to their business rules. See the [“rules of the room”](#) information below for more information. Please visit the [COVID-19 Infection Prevention in Healthcare Settings](#) page for detailed guidance including source control guidance and visitation guidance to certain health care facilities.

## **Rules of the Room**

Businesses, organizations, facilities, and establishments have the right to set their own rules for wearing masks in their establishment or facility. Businesses are required to follow all requirements in [L&I requirements](#) and may choose to require masks in settings.

Local public health officials may also put more protective mask orders in place to limit transmission in the community.

Additionally, some individuals may need to, or choose to, continue to wear a mask. They have the right to choose to wear masks in public even when state or local masking mandates are not active. Please respect their choice to wear masks to protect themselves, their family, and communities. Note that if you choose to wear a mask you may be asked to briefly remove it in situations such as those for identification purposes.