

Oak Bay

Annual Shellfish Growing Area Review



Prepared By: Patrick Biondo

Area: Oak Bay

Year Ending: December 31, 2022

Classification: Approved

Activities in the Growing Area in 2022

The growing area was sampled five times in accordance with the National Shellfish Sanitation Program (NSSP) Systematic Random Sampling (SRS) criteria. The sixth sample was not collected due to boat mechanical issues. The sample event will be made up in February 2023.

Jefferson County Public Health received National Estuary Program funds for on-site septic system operation and maintenance (O&M) rebates and to implement a cost-share and grant program for septic system repair, replacement, and decommissioning/abatement in areas with potential to affect the growing area. The County also used Centennial Clean Water Grant and local assessment funding for enhanced septic O&M and pollution identification and correction activities in the region.

Analytical Results of Water Samples

Table 1 summarizes the results of the last 30 samples collected from the area. This summary shows that all stations pass the NSSP water quality standard.

Change in Actual Pollution Sources that Impact the Growing Area

We currently have no information indicating that the area has new sources of pollution.

Classification Status

- Well within the classification standards
- Meets standards, but some concerns
- Meets standards, but threatened with downgrade in classification
- Fails to meet current classification standards

Remarks and Recommendations

Table 1 shows that all stations meet the NSSP water quality standard for an Approved classification and the area is correctly classified.

TABLE 1. Summary of Marine Water Data (SRS) for the Oak Bay Growing Area

Sampling Event Type: Regulatory

Maximum Number of Samples: 30

Tides Included: All

Station Number	Classification	Date Range	Range (FC/100mL)	Geomean (FC/100mL)	Est. 90 th Percentile (FC/100mL)	Meets Standard
1	Approved	11/16/2017 -10/12/2022	1.7 - 7.8	1.9	2.8	Y
2	Approved	11/16/2017 -10/12/2022	1.7 - 110.0	2.0	5.3	Y
3	Approved	11/16/2017 -10/12/2022	1.7 - 2.0	1.7	1.9	Y
4	Approved	11/16/2017 -10/12/2022	1.7 - 1.7	1.7	1.7	Y
5	Approved	11/16/2017 -10/12/2022	1.7 - 1.7	1.7	1.7	Y
6	Approved	11/16/2017 -10/12/2022	1.7 - 2.0	1.7	1.8	Y
7	Approved	11/16/2017 -10/12/2022	1.7 - 4.0	1.7	2.1	Y
8	Approved	11/16/2017 -10/12/2022	1.7 - 4.5	1.8	2.2	Y
173	Approved	11/16/2017 -10/12/2022	1.7 - 2.0	1.7	1.8	Y

The standard for approved shellfish growing waters is fecal coliform geometric mean not greater than 14 organisms/ 100 mL with an estimated 90th percentile not greater than 43 organisms/ 100 mL. The above table shows bacteriological results in relation to program standards.


MAP 1. Oak Bay Growing Area

Oak Bay



Date Updated: 7/11/2018


0 1 2 Miles



Classification

- Approved
- Conditional
- Prohibited
- Restricted
- Unclassified

Sampling Stations



* Some sampling stations are highlighted with grey box for ease of reading.