

Skookum Inlet

Annual Shellfish Growing Area Review



Prepared By: Casey Deligeannis

Area: Skookum Inlet

Year Ending: December 31, 2022

Classification: Approved

Activities in the Growing Area in 2022

The growing area was sampled six times in accordance with the National Shellfish Sanitation Program (NSSP) Systematic Random Sampling (SRS) criteria. The growing area was closed 3 times for a total of 15 days due to three inches or more of rain in 24-hours.

Analytical Results of Water Samples

Table 1 summarizes results of the 30 most recent samples collected from the area. All stations meet NSSP water quality standards.

Change in Actual Pollution Sources that Impact the Growing Area

We currently have no information indicating that the area has new sources of pollution.

Classification Status

- Well within the classification standards
- Meets standards, but some concerns
- Meets standards, but threatened with downgrade in classification
- Fails to meet current classification standards

Remarks and Recommendations

Table 1 shows that all stations meet the NSSP standard for an Approved classification and the area is correctly classified.

TABLE 1. Summary of Marine Water Data (SRS) for the Skookum Inlet Growing Area

Sampling Event Type: Regulatory

Maximum Number of Samples: 30

Tides Included: All

Station Number	Classification	Date Range	Range (FC/100mL)	Geomean (FC/100mL)	Est. 90 th Percentile (FC/100mL)	Meets Standard
152	Approved	1/10/2018 - 11/2/2022	1.7 - 13.0	2.2	4.5	Y
153	Approved	1/10/2018 - 11/2/2022	1.7 - 11.0	2.1	3.9	Y
154	Approved	1/10/2018 - 11/2/2022	1.7 - 33.0	2.5	6.5	Y
155	Approved	1/10/2018 - 11/2/2022	1.7 - 33.0	2.7	7.6	Y
156	Approved	1/10/2018 - 11/2/2022	1.7 - 33.0	2.4	6.8	Y
157	Approved	1/10/2018 - 11/2/2022	1.7 - 33.0	2.8	8.4	Y
158	Approved	1/10/2018 - 11/2/2022	1.7 - 170.0	3.1	13.7	Y
645	Approved	1/10/2018 - 11/2/2022	1.7 - 140.0	3.1	11.4	Y
646	Approved	1/10/2018 - 11/2/2022	1.7 - 70.0	3.5	12.5	Y

The standard for approved shellfish growing waters is fecal coliform geometric mean not greater than 14 organisms/ 100 mL with an estimated 90th percentile not greater than 43 organisms/ 100 mL. The above table shows bacteriological results in relation to program standards.


MAP 1. Skookum Inlet Growing Area

Skookum Inlet




Date Updated: 7/11/2018

0 0.75 1.5 Miles



Classification Sampling Stations

- Approved
- Conditional
- Prohibited
- Restricted
- Unclassified



* Some sampling stations are highlighted with grey box for ease of reading.