

Westcott Bay

Annual Shellfish Growing Area Review



Prepared By: Tim Jahraus

Area: Westcott Bay

Year Ending: December 31, 2022

Classification: Approved

Activities in the Growing Area in 2022

The growing area was sampled six times in accordance with National Shellfish Sanitation Program (NSSP) Systematic Random Sampling criteria. National Estuary Program grant funds were directed to San Juan Conservation District to provide agriculture technical assistance and best management practices. No additional activities have been documented in the growing area.

Analytical Results of Water Samples

Table 1 summarizes the results of the last 30 samples collected from the area. This summary shows that all stations meet the NSSP water quality standard.

Change in Actual Pollution Sources that Impact the Growing Area

We currently have no information indicating that the area has new sources of pollution.

Classification Status

- Well within the classification standards
- Meets standards, but some concerns
- Meets standards, but threatened with downgrade in classification
- Fails to meet current classification standards

Remarks and Recommendations

Table 1 shows that all stations meet the NSSP water quality standard for an Approved classification and the area is correctly classified.

TABLE 1. Summary of Marine Water Data (SRS) for the Westcott Bay Growing Area

Sampling Event Type: Regulatory

Maximum Number of Samples: 30

Tides Included: All

Station Number	Classification	Date Range	Range (FC/100mL)	Geomean (FC/100mL)	Est. 90 th Percentile (FC/100mL)	Meets Standard
3	Approved	2/28/2018 - 12/14/2022	1.7 - 49.0	2.3	5.9	Y
4	Approved	2/28/2018 - 12/14/2022	1.7 - 70.0	3.6	14.2	Y
5	Approved	2/28/2018 - 12/14/2022	1.7 - 33.0	2.5	6.9	Y
6	Approved	2/28/2018 - 12/14/2022	1.7 - 49.0	3.2	12.1	Y
7	Approved	2/28/2018 - 12/14/2022	1.7 - 49.0	3.3	12.6	Y
8	Approved	2/28/2018 - 12/14/2022	1.7 - 49.0	2.8	9.5	Y
9	Approved	2/28/2018 - 12/14/2022	1.7 - 130.0	3.1	13.6	Y
1	Unclassified	2/28/2018 - 12/14/2022	1.7 - 4.5	1.9	2.6	Y
2	Unclassified	2/28/2018 - 12/14/2022	1.7 - 17.0	2.3	4.8	Y
11	Unclassified	2/28/2018 - 12/14/2022	1.7 - 34.0	3.9	13.9	Y

The standard for approved shellfish growing waters is fecal coliform geometric mean not greater than 14 organisms/ 100 mL with an estimated 90th percentile not greater than 43 organisms/ 100 mL. The above table shows bacteriological results in relation to program standards.

MAP 1. Westcott Bay Growing Area

