

# **GWI Water Quality Monitoring Confirmation Form**

System Name:	County:
System ID#:	Source #:

This form establishes water quality monitoring parameters and frequency, equipment and appropriate contact persons responsible for data collection. This form must be completed, signed and returned to the address below by the date set during the GWI Water Quality Monitoring Interview with DOH.

Please identify the parameters that you plan to monitor. Please check the mandatory parameters and indicate the frequency of testing to ensure both the department and the purveyor are in agreement regarding required monitoring.

## Mandatory

## **Optional**

Parameter	Frequency	Parameter	Frequency
Water temperature		Total / Fecal Coliform	
Air temperature <sup>1</sup>		HPC <sup>2</sup> Bacteria	
Conductivity		Turbidity	
Precipitation		pH	
<sup>1</sup> Spring Source, otherwise	optional		

<sup>2</sup>*Heterotrophic Plate Count* 

Please identify the **manufacturer and model number** of test equipment that has been purchased, or will be purchased for the monitoring parameters specified above. Please provide copies of the manufacturer's information (catalogue sheets) specific to each instrument.

### **Equipment for Mandatory Monitoring**

(Water Temperature) Laboratory Quality Thermometer	
Conductivity meter: Manufacturer and Model	
Location of Rain Gage	

## **Equipment for Optional Monitoring**

Coliform or HPC Bac	teria: Certified Laboratory _	
Turbidity:	Manufacturer and Model	
pH:	Manufacturer and Model	

Please identify the staff member who will be responsible for collecting and reporting data:

Staff Member	Position/Title	Phone #	
Water System Manager	Date	Monitoring Start Date	
Return completed form to:	GWI Program Lead Department of Health, Office of Drinking Water P.O. Box 47822 Olympia, WA 98504-7822		

The Department of Health is an equal opportunity agency. For persons with disabilities, this document is available on request in other formats. To submit a request, please call 1-800-525-0127 (TTY 1-800-833-6388). For additional copies of this form, call 1-800-521-0323.