

# *Health Consultation*

Private Well Data Follow-up  
**BOOMSNUB/AIRCO SUPERFUND SITE**  
**VANCOUVER, CLARK COUNTY, WASHINGTON**  
EPA FACILITY ID: WAD009624453

May 24, 2004

**Prepared by**

**The Washington State Department of Health  
Under a Cooperative Agreement with the  
Agency for Toxic Substances and Disease Registry**



DOH 334-235 May 2004

## **Foreword**

The Washington State Department of Health (DOH) has prepared this health consultation in cooperation with the Agency for Toxic Substances and Disease Registry (ATSDR). ATSDR is part of the U.S. Department of Health and Human Services and is the principal federal public health agency responsible for health issues related to hazardous waste. This health consultation was prepared in accordance with methodologies and guidelines developed by ATSDR.

The purpose of this health consultation is to identify and prevent harmful human health effects resulting from exposure to hazardous substances in the environment. Health consultations focus on specific health issues so that DOH can respond to requests from concerned residents or agencies for health information on hazardous substances. DOH evaluates sampling data collected from a hazardous waste site, determines whether exposures have occurred or could occur, reports any potential harmful effects, and recommends actions to protect public health. The findings in this report are relevant to conditions at the site during the time of this health consultation, and should not necessarily be relied upon if site conditions or land use changes in the future.

For additional information or questions regarding DOH or the contents of this health consultation, please call the health advisor who prepared this document:

Lenford O'Garro  
Washington State Department of Health  
Office of Environmental Health Assessments  
P.O. Box 47846  
Olympia, WA 98504-7846  
(360) 236-3376  
1-877-485-7316  
Website: <http://www.doh.wa.gov/consults>

For more information about ATSDR, contact the ATSDR Information Center at 1-888-422-8737 or visit the agency's Web site: [www.atsdr.cdc.gov/](http://www.atsdr.cdc.gov/).

## Glossary

<p><b>Agency for Toxic Substances and Disease Registry (ATSDR)</b></p>	<p>The principal federal public health agency involved with hazardous waste issues, responsible for preventing or reducing the harmful effects of exposure to hazardous substances on human health and quality of life. ATSDR is part of the U.S. Department of Health and Human Services.</p>
<p><b>Aquifer</b></p>	<p>An underground formation composed of materials such as sand, soil, or gravel that can store and/or supply groundwater to wells and springs.</p>
<p><b>Comparison value</b></p>	<p>Calculated concentration of a substance in air, water, food, or soil that is unlikely to cause harmful (adverse) health effects in exposed persons. The CV is used as a screening level during the public health assessment process. Substances found in amounts greater than their CVs might be selected for further evaluation in the public health assessment process.</p>
<p><b>Contaminant</b></p>	<p>A substance that is either present in an environment where it does not belong or is present at levels that might cause harmful (adverse) health effects.</p>
<p><b>Environmental Protection Agency (EPA)</b></p>	<p>The federal agency that develops and enforces environmental laws to protect the environment and the public's health.</p>
<p><b>Exposure</b></p>	<p>Contact with a substance by swallowing, breathing, or touching the skin or eyes. Exposure may be short-term [<b>acute exposure</b>], of intermediate duration, or long-term [<b>chronic exposure</b>].</p>

<b>Groundwater</b>	Water beneath the earth's surface in the spaces between soil particles and between rock surfaces [compare with <b>surface water</b> ].
<b>Hazardous substance</b>	Any material that poses a threat to public health and/or the environment. Typical hazardous substances are materials that are toxic, corrosive, ignitable, explosive, or chemically reactive.
<b>Monitoring wells</b>	Special wells drilled at locations on or off a hazardous waste site so water can be sampled at selected depths and studied to determine the movement of groundwater and the amount, distribution, and type of contaminant.
<b>No apparent public health hazard</b>	A category used in ATSDR's public health assessments for sites where human exposure to contaminated media might be occurring, might have occurred in the past, or might occur in the future, but where the exposure is not expected to cause any harmful health effects.
<b>Plume</b>	A volume of a substance that moves from its source to places farther away from the source. Plumes can be described by the volume of air or water they occupy and the direction they move. For example, a plume can be a column of smoke from a chimney or a substance moving with groundwater.
<b>Remedial investigation</b>	The CERCLA process of determining the type and extent of hazardous material contamination at a site.
<b>Route of exposure</b>	The way people come into contact with a hazardous substance. Three routes of exposure are breathing [ <b>inhalation</b> ], eating or drinking [ <b>ingestion</b> ], or contact with the skin [ <b>dermal contact</b> ].

<b>Volatile organic compound (VOC)</b>	Organic compounds that evaporate readily into the air. VOCs include substances such as benzene, toluene, methylene chloride, and methyl chloroform.
--	---

## **Purpose**

The Washington State Department of Health (DOH) conducted a well survey to identify private wells near the Boomsnub/Airco Superfund site located in Hazel Dell, an unincorporated area located north of the city of Vancouver, in Clark County, Washington. Previous health assessments prepared by DOH recommended a well survey to identify all existing wells located in or near the groundwater contamination plumes in the Alluvial and Upper Troutdale aquifer.<sup>1,2</sup> Two private wells were found during the well survey. This health consultation summarizes DOH's evaluation of the results of the analysis conducted on water samples collected from these two private wells. DOH prepares health consultations under a cooperative agreement with the Agency for Toxic Substances and Disease Registry (ATSDR).

## **Background and Statement of Issues**

The sites consist of the former Boomsnub facility and BOC Gases properties, and are located south of the intersection of NE 47<sup>th</sup> Avenue and NE 78<sup>th</sup> Street. Also two other areas of groundwater contamination extend west of NE 47<sup>th</sup> Avenue. The Boomsnub metal plating facility operated from 1967 to 1994, and contaminated the soil with chromium. AIRCO, which later became BOC Gases, is a compressed gas manufacturing facility that began operations in 1964. BOC Gases is responsible for introducing volatile organic compounds (VOC's) [TCE, PCE and Freon II] to the groundwater. The Washington State Department of Ecology (DOE) began investigating the chromium contamination at the Boomsnub property in 1987 and installed a groundwater treatment system in the Alluvial aquifer in 1990 to collect and remove chromium. During the operation of the system VOC's were detected in the groundwater. The groundwater treatment system was expanded to treat the additional contaminants.<sup>1, 2, 3</sup> In 1991, chromium ranging from 0.0112 parts per million (ppm) to 0.292 ppm was discovered in a few private wells near Boomsnub; these wells were connected to a municipal water system.<sup>1</sup> By December 1993, monitoring of the private well with chromium at a level of 0.292 ppm in 1991 revealed the level had dropped to 0.03 ppm.<sup>1</sup>

In 1994, the Environmental Protection Agency (EPA) took over as the lead regulatory agency for the Boomsnub/Airco site. Many monitoring wells have been installed in the area and a Site-Wide Groundwater Operable Unit has identified contaminated groundwater in the Alluvial and Upper Troutdale aquifers.<sup>2</sup> Due to the movement of the contamination plume in the Alluvial aquifer and concerns about the quality of the groundwater being used by private well owners in or near the plume, DOH, in cooperation with the Southwest Washington Health District, DOE, the City of Vancouver, Clark Public Utilities, and the EPA issued a news release in July 1994 advising residents who were using private wells in the vicinity of the Boomsnub/Airco site to connect to the public water system.<sup>1, 2</sup> The recommendation was made to ensure a safe water supply for people who had wells in or adjacent to the contamination plume.<sup>1, 2</sup> In 1994, the EPA then excavated and removed about 6000 tons of chromium-contaminated soil from the site. An additional 2500 cubic yards of contaminated soil was later removed from the site in 2001.

The survey area was defined using Arcview® geographic information system (GIS) software by drawing a 7,000 feet by 3,645 feet rectangle area around the location of the plume (Figure 1). The resulting map was provided to the Clark County Department of Assessment and Geographical Information Systems to obtain a list of tax parcel numbers, as well as the names and addresses of the property owners within the area to be surveyed. The list of names and addresses was then sent to the two municipal water systems serving the survey area. Clark County Utilities and the City of Vancouver Utility crosschecked their database of public water use against the assessor's names and addresses for verification. To further reduce the number of survey letters owners received, Clark County's online Geographical Information System (GIS) was accessed for records of land use, property type and aerial photos of the remaining parcel numbers. This process screened out undeveloped lots, railroads and utilities right-of-way. All remaining property owners (tax parcel numbers) in the survey area were sent the attached letter and survey form (see Appendix A) to obtain well information. To increase the response rate, a follow-up door-to-door survey was conducted. When possible, the Washington State Department of Ecology (DOE) water well log search and viewer were accessed to obtain well logs and other information. The intent of the survey was to confirm the lack of private drinking wells in the area near the Boomsnub/Airco Superfund site.<sup>4</sup>

## **Discussion**

### **Results of previous well Survey**

The two previous health assessments prepared by DOH recommended a door-to-door well survey in the area of potential influence. To date, there are no records from EPA or the local health department of a private well used for potable purposes survey for the Boomsnub/Airco area. The Clark Public Utilities District provided DOH with a summary of private wells in the Boomsnub/BOC gases area.<sup>5</sup> This health consultation summarizes the results of the DOH's well survey and door-to-door follow-up and DOH's evaluation of the results of the analysis conducted on water samples collected from these two private wells. The survey was conducted to identify the existence of private wells in the area above the contaminated groundwater plume originating from the Boomsnub/Airco site.

The total number of parcels within the survey area was 685. After cross-checking the parcel numbers against databases for the two municipal water systems that serve the survey area, a total of 119 parcel numbers were identified as not being served by municipal water systems. GIS aerial photographs and land use descriptions further reduced this total to 57 by eliminating vacant parcels and those with no water supply.<sup>4</sup>

A total of 57 surveys were mailed out on May 19, 2003. Of the 57 mailed out, 19 owners responded. Fourteen of these indicated they were on municipal water, two had private wells, two had no water source, and one did not know their source of water. Only one of the two respondents with private wells was listed in the Clark Public Utilities private wells summary as

having a well. With only 19 (thirty-three percent) of owners responding to the mailed survey, a door-to-door follow-up survey was conducted on July 1, 2003 in an attempt to contact the 39 non-respondents (i.e., did not respond, returned mail and don't know categories). Visual inspection of the area eliminated 16 of the 39 owners or parcel numbers (10 had no buildings, 3 had only sheds, 1 had an unoccupied industrial building, 1 had an unoccupied or abandoned home, and 1 was a PUD well area). The remaining 23 homes and businesses in the survey area were found to be on municipal water system. The door-to-door follow-up survey located no other private wells in the survey area. The mail survey provided more information than the door-to-door survey, as the respondents were more likely to answer more questions. However both survey methods provided the essential information, which was whether or not a private well existed for potable purpose.<sup>4</sup>

Clark Public Utilities' records indicate that some of the residents with water supply wells near the contaminant plume have connected to one of the municipal water system.<sup>5</sup> EPA's Monitoring Well Description and Location Data show several other private wells located in the area.<sup>6</sup> Most of these wells have been connected to one of the two municipal water systems serving the area. Ecology's water well log search and viewer showed that none of the private wells in the area have been abandoned. Therefore, it is possible that some of these wells may be in use even though the homes are connected to one of the municipal water system.

### **Results of Sampling analysis**

Two private wells that are currently used as a source of drinking water were found in the surveyed area. EPA sampled these two private wells and the results were evaluated by DOH. Sample results are provided in Appendix B.

All contaminant data were screened using ATSDR and U.S. Environmental Protection Agency (EPA) health-based criteria (comparison values). Comparison values are a calculated concentration of a substance in air, water, food, or soil that is unlikely to cause harmful (adverse) health effects in exposed people. Substances found in amounts greater than their CVs are selected for further evaluation in the health consultation process. None of the chemicals analyzed exceeded their respective health comparison values.

It should be noted that the method detection limit (0.12 µg/l) for trichloroethylene and 1,1-dichloroethylene is higher than the respective comparison value for these two chemicals. As a result, for these two chemicals, it was assumed that the chemicals were present at one half of the method detection limit (i.e., 0.06 µg/l). Since 0.06 µg/l is below the TCE comparison value, and just at the comparison value for 1,1-dichloroethylene, these two contaminants were not considered by DOH to pose a health threat, and were not further evaluated. Because comparison values are derived from scientific studies and modified by safety factors to be extremely protective of human health, the approach used to screen these contaminants is considered to be adequately protective of human health.

## **Child Health Considerations**

The unique vulnerabilities of infants and children demand special attention in communities with contamination of their water, food, soil or air. The potential for exposure and subsequent adverse health effects are often increased for younger children as opposed to older children or adults. ATSDR and DOH recognize that children are susceptible to developmental toxicity that can occur at levels much lower than those causing other types of toxicity. Because chemical concentrations did not exceed health comparison values, consumption of the water would not be expected to result in adverse health effects for children.

## **Conclusions**

1. Two private drinking water wells (see Figure 1 - PW 1 and PW 2), or 0.3 % of all parcels, were identified in the surveyed area. While the initial mailed out response rate was only 33%, the door-to-door follow-up survey provides reassurance that no other drinking water wells are located in the contaminated groundwater plume. Several other private wells that were shown to be located in the area are currently connected to one of the two existing municipal water systems, and are therefore not at risk for contamination.
2. Water samples collected from the two private wells identified in the survey either showed no chemical contamination, or very low levels of chromium. As a result, drinking water from these wells is categorized as a no apparent public health hazard.
3. Future human exposure pathways would be of concern if wells were drilled in this area for drinking water.

## **Recommendations**

Because contaminants are present in the groundwater at levels of health concern, no drinking water wells should be drilled within, or immediately downgradient of the site.

## **Public Health Action Plan**

This recommendation will be communicated to EPA, as the lead regulatory agency.

**Preparer of Report**

Lenford O'Garro  
Washington State Department of Health  
Office of Environmental Health Assessments  
Site Assessment Section

**Designated Reviewer**

Wayne Clifford, Manager  
Site Assessment Section  
Office of Environmental Health Assessments  
Washington State Department of Health

**ATSDR Technical Project Officer**

Debra Gable  
Division of Health Assessment and Consultation  
Agency for Toxic Substances and Disease Registry

## References

1. Washington State Department of Health. Public Health Assessment for Boomsnub/Airco, Vancouver, Clark County, Washington, CERCLIS No. WAD009624453, July 18, 1995.
2. Washington State Department of Health. Public Health Assessment for Boomsnub/Airco Superfund site (a/k/a Boomsnub/Airco), Vancouver, Clark County, Washington, EPA FACILITY ID: WAD009624453, September 28, 2001.
3. Remedial Investigation/ Feasibility Study Boomsnub/AIRCO (BOC Gases) Superfund Site Hazel Dell, Washington. November 1997, revision 1. Prepared by ICF Kaiser Engineers, Inc., Seattle Washington.
4. Washington State Department of Health. Public Health Consultation for a Private Well Survey of Boomsnub/Airco Superfund site (a/k/a Boomsnub/Airco), Vancouver, Clark County, Washington, EPA FACILITY ID: WAD009624453, September 30, 2003.
5. Summary of Private Wells in the Boomsnub/BOC Gases Vicinity, Steve Prather, Clark County Public Utilities, April 19, 1999.
6. Boomsnub-Airco (BOC Gases) Site, Vancouver, WA- Groundwater sampling data, U.S. EPA, October 15 1999.

## Appendices

### Letter and Well Survey

May 19, 2003

Dear Resident:

The Washington State Department of Health is requesting information on drinking water wells in your area. We need this information to determine whether all drinking water wells have been identified near the Boomsnub/Airco Superfund site where contaminated groundwater exists. Information about your well will not be used for any other purpose and will be available to the public only by formal request. Your participation in this survey is voluntary. You will not lose any services or benefits if you choose not to participate. If you do use a private well, your participation will allow us to assess the need for sampling and, if necessary, evaluate sample results.

Please take a few minutes and fill out the enclosed form and return it to us by June 16th. We ask that you fill it out regardless of your water source so that we know you have received this request. We have included a self-addressed stamped envelope for your convenience.

If you have any questions, please do not hesitate to call me toll-free at 1-877-485-7316 or (360) 236-3376. Your cooperation is appreciated.

Sincerely,

Lenford O'Garro  
Public Health Advisor  
Site Assessment Section  
Office of Environmental Health Assessments  
Washington State Department of Health  
Enclosure (Survey)

## Boomsnub/Airco Neighborhood Water Well Survey

Please answer all questions on the survey. Thank you.  
We will contact you if you have a well that should be tested.

1. Your name:
2. Your *physical* address:

(Please make address corrections directly on this form)

3. Your telephone number: \_\_\_\_\_  
What are the best times to call you? \_\_\_\_\_

4. Property Information: Parcel # and Site or Legal Address:

(Label with address and parcel #)

5. What is your source of tap water? (**check only one**)

- No Water Source Present
- Municipal (city) water system
- Small community (neighborhood) water system
- Private well (serving 1 or 2 houses)
- Don't know

Water system name:

Operator's name:

Operator's phone #:

### If you use a private well, please indicate:

Name of well owner: \_\_\_\_\_ Phone #: \_\_\_\_\_  
(if someone else)

Location of the well (for example, "100 feet behind my house" or "behind the house at 2011 Oak Rd.")

Well depth: \_\_\_\_\_ Year drilled: \_\_\_\_\_

Please Return Survey by June 16 to: Lenford O'Garro, Department of Health, PO Box 47846, Olympia, WA 98504  
If you have questions call 1-877-485-7316 or 360-236-3376

## Appendix B

**Table 1.** Analytic results of drinking water sample ( $\mu\text{g/l}$ ) taken in 1996 from PW 1 and 2002 from PW 2, Hazel Dell, Clark County, Washington.

<b>Contaminant</b>	<b>PW 1</b>	<b>PW 2</b>	<b>Comparison value</b>	<b>EPA cancer class</b>	<b>Comparison value reference</b>
(Total) Chromium	5U	3.4B	100	D	LTHA
Tetrachloroethylene	1U	0.5U	100	UR	RMEG
Trichloroethylene	1U	0.5U	0.09	UR	CREG
Cis-1,2-Dichloroethene	1U	0.5U	3000	D	EMEG
CFC-11	1U	0.5U	3000	D	RMEG
1,1-Dichloroethylene	1U	0.5U	0.06	C	CREG
1,1,1-Trichloroethane	1U	0.5U	200		LTHA

LTHA - EPA's Lifetime Health Advisory for drinking water

CREG - ATSDR's Cancer Risk Evaluation Guide

RMEG - ATSDR's Reference Dose Media Evaluation Guide

EMEG - ATSDR's Environmental Media Evaluation Guide

B - Lab qualifier: analyte detected above method detection limit but below reporting detection limit

U - Lab qualifier: The analyte was not detected at or above the reported result.

C - EPA: Possible human carcinogen (no human, limited animal studies)

D - EPA: Not classifiable as to health carcinogenicity

UR - EPA: Under review

**Figure 1:** Map of Boomsnub Survey area, showing the two private drinking water wells (PW 1 and PW 2) found in the survey

Hazel Dell, Washington



## **Certification**

This Health Consultation was prepared by the Washington State Department of Health under a cooperative agreement with the Agency for Toxic Substances and Disease Registry (ATSDR). It is in accordance with approved methodology and procedures existing at the time the health consultation was begun.

---

Debra Gable  
Technical Project Officer,  
SPS, SSAB, DHAC  
ATSDR

The Division of Health Assessment and Consultation, ATSDR, has reviewed this public health consultation and concurs with the findings.

---

Roberta Erlwein  
Section Chief,  
SPS, SSAB, DHAC  
ATSDR