

Fax Page 1 To: Grays Harbor County Public Health & Social Services Department (360) 533-6272 (Confidential FAX line)

Adapted from WA DOH Form 347-102

CONFIDENTIAL SEXUALLY TRANSMITTED INFECTION CASE REPORT Report STIs within 3 work days (WAC 246-101-101/301)

PATIENT INFORMATION														
LAST NAME FI			FIRST NA	FIRST NAME			MIDDLE NAM	MIDDLE NAME DA			ATE OF BIRTH			
							м		мо	D DAY		YR		
ADDRESS (Unhoused or unstably housed in th			in the pa	e past 3 months)		CITY				STATE		ZIP COD	E	
TELEPHONE EMAIL							o *instructions	on C		SIS DA	TE			
					red Language	pg. 3		۸ I			YR			
SEX ASSIGNED	GENDER IDENT	ΠΤΥ		ETHNIC			RACE CATEGO	RY (check all	that	apply)*:		*Ir	struction	s on page 3
AT BIRTH	Male	Transgend	ler MTF	🗌 Hispa	anic or	Latina/o/x	U White					🗌 Asiai		
		☐ Transgend	ler FTM 🛛 Non-Hisp		Hispan	· Amorican Indi		adian / Alack	│ Other │ Alaska Native │ Unknown					
Female Nonbinary / Other			Unknown			 American Indian / Alaska Native Hawaiian / Other 								
☐ Intersex	□ Intersex Genderqueer □ Refused □ Refused				R	R								
	REASON FOR F	XAM (check one):	GENE		X PAR	TNFRS (check		HIV STATU				Case Report		RENTLY
PREGNANT?							Previou			IV/AID3 (case neport	ON P		
Yes Exposed to I				_ 0					V diagnosis at this visit*		□ Ye	es		
□ No □ Routine Exan		n (No Symptoms	(onbinary / 🗌 Other				tive HIV test at this visit					
🗌 Unk. 🗌 NA			Ge	enderque	er	Unknov	vn	Did not	t test	(unknov	wn sta	itus)	🗆 N.	A
DIAGNOSIS - E									DI					
GONORRHEA (I			onely),	TDEATN		h a als all much	entile e al \.							
DIAGNOSIS (check one)			TREATMENT (check all prescribed):				STAGE (check one):							
Symptomatic		Urethra	□ Cefixime: □ 400 mg □ 800 mg □ Azithromycin: □ 1 g □ 2 g				 Secondary (Rash, etc.) Early Latent (< 1 year) 							
Pelvic Inflam	matory Disease	Urine												
 Ophthalmia Disseminated 		Pharynx	Rectum Rectum		Doxycycline: 100 mg BID x 7 days				 Unknown Duration or Late Congenital 					
Other Compli		Vagina			□ Gentamicin: □ 240 mg □ Gemifloxacin: □ 320 mg									
		🗌 Ocular	🗌 Ocular] Other:				MANIFESTATIONS (check all that apply):					
Date Tested:		Other:	Date Prescribed:					□ Neurologic □ Otic □ Ocular □ Tertiary						
CHLAMYDIA (la								TR	EATN	VENT (c	heck o	one):		
DIAGNOSIS (ch	-	SITES (all that		TREATMENT (check all prescribed):			Bio	Bicillin L - A: 🗌 2.4 MU IM x 1						
 Asymptomatic Symptomatic, Uncomplicated 		Cervix			□ Azithromycin: □ 1 g □ Doxycycline: □ 100 mg BID x 7 days				2.4 MU IM x 3					
Pelvic Inflam						Levofloxacin: 500 mg daily x 7 days			Doxycycline: 100 mg BID x 14 days					
Ophthalmia	ications	🗌 Rectum	Other:		r:				☐ 100 mg BID x 28 days Benzathine ☐ 50,000 units/kg IM x 1					
Other Complications:		Pharynx							PCN-G: \Box 50,000 units/kg IM x 1					
						Aq	Aqueous 🗌 18-24 MU/day IV							
Date Tested: Other:		I	Date Prescribed:					Crystalline for 10-14 days						
HERPES SIMPLE						DISEASES			nicilli '					
DIAGNOSIS LABORA						Chancroid Granuloma Inguinale			Other:					
Neonatal	••						hogranuloma Venereum			Date Prescribed:				
PARTNER TREATMENT PLAN (check one or more options)														
Providers should manage partner treatment by either treating partners in-person or by prescribing medication for patients to give to their sex partners (see side 2														
	for additional information).													
Patient-delivered treatment* - Number of partners for whom provider prescribed or provided expedited partner therapy (EPT) medication pack to be														
delivered by the patient to their partner(s): *Patient-delivered treatment is not recommended for men who have sex with men or patients with syphilis														
REPORTING CLINIC INFORMATION														
DATE	TE FACILITY NAME DIAGNOSING CLINICIAN													
ADDRESS CITY STATE ZIP														
PERSON COMPLETING FORM				TELE	EPHON	E	EMAIL							
				()									
Thank you for reporting an STI. All information will be managed with the strictest confidentiality.														

PRIVILEGED AND CONFIDENTIAL COMMUNICATIONS: The information contained in this message is privileged, confidential, or otherwise exempt from disclosure and is intended solely for the use of the individual(s) named above. If you are not the intended recipient, you are hereby advised that any dissemination, distribution, or copying of this communication is prohibited. If you have received this facsimile in error, please immediately notify the sender by telephone and destroy the original facsimile.

Gonorrhea or Chlamydia Infection: Partner Treatment

All partners should be treated as if they are infected.

The Washington State Department of Health strongly encourages providers to take responsibility to ensure partner treatment for heterosexuals, by examining and treating all patient's sex partners from the previous 60 days.

If an examination is not possible, providers should offer medication for all sex partners whom patients are able to contact.

Grays Harbor County Public Health & Social Services Department may be able to provide free medication to your patient to give their partner(s), if resources permit. Please contact your local health jurisdiction to report cases and inquire about partner management resources, possibly including EPT medications.

Grays Harbor County Public Health & Social Services Department recommends you refer all **MSM patients** and **all patients with syphilis or newly diagnosed HIV** to the health department for help notifying partners to ensure that partners receive medication; the opportunity to test for HIV, syphilis, gonorrhea, and chlamydia; and evaluation for HIV Pre-Exposure Prophylaxis (PrEP). Please inform the patient that the health department will contact them to assist with partner notification.

Although the Health Department requests that you refer patients with these risks to us, we also ask that you make every effort to help patients assure that their partners are treated.

Complete the partner management plan on the Confidential Sexually Transmitted Infection Case Report FAX form to define a partner management plan.

For copies of this case report or questions on how to fill it out, call the Grays Harbor County Public Health & Social Services Department: (360) 532-8631.

Other STIs: Partner Treatment

All patients with infectious syphilis, chancroid, LGV, or granuloma inguinale are routinely contacted by public health staff. Patients diagnosed with genital herpes should be advised to notify their sex partners and should be informed that their partners should contact their provider for testing. Per CDC treatment guidelines, sex partners of patients who are diagnosed with early syphilis (primary, secondary, or early latent) and may be incubating disease should be treated regardless of test results. Alternative treatment for penicillin allergy among non-pregnant patients, such as an appropriate dosage of doxycycline, can also be found in the guidelines.

RECOMMENDED REGIMENS FOR ANTIMICROBIALS LISTED ON REPORTS*

GONORRHEA -- Uncomplicated

Ceftriaxone 500 mg IM as a single dose for persons weighing < 150 kg (330 lbs), or 1 g IM as a single dose for persons weighing > 150 kg (330 lbs)^{\dagger}

Alternatives for uncomplicated infections of the cervix, urethra, or rectum:[‡]

Gentamicin 240 mg IM as a single dose PLUS azithromycin 2 g PO as a single dose OR

Cefixime 800 mg orally as a single dose[†]

⁺ If treating with ceftriaxone or cefixime, and chlamydia infection has not been excluded, providers should treat for chlamydia with doxycycline 100 mg PO BID for 7 days. During pregnancy, azithromycin 1 g PO as a single dose is recommended to treat chlamydia.

[‡] Ceftriaxone is the only recommended treatment for pharyngeal gonorrhea. Consult an infectious disease provider or other STI expert for assistance if alternative treatment is required.

CHLAMYDIA -- Uncomplicated

Doxycycline 100 mg PO BID for 7 days **OR** Azithromycin 1g PO as a single dose

Alternatives:

Erythromycin (base) 500 mg PO QID for 7 days OR

Ethylsuccinate 800 mg PO QID for 7 days **OR**

Ofloxacin 300 mg PO BID for 7 days **OR**

Levofloxacin 500 mg PO for 7 days

SYPHILIS -- PRIMARY, SECONDARY, OR EARLY LATENT (<1 YEAR)

Benzathine penicillin G 2.4 million units IM in a single dose

SYPHILIS -- LATE OR UNKNOWN DURATION

Benzathine penicillin G 2.4 million units IM for 3 doses at 1 week intervals

* Refer to "STD Diagnostic and Treatment Guidelines" or the Centers for Disease Control and Prevention's (CDC's) website (<u>https://www.cdc.gov/std/treatment/default.htm</u>) for further information on treating pregnant patients, infections of the pharynx, patients with allergies, treatment of infants, and other details.

DOH 347-102, updated 12/14/2022. For persons with disabilities, this document is available on request in other formats. To submit a request, please call 1-800-525-0127 (TDD/TTY 1-800-833-6388).

List of Preferred Languages:

Instructions: Complete the *Preferred Language* section if the patient's preferred language is <u>not</u> English. Patient's preferred language shall be identified by the patient and reported using one of the below categories.

Language Identity Codes:

(L01) Amharic	(L18) Karen	(L35) Sign languages
(LO2) Arabic	(L19) Khmer/Cambodian	(L36) Somali
(LO3) Balochi/Baluchi	(L20) Kinyarwanda	(L37) Spanish/Castilian
(LO4) Burmese	(L21) Korean	(L38) Swahili/Kiswahili
(L05) Cantonese	(L22) Kosraean	(L39) Tagalog
(L06) Chinese (unspecified)	(L23) Lao	(L40) Tamil
(L07) Chamorro	(L24) Mandarin	(L41) Telugu
(L08) Chuukese	(L25) Marshallese	(L42) Thai
(L09) Dari	(L26) Mixteco	(L43) Tigrinya
(L10) Farsi/Persian	(L27) Nepali	(L44) Ukrainian
(L11) Fijian	(L28) Oromo	(L45) Urdu
(L12) Filipino/Pilipino	(L29) Panjabi/Punjabi	(L46) Vietnamese
(L13) French	(L30) Pashto	(L77) Other language
(L14) German	(L31) Portuguese	(L88) Patient declined to respond
(L15) Hindi	(L32) Romanian/Rumanian	(L99) Unknown
(L16) Hmong	(L33) Russian	
(L17) Japanese	(L34) Samoan	

Race Category and Identity Instructions:

Instructions: The patient's race may either be reported in the general *Race Category* section <u>or</u> the *Extended Race* section on page 1 of the case report. When completing the *Extended Race* section, please report using the codes provided in the list below. If the patient self-identifies as more than one race, each race code shall be reported within the *extended race* section. **Unknown** race can be documented within either one of the race sections.

Extended Race Codes:

(R01) Afghan	(R22) Fijian	(R43) Mexican/Mexican American	(R64) Tongan
(R02) Afro-Caribbean	(R23) Filipino	(R44) Middle Eastern	(R65) Ugandan
(R03) Alaska Native	(R24) First Nations	(R45) Mien	(R66) Ukrainian
(R04) American Indian	(R25) Guamanian or Chamorro	(R46) Moroccan	(R67) Vietnamese
(R05) Arab	(R26) Hmong/Mong	(R47) Native Hawaiian	(R68) White
(R06) Asian	(R27) Indigenous-Latina/o/x	(R48) Nepalese	(R69) Yemeni
(R07) Asian Indian	(R28) Indonesian	(R49) North African	(R77) Other race
(R08) Bamar/Burman/Burmese	(R29) Iranian	(R50) Oromo	(R99) Unknown
(R09) Bangladeshi	(R30) Iraqi	(R51) Pacific Islander	
(R10) Bhutanese	(R31) Japanese	(R52) Pakistani	
(R11) Black or African American	(R32) Jordanian	(R53) Puerto Rican	
(R12) Central American	(R33) Karen	(R54) Romanian/Rumanian	
(R13) Cham	(R34) Kenyan	(R55) Russian	
(R14) Chicana/o or Chicanx	(R35) Khmer/Cambodian	(R56) Samoan	
(R15) Chinese	(R36) Korean	(R57) Saudi Arabian	
(R16) Congolese	(R37) Kuwaiti	(R58) Somali	
(R17) Cuban	(R38) Lao	(R59) South African	
(R18) Dominican	(R39) Lebanese	(R60) South American	
(R19) Egyptian	(R40) Malaysian	(R61) Syrian	
(R20) Eritrean	(R41) Marshallese	(R62) Taiwanese	
(R21) Ethiopian	(R42) Mestizo	(R63) Thai	