

HEALTH CONCERNS FOR THIS AGE GROUP IN WASHINGTON

23% of 6th graders report drinking alcohol, **2.9**% used marijuana, **2**% used illegal drugs

About 15% of children experience untreated dental decay, **60**% have dental caries

- **17**% reported that they missed a meal due to lack of money
- **10**% reported that they are obese
- **16**% of 6th graders report being diagnosed with asthma

CAUSES OF DEATH IN MIDDLE CHILDHOOD IN WASHINGTON

Motor vehicle injuries: 23

Suicide: 13 children under the age of 14 died from suicide in

2014

Cancer: 18

Sources: DOH Healthy Youth Survey 2014, DOH Cause of Death Report 2014

MIDDLE CHILDHOOD A CRITICAL LIFE PHASE

Middle childhood is the most historically ignored life phase. Federal and state funding and initiatives focus on birth to 3 years old and adolescence, leaving children between the ages 6 to 12 to cope with life challenges without much support. Children in this age group are exposed to increased stressors at school, and with friends and family.

Economic status and environment

Sports/clubs, friends, and school


Family, home, and culture

INFLUENCES ON THEIR LIVES

Ages 6 - 12

of all children in Washington are in middle childhood.

RACE/ETHNICITY OF CHILDREN IN WASHINGTON STATE (AGED 5 - 13)



Source: Washington Census 2015

For more information, contact: Shanne Montague, MSW Middle Childhood Consultant (360) 236-3560 Shanne.Montague@doh.wa.gov

