Clinic Visit Record Manual

January 2024



Prevention and Community Health DOH 930-139, revision 2024-01

For questions concerning the use of this manual please contact:

Anne McHugh, MPH Maternal & Child Health Epidemiologist Department of Health Sexual & Reproductive Health Program

Telephone: 360-236-3532

Email: anne.mchugh@doh.wa.gov

To request this document in another format, call 1-800-525-0127. Deaf or hard of hearing customers, please call 711 (Washington Relay) or email civil.rights@doh.wa.gov

Washington State Clinic Visit Record (CVR) Manual

Washington State Clinic Visit Record (CVR) Manual

This document corresponds to the Clinic Visit Record (CVR) implemented January 2024 (see Figure 1).

Table of Contents

Introduction	5
Collecting and Submitting Clinic Visit Record (CVR) Data	
Criteria for Submitting a CVR	
Figure 1. Clinic Visit Record	
CVR Data Requirements	
Annual Data Reporting for the Family Planning Annual Report (FPAR)	16
Appendix 1. Washington State File Specifications	18
Appendix 2. Washington State CVR Field Values	19
Appendix 3: Washington State File Attachments A-G	20
Appendix 4: Determining Household Income & Household/Family Size	23
Appendix 5. Error Message Master File List – Washington SRHP Data System	27
Appendix 6: Frequently Asked Questions	29

Introduction

This manual is for the data collection and reporting of clinic visits at Washington State Sexual & Reproductive Health (SRH) Network agencies and clinics. A Clinic Visit Record (CVR) is a computerized data collection tool used to record required data items on client demographics and services provided at sexual and reproductive health visits.

CVR data influences future contract allocations. Accurately capturing all appropriate visits will help your agency get the appropriate funding for your patient load.

Contractors and clinics use a variety of methods and software to collect data. Regardless of the data capture method, the result must be an electronic data record that meets standard format and layout definitions (see appendix 1).

Collecting and Submitting Clinic Visit Record (CVR) Data

You must submit CVR data collected during the prior month on or before the 15th of the next month.

The two methods of submitting records is via batch upload by logging into the Ahlers website, www.ahlerssoftware.com, (or SFTP if preferred) or WebCVR.

You should document each visit that meets the criteria described in *Criteria for Submitting a CVR*.

You must NOT submit a CVR for visits that do NOT meet the criteria described below.

Criteria for Submitting a CVR

In order to be counted on a CVR a visit must:

- 1. Be an interactive real-time visit between a client and a SRH provider for medical and/or counseling services related to sexual and reproductive health. This includes both inperson clinic visits and telemedicine visits. Telemedicine visits must include video and audio for new clients. Audio-only telehealth can be used for established clients.
- 2. Take place at a clinic supported by DOH Sexual and Reproductive Health Program (SRHP) contract funds and assigned an Ahlers site number.
- 3. Meet one of the following situations:
 - A. Include SRH education and/or counseling, which is defined as education of counseling about:
 - i. Contraceptive methods
 - ii. Infertility

- iii. Preconception
- iv. Pregnancy Options
- v. STI/HIV Prevention
- B. Initiate or continue a contraceptive method.
- C. Include medical services related to sexual and reproductive health:
 - vi. Exam & Lab Services
 - vii. Contraceptive Related Services
 - viii. Pregnancy Related Services
 - ix. STI Related Services

You must not CVR visits:

- A. That include pregnancy/parenthood intention questions without any of the other elements described above. We encourage asking every client a pregnancy/parenting question at every visit. This increases access to appropriate SRH services and the rate of intentional pregnancies. Asking this question, however, does not, in and of itself, meet the criteria for submitting a CVR.
- B. When client has sterilization is their initial(starting) contraception method.

WASHINGTON CLINIC VISIT RECORD

						ATTENDING PROVIDER NPI		
NAME								
Last Name					First	Name	Middle Initial	
SEXUAL ORIENTATION						GENDER IDENTITY		
	traight/Heter					☐ 01. Male	05. Other	
2. Lesbian/Gay/Homosexual 4. C	ther/Someth	ing Else	6. De	eclined	to An		06. Neither M/F Exclusively	
BP/ HEIGHT (inches)_		WEIGH	(pound	ds)		03. Female to Male/Trans Male 04. Male to Female/Trans Female	07. Declined to Disclose	
TOBACCO STATUS (check one)	Sama Day			la sia	[Ts ttelescop		
1. Current Every Day 2. Current	Some Day	5. FOIT	ner _]4. Ne	ver [
1. SERVICE SITE NUMBER	\vdash		+	-		19. PREGNANCY STATUS 1-Pregnant		
2. CLIENT NUMBER	MO DAY	DAY	_	WR	VR	2-Not Pregnant		
3. DATE OF VISIT	MO DAY	DAY YR	O YR	VR.	YR	3-Unknown		
4. DATE OF BIRTH			1110		III.	20. PREGNANCY/PARENTHOOD INTENTION	distriction for the same 42 area?	
BIOLOGICAL SEX 1-Female ETHNICITY 6-Hispanic or		-Male -Not Hisp				What is the client's pregnancy/parenthoo (Please select one response & ask all clien		
6a. RACE (Mark All That Apply)	Launo9	-NOL HISP	anic or t	auno			-	
1-White 4-Alaska	n Nativo		3-Native	Hawa	iian	1-Wants to become pregnant/become 2-Doesn't want to become pregnant/l		
2-Black/Afr. Amer. 5-Asian	ii ivauve	П,	Pacific			3-Client is not sure/OK either way		
3-American Indian 7-Unkno	wn/Not Repo	rted 🔲	-Other			4-Not asked at this visit		
7. ADDITIONAL DEMOGRAPHIC (Chec	k if Applicabl	e)				14a.COUNSELING EDUCATION PROVIDED (Ch □01-Contraceptive □0	eck all Applicable) 7-Pregnancy Options	
5-Limited English Proficiency							9-STD/HIV Prevention	
8. ZIP CODE						☐ 08-Preconception		
9. ASSIGNED SOURCE OF PAYMENT (13b.14b. PROVIDER OF SERVICES		
1-No Fee	6-Partia					1-Physicians 2-Nurse Practitioners		
2-Medicaid 3-Family Planning Only	7-Other	re, VA, Mi		urance	•	3-RNs, LPNs		
(Medicaid)	8-Medio					4-Other service providers, health educ	ators, social workers, clinic aides	
4-Private Insurance	9-After	Pregnanc	/ Care (f	Medica	iid)	and lab technicians.		
S-Full Fee 18. CLIENT INSURANCE STATUS (Check	Onel					5-Physician Assistant 6-Certified Nurse Midwife		
1-Medicaid	☐6-After F	regnancy	Care (N	1edica	id)	15a.PRIMARY CONTRACEPTIVE METHOD (Cor	nplete Before and After blocks)	
2-Private Insurance	7-Other						emale Condom	
3-Uninsured	(Tricare, VA, Military)			fale Condom				
5-Family Planning Only (Medicaid)	8-Medic	are					permicide FP/FAM	
10. INCOME AND FAMILY SIZE						22-IUD – Copper 12-L	•	
a. What is your monthly family inc	ome?		AMOU	JNT			Male Sterilization	
							vithdrawal ontraceptive Sponge	
b. How many people are in your fa	milv. that is.		NUM	BER		16-Hormonal Injection 24-E		
the number supported by this in						17-Hormonal Patch 25-N	Male Relying on Female Method	
12. PURPOSE OF VISIT						5 5	ontraceptive Gel	
1-Initial Medical Exam	4-Couns	eling Onl	,			09-Other Method 10-N		
2-Annual Medical Exam	5-Pregn	ancy Test	Visit			Before Visit 15b.IF NONE AT THE END OF THIS VISIT, GIVE	After Visit	
3-Other Medical 13a MEDICAL SERVICES (Check all Applica	hle\						-Abstinence	
18-Telemedicine Services	Pregnancy	Related 9	ervices				Other	
	32-Nega					4-Infertility		
Exam & Lab Services 06-Breast Exam	33-Posit	ive Pregn	ancy Te	st		Before Visit	After Visit	
25-Pap Test Conventional	STD Relate	d Service	5			21. HOW CONTRACEPTIVE METHOD WAS PR		
26-Pap Test Liquid-Based	29-Chlar					_	Provided elsewhere N/A	
36-Other Lab or Exam	28-Gond					3-Prescription		
37-No Lab or Exam	43-HIV1					22. DO YOU WANT TO TALK ABOUT CONTRA		
41-breast Keleriai	47-VDR		'			01-Yes – I want to talk about contrace		
Contraceptive Related Services	49-HPV	Vaccine				No – I don't want to talk about con 02-I'm here for something else.	traception:	
17-Diaphragm/Cap Fit	☐ 50-HPV	Test				03-This question doesn't apply t	o me/I prefer not to answer.	
19-IUD/IUS Insert 20-Sterilization Procedure						05-I'm already using contracept		
38-Hormone Implant In						06-I'm unsure or don't want to		
39-Hormone Implant Out						□ 07-1 m noping to become pregn	ant in the near luture.	
40-Hormonal Injection								
48-EC-Immediate Need								
22-IUD/IUS Removal								
						1		

AHLERS & ASSOCIATES, WACO, TX

FORM 16 REV. (01/2024)

VER. 2401

CVR Data Requirements

This table contains the **required** elements of the CVR. It shows the field number and name. It gives a description of each field and describes the parameters of each.

- CVR elements that are not listed in this table are optional.
- CVRs data does not include client names, street addresses, or telephone numbers are not submitted to Ahlers or to DOH.

Field Name	Description		Valid entries
Service Site Number	Assigned by Ahlers to your agency. If you don't have a number, contact your administrative office and DOH contract manager.	-	7 digits long Fill shorter site numbers with leading zeros to reach 7 digits (enter site number 4321 as: 0004321.)
Client Number	Assigned by your agency to the client. This number should be taken from the medical records or other client information files. Each agency may have its own procedures for creating client identification numbers. If your system discontinues a client's number because of the length of time from their last visit, you can either reassign them their old number or create a new one for them. Note: If you have multiple clinics, you might want to use a prefix to identify which site a client is from. This will help avoid using the same number for different clients.		9 digits long If your system assigns shorter numbers add leading zeros so that all 9 boxes are filled (enter client number 1122 as 000001122). Unique to each client at the agency The same number cannot be assigned to different clients even if they are at different sites at the same agency. Numeric only No alphabets or other non-numeric characters allowed.
Date of Visit	Date on which client received services.	sp da	Numbers only 2 digit month followed by 2 digit day followed by 4 digit year (enter January 25, 2015, as 01252015). Tote: Only one CVR can be submitted for a client any pecific day. If a client has more than one visit on the same ay, code all services provided to the client on that day on one VR. Code the most inclusive exam as the Purpose of Visit.
Purpose of Visit	Purpose of client's visit Primary reason for client's visit.	Ir 1.	Numbers only ndicate one of the following: Initial Medical Exam Annual Medical Exam

		3. Other Medical
		4. Counseling Only
		5. Pregnancy Test Visit
Date of Birth	Client's date of birth	Numbers only
Date of Dirtil	Chefit's date of birth	
	If the year of birth is unknown, ask the client, "How old are you?" and calculate the year.	• 2 digit month followed by 2 digit day followed by 4 digit year (e.g. January 25, 2015 would be 01252015)
	If the client does not know the month, use July 15.	
	CVR's will not be accepted for Female Clients over 60 years and any client under 10 years.	
	If the revisit date of birth does not match the first date of birth, the client's date of birth will be updated based on the information on the most recent CVR.	
Provider of Medical or	Records type of clinical staff who provided services during the visit.	Indicate all that apply: 1. Physicians
Counseling Services		2. Nurse Practitioners
Services		3. RNs, LPNs
		4. Other Service Providers, Health Educators, Social Workers, Clinic Aides and Lab Technicians
		5. Physician Assistant
		6. Certified Nurse Midwife
Biological sex	Client's anatomical sex regardless of gender identity	Indicate one of the following:
		1 - Female
		2 - Male

Sexual	Sexual Orientation of Client	Indicate one of the following	ıg:		
Orientation		1. Bisexual			
		2. Lesbian/Gay/Homosexua	ıl		
		3. Straight/Heterosexual			
		4. Other/Something Else 5. Unknown			
		6. Declined to Answer			
Gender	Gender Identity of Client	Indicate one of the following	ıg:		
Identity	Note there are 0's in the value so it's a 2-digit code.	01. Male	-6-		
	-	02. Female			
		03. Female to Male/Trans N	Male.		
		04. Male to Female/Trans F			
		05. Other	Cinale		
		06. Neither M/F/ Exclusive	1,,		
		07. Declined to Disclose	ıy		
Ed. : :		08. Unknown			
Ethnicity	Client's ethnicity	Indicate <u>either</u> : 6 - Hispanic/Latino			
	If ethnicity is not available in the client's medical record you	or			
	can ask, "Do you consider yourself Hispanic or Non-Hispanic?"	9 - non-Hispanic/non-Latin	o		
		N. H. C.			
	It is important not to make assumptions about someone's ethnicity for this field.	Note: Hispanic Origin or do 1. Mexican – American	cent includes:		
	ethinicity for this field.	2. Puerto Rican			
		3. Cuban			
		4. Central or South Americ	an		
D		5. Other Spanish Speaking			
Race	Client's race	Indicate all that apply: 1. White	6. Other		
	If race is not available in the client's medical record you can	2. Black/African	7. Unknown/Not Reported		
	ask, "What race or races do you identify with?"	American	8. Native Hawaiian Pacific		
		3. American Indian	Islander		
	It is important not to make assumptions about someone's race for this field.	4. Alaska Native			
Tobacco	Tobacco smoking status represents a person's smoking behavior.	5. Asian Indicate one that applies:			
Status	100acco smoking status represents a person s smoking behavior.	1. Current Every Day			

Pregnancy Status	Client pregnancy status.	2. Current Some Day 3. Former 4. Never 5. Unknown Indicate one of the following: 1 – Pregnant 2 – Not Pregnant 3 - Unknown	
Zip Code	Zip Code of client's residence as provided by client	numbers onlymust have 5 digitsblanks not accepted	
Assigned Source of Payment	Indicates how the service site expects to be paid for services provided during visit. If you expect to be paid through a combination of resources, choose the one that you expect to cover the largest portion of the invoice. This is how your site expects to be paid. It may not be the method that eventually covers the invoice.	Indicate One only: Select from these if client is covered by or qualifies for one: Select from these if client does not have or qualify for any third party payer. Use your fee schedule to determine category: If you qualify for other third party payers such as federal funds for American Indians, Tricare, VA, or Military check:	2. Medicaid 3. Family Planning Only (Medicaid) 4. Private Insurance 7. Medicare 9. After Pregnancy Care (Medicaid) 1. No Fee 5. Full Fee 6. Partial Fee 7. Other
Client Insurance Status	Identifies the client's insurance status in general categories. Report the most current health insurance coverage information available for the client even though he or she may not have used this health insurance to pay for sexual and reproductive health services received during prior visits. For individuals who have coverage under more than one health plan, report on their principal insurance. Principal insurance is	Indicate one: 1 - Medicaid 2 - Private Insurance 3 - Uninsured 5 - Family Planning Only (Me 6 - After Pregnancy Care (Me 7 - Other Government Insuran 8 - Medicare	dicaid)

	defined as the insurance plan that the agency would bill first (primary) if a claim were to be filed.			
	 Uninsured clients are those who: Do not have a public or private health insurance plan that covers broad, primary medical care benefits, or Have services subsidized through state or local indigent care programs, or Are insured through the Indian Health Service but obtain care in a non-participating facility 			
Income and Family Size	This information is used to calculate the client's status relative to the Federal Poverty Level.	Family Income:		
ranny Size	This question requires that the client be asked directly for the information. In order to help the client answer correctly, the following definitions should either be read to the client or discussed with her/him. a. Income is the gross average monthly income. This includes all money that contributes to supporting the family from all family members. Certain one-time funds are excluded b. Family is all people living together as a household. See appendix 4 for details on gathering income and family size information.		decimals e income please enter "999999" e family size please enter "99"	
Medical	Records the medical services provided during this visit.	Check ALL that apply		
Services	Services that are sometimes misclassified are defined below:	18 – Telemedicine services 06 – Breast Exam	32 – Negative Pregnancy Test 33 – Positive Pregnancy Test	
	48. EC – Immediate Need: Prescription or product prescribed or provided to be used as soon as possible to prevent pregnancy (unprotected intercourse has already occurred). Do not count if client received counseling about EC, but did not receive either a prescription or product.	25 – Pap Test Conventional 26 – Pap Test Liquid-Based 36 – Other Lab or Exam 37 – No Lab or Exam 41 – Breast Referral	29 – Chlamydia Test 28 – Gonorrhea Test 43 – HIV Test Std. 44 – HIV Test Rapid 47 – VDRL/RPR	
	46. EC – Future Need: Prescription or product given for future use, with instructions to use in the event of unprotected intercourse or birth control failure such as a broken condom.	17 – Diaphragm/Cap fit 19 – IUD/IUS insert 20 - Sterilization procedure 22 – IUD/IUS removal	49 – HPV Vaccine 50 – HPV Test	
	Do not count either if client received counseling about EC but did not receive either a prescription or product.	38 – Hormone Implant in 39 – Hormone implant out 40 – Hormonal injection		

		48 – EC-Immediate 46 – EC-Future Need
Pregnancy/ Parenthood intention	Records the client's intention to become pregnant or a parent in the 12 month period following the current visit. DOH encourages you to ask a pregnancy/parenthood intention question of all clients regardless of gender at every visit, much as you take blood pressure.	Indicate one of the following: 1 – Wants to become pregnant/become a parent 2 – Doesn't want to become a parent/become pregnant 3 – Client is not sure/is OK either way 4 – Not asked at this visit
	There is not a prescribed method for asking this question as long as client responses can be assigned to one of the choices shown.	
Counseling Education Provided	Records the health care counseling provided to client. Services that are sometimes misclassified are defined below:	Check ALL that apply for the following items. 01 – Contraceptive 04 – Infertility 08 – Preconception
	1. Contraceptive Counseling/Education: Consultation and information regarding risks, benefits, and correct use of any birth control method being considered by the client.	07 – Pregnancy Options 09 – STI/HIV Prevention
	4. Infertility Counseling/Education: Consultation and information concerning the inability of a client or couple to conceive.	
	8. Preconception Counseling/Education: Preconception describes any time that a person of reproductive potential is not pregnant but is at risk of becoming pregnant, or of impregnating a partner.	
	Preconception health services should be offered to clients of all genders. Preconception counseling includes information focused on improving health for future pregnancies.	
	7. Pregnancy Options Counseling/Education : Consultation and information regarding pregnancy testing, its limitations, and all pregnancy options, except options the client does not wish to receive	
	9. STD/HIV Prevention Counseling/Education : Consultation and information concerning sexually transmitted infection (including HIV) prevention and education.	

Primary Contraceptiv e Method	Records the most effective contraceptive method the client used before the visit and the most effective method the client will use as a result of the visit in order to prevent pregnancy. In some	 Numbers only Before visit - Use the two digit code for the primary or most effective contraceptive method (if more than one
(complete before and after). If none at the end of this visit, give reason	cases, a client's most effective method may be what his/her partner is using. DOH requires agencies to report the most effective forms of birth control used by clients both before and after the visit. If the client receives both an interim and primary method, code the primary method only. If the client does not receive their primary method, code the interim method to be used. If a client's partner is using a more effective form of birth control, code the partner's method. If client uses external condoms and their partner uses the pill, code client's most effective method as oral contraceptive.	method is used) the client used before the visit. After visit – Use the two digit code for the primary or most effective contraceptive method the client will use as a result of the visit. The current list of contraceptive methods follows: 01 - Female Sterilization 02 - Orals - Combined 05 - Orals - Progestin Only 03 - IUD - Unspecified 22 - IUD - Copper 23 - IUD - w/Progestin 04 - Diaphragm/Cap 11 - Hormone Implant
	Similarly, if their partner is using IUD, sterilization or other method, code that method. If client external condom use is because of partner's inconsistent use of method, code male condom. If client is not using any birth control method and their partner is using external condoms code client's most effective method as male condom.	16 - Hormonal Injection 17 - Hormonal Patch 18 - Vaginal Ring 09 - Other Method 19 - Female Condom 06 - Male Condom 07 - Spermicide 08 - NFP/FAM 14 - Male Sterilization 20 - Withdrawal
	Similarly, if partner is using vasectomy, code male sterilization.	21 - Contraceptive Sponge 24 - EC 25 - Male Relying on Female Method 26 - Contraceptive Gel 10 - None
If none at the end of this visit, give reason	Reason for having no contraceptive method at the end of the visit.	Check ONE box. Select most important reason for the client's choice to NOT use contraception at the end of this visit: 2 – Same Sex Partner 3 – Seeking Pregnancy 4 – Infertility 6 – Abstinence 7 – Other

How	The method for how the birth control was provided (e.g. on site,	Indicate one of the following:
contraception	referral, prescription) to the patient at end of an encounter.	1 – Provided on Site
was provided	, , , ,	2 – Referral
1		3 – Prescription
		4 – Provided Elsewhere
		5 – Not Applicable
Do you want		Indicate one of the following:
to talk about		01 – Yes
contraception		02 – No, I'm here for something else
or pregnancy		03 – No, this question doesn't apply to me/I prefer not to
today?		answer
•		05 – No, I'm already using contraception
		06 – No, I'm unsure or don't want to use contraception
		07 – No, I'm hoping to become pregnant in the near future
Chlamydia	Response can either be a result code (1,2 or 3) or SNOMED	Negative – 1 or 260385009
Test Results	code.	Positive - 2 or 10828004
		Indeterminate - 3 or 82334004
Gonorrhea	Response can either be a result code (1,2 or 3) or SNOMED	Negative – 1 or 260385009
Test Results	code.	Positive - 2 or 10828004
		Indeterminate - 3 or 82334004
Syphilis Test	Response can either be a result code (1,2 or 3) or SNOMED	Negative – 1 or 260385009
Results	code.	Positive - 2 or 10828004
		Indeterminate - 3 or 82334004
HIV Test	Response can either be a result code (1,2 or 3) or SNOMED	Negative – 1 or 260385009
Results	code.	Positive - 2 or 10828004
		Indeterminate - 3 or 82334004
HPV Test	Response can either be a result code (1,2 or 3) or SNOMED	Negative – 1 or 260385009
Results	code.	Positive - 2 or 10828004
		Indeterminate - 3 or 82334004
Pap Test	Response can either be a result code (1-13) or SNOMED code.	Normal – 1 or 373887005
Results		ASC-US - 2 or 103637006
		ASC-H – 3 or 373878001
		Low Grade SIL – 4 or 112662005
		High Grade SIL – 5 or 22725004
		Squamous Cell Carcinoma – 7 or 28899001
		AGC – NOS – 9 or 441219009
		AGC - Favor Neoplasia – 10 or 373883009
		Adenocarcinoma in-situ – 11 or 51642000
		Specimen Unsatisfactory – 13 or 125154007

Annual Data Reporting for the Family Planning Annual Report (FPAR)

Each year in January DOH asks all agencies to close out reporting on client visits for the prior year. We use CVR data and additional annual data for program planning, stakeholder education, and program evaluation. The additional annual data includes:

HIV Testing

- Number of HIV Positive confidential tests
- Number of HIV Anonymous tests

HIV (confidential and anonymous) tests performed during the reporting period that are provided within the scope of the grantee's SRH program project. Do not report tests performed in an STI clinic operated by the SRHP-funded agency unless the activities of the STI clinic are within the defined scope of the agency's SRH project.

FTE of SRH Staff

- Number of FTE Physicians
- Number of FTE Physician assistants/nurse practitioners/certified nurse midwives

For each type of clinical services provider, report the time in FTEs that they are involved in the direct provision of services supported by your DOH SRH contract.

A full-time equivalent (FTE) of 1.0 describes staff who, individually or as a group, work the equivalent of full time for 1 year. Each agency defines the number of hours for "full-time" work and may define it differently for different positions. FTEs for positions with different time expectations should be calculated based on the organization's established base for that position.

For example, if a position is hired as a full-time employee (1.0 FTE) and required to work 36 hours per week.

36 hours per week is 1.0 FTE

18 hours per week is 0.5 FTE.

If a position is hired as a full-time employee (1.0 FTE) required to work 40 hours per week

40 hours per week is 1.0 FTE

20 hours per week is 0.5 FTE.

In addition, FTEs are adjusted for part-year employment. An employee who works full time for 4 months out of the year would be reported as 0.33 FTE (1.0 FTE x 4 months divided by 12 months)

Appendix 1. Washington State File Specifications

Field Description	Format	Justify	Length	Record
-				Position
Site/Clinic Number	Numeric	Right	7	001-007
Client Number	Numeric	Right	9	008-016
Date of Visit, CCYYMMDD	Numeric	Right	8	017-024
Purpose of Visit, Values 1-5	Alphameric	Left	1	025-025
Date of Birth, CCYYMMDD	Numeric	Right	8	026-033
Medical Services	Alphameric	Left	56	034-089
Attending Provider NPI	Alphameric	Right	10	090-099
Systolic Blood Pressure	Alphameric	Left	3	100-102
Diastolic Blood Pressure	Alphameric	Left	3	103-105
Provider of Services	Alphameric	Left	4	106-109
Counseling Services	Alphameric	Left	26	110-135
Beginning Contraceptive Method	Alphameric	Left	2	140-141
Ending Contraceptive Method	Alphameric	Left	2	142-143
Reason for No Method After Visit	Alphameric	Left	1	144-144
Reason for No Method Before Visit	Alphameric	Left	1	145-145
Height	Alphameric	Left	2	146-147
Weight	Alphameric	Left	4	148-151
Gender Identity	Alphameric	Left	2	152-153
Sexual Orientation	Alphameric	Left	1	154-154
Tobacco Status	Alphameric	Left	1	155-155
Pregnancy Status	Alphameric	Left	1	156-156
How Contraception Provided	Alphameric	Left	1	157-157
Source of Payment	Alphameric	Left	2	158-159
Pregnancy Intention	Alphameric	Left	2	160-161
Monthly Income	Alphameric	Right, Zero Fill	6	162-167
Number Supported b/Income	Numeric	Right, Zero Fill	2	168-169
Insurance Status	Alphameric	Left	1	170-170
Zip Code	Numeric	Right	5	171-175
Ethnicity	Alphameric	Left	1	176-176
Biological Sex	Alphameric	Left	1	177-177
Talk About Contraception	Alphameric	Left	2	178-179
Chlamydia Results	Alphameric	Left	10	180-189
Gonorrhea Results	Alphameric	Left	10	190-199
Syphilis Results	Alphameric	Left	10	200-209
HIV Results	Alphameric	Left	10	210-219
HPV Results	Alphameric	Left	10	220-229
Pap Results	Alphameric	Left	10	230-239
Ahlers Internal Use	Alphameric	Left	22	240-261
Additional Demographics	Alphameric	Left	3	262-264
Races	Alphameric	Left	7	265-271

* Please See Following Pages for Codes and Values in Fields
** All Alphameric Fields are Blank Filled Unless Otherwise Specified
** All Numeric Fields are Zero-filled Unless Otherwise Specified
***End of Record must contain Carriage Return and Line Feed

Appendix 2. Washington State CVR Field Values

Field Description	Valid Codes for each Field
Clinic/Site Number	Clinic Number assigned by WA DOH
Client Number	Self-Explanatory
Date of Visit	CCYYMMDD
Purpose of Visit Date of Birth	1,2,3,4,5 Only
	CCYYMMDD
Medical Services	06,17,18,19,20,22,25,26,28,29,32,33,36,37,38,39,40
11 2 22	41,44,46,47,48,49,50
Attending Provider NPI	Self-Explanatory or Blank
Systolic Blood Pressure	Self-Explanatory
Diastolic Blood Pressure	Self-Explanatory
Provider of Services	1,2,3,4,5 or 6
Counseling Services	01,04,07,08,09
Beginning Contraceptive Method	01,02,03,04,05,06,07,08,09,10,11,12,14,16,17,18,19
	20,21,22,23,24,25, or 26
Ending Contraceptive Method	01,02,03,04,05,06,07,08,09,10,11,12,14,16,17,18,19
	20,21,22,23,24,25, or 26
Reason for No Method After Visit	2,3,4,6,7, or blank
Reason for No Method Before Visit	2,3,4,6,7, or blank
Height	Inches
Weight	Pounds
Gender Identity	01,02,03,04,05,06,07, or 08
Sexual Orientation	1,2,3,4,5, or 6
Tobacco Status	1,2,3,4, or 5
Pregnancy Status	1,2, or 3
How Contraception Provided	1,2,3,4, or 5
Source of Payment	01,02,03,04,05,06,07,08, or 09
Pregnancy Intention	01,02,03, or 04
Monthly Income	Self-Explanatory
Family Size	01-99
Insurance Status	1,2,3,5,6,7, or 8
Zip Code	Self Explanatory, 00501 and Greater

Ethnicity	6 (Yes-Hispanic/Latino) or 9 (Not-Hispanic/Latino)
Biological Sex	1 = Female $2 = Male$
Talk About Contraception	01,02,03,05,06, or 07
Chlamydia Results	Negative= (1 or 260385009), Positive= (2 or 10828004), Indeterminate= (3 or 82334004)
Gonorrhea Results	Negative= (1 or 260385009), Positive= (2 or 10828004), Indeterminate= (3 or 82334004)
Syphilis Results	Negative= (1 or 260385009), Positive= (2 or 10828004), Indeterminate= (3 or 82334004)
HIV Results	Negative= (1 or 260385009), Positive= (2 or 10828004), Indeterminate= (3 or 82334004)
HPV Results	Negative= (1 or 260385009), Positive= (2 or 10828004), Indeterminate= (3 or 82334004)
Pap Results	Normal= (1 or 373887005), ASC-US= (2 or 103637006) ASC-H= (3 or 373878001), Low Grade SIL= (4 or 112662005), High Grade SIL= (5 or 22725004), Squamous Cell Carcinoma= (7 or 28899001), AGC-NOS= (9 or 441219009), AGC-Favor Neoplasia= (10 or 373883009), Adenocarcinoma in-situ= (11 or 51642000), Specimen Unsatisfactory= (13 or 126154007)
Ahlers Internal Use	Zero-Fill
Additional Demographics	5 or Blank
Races	1,2,3,4,5,6,7, or 8

Appendix 3: Washington State File Attachments A-G

Races: Attachment A	Ethnicity: Attachment B
1 - White	6 - Hispanic or Latino
2 - Black/African American	9 - Not-Hispanic or Latino
3 - American Indian	
4 - Alaska Native	
5 - Asian	
6 - Other	
7 - Unknown or Not Reported	
8 - Native Hawaiian/Pacific Islander	

Medical Services: Attachment C:	
06 - Breast Exam	28 - Gonorrhea Culture
17 - Diaphragm/Cervical Cap Fit	29 - Chlamydia Test
18 - Telemedicine Services	32 - Negative Pregnancy Test.
19 - IUD/IUS Insert	33 - Positive Pregnancy Test
20 - Sterilization	36 - Other Lab or Exam
22 - IUD/IUS Removal	37 - No Lab or Exam
25 - Pap Conventional	38 - Hormone Implant In
26 – Pap Liquid-Based	39 - Hormone Implant Out
	40 - Hormonal Injection
	41 - Breast Referral
	43 - HIV Test Standard
	44 - HIV Test Rapid
	46 - EC - Future Need
	47 - VDRL-RPR
	48 - EC - Immediate Need
	49 – HPV Vaccine
	50 - HPV Test

Counseling Education Provided: Attachment D	
01 – Contraceptive	
04 - Infertility	
07 - Pregnancy Options	
08 - Preconception	
09 - STI/HIV Prevention	

Contraceptive Methods: Attachment E	
01 - Female Sterilization	12 - LAM
02 - Oral (Pills)	13 - Abstinence
03 -IUD/IUS - Unspecified	14 - Male Sterilization

04 - Diaphragm/Cervical Cap	16 - Hormone Injection
05 – Orals-Progestin Only	17 - Hormone Patch
06 - Male Condoms	18 - Vaginal Ring
07 - Spermicide	19 - Female Condoms
08 - NFP/FAM	20 - Withdrawal
09 - Other Female Method	21 – Contraceptive Sponge
10 - None	22 – IUD - Copper
11 - Hormone Implant	23 – IUD w/ Progestin
	24 - EC
	25 – Male Rely on Female
	Method
	26 – Contraceptive Gel

Reason for No Method: Attachment F	
2 – Same Sex Partner	
3 - Seeking Pregnancy	
4 - Infertility	
6 - Not Sexually Active	
7 - Other	

Female Only medical Services: Attachment G	
17 - Diaphragm/Cervical Cap Fit	
19 – IUD/IUS Insertion	32 - Negative Pregnancy Test
25 - Pap Test Conventional	33 - Positive Pregnancy Test
26 - Pap Test Liquid-Based	38 - Hormone Implant In
	39 - Hormone Implant Out
	40 - Hormone Injection
	46 - EC, Future Need
	48 - EC, Immediate Need

Appendix 4: Determining Household Income & Household/Family Size

Determining a Client's Family Size

For the purposes of our Sexual and Reproductive Health Network, a family is a social unit composed of one or more people living together in a family-like relationship, as opposed to a business-like relationship.

The information below is to clarify our definition of *family* for the purpose of determining client discount. You might find it useful if clients have questions about who to include. You might also include it in material related to your sliding fee scale.

- People do not need to be married to be counted in family size and income
- Dependents away at school are included in family size and income

A family-like relationship is when:

- People live integrated, joint, or combined lives
- The client is claimed by other people as a dependent for tax purposes
- The client claims other people as a dependents for tax purposes
- The people involved share decisions about each other's lives
- The people involved support the client financially (beyond sharing housing costs)
- The client supports the other people involved financially (beyond sharing housing costs)

A business-like relationship is when:

- The people involved live separate lives under the same roof
- The client is not claimed by other people as a dependent for tax purposes
- The client does not claim other people as a dependents for tax purposes
- The people involved do not share decisions about each other's lives
- The people involved do not support the client financially (beyond sharing housing costs)
- The client does not support the other people financially (beyond sharing housing costs)

Examples:

Description	Family Size
A person living alone or sharing housing costs with roommates	1
A foster child	1
A teen who is not financially supported by a parent (not living with a parent and not a dependent college student)	1
A teen whose parents are unwilling to pay	1
A person who requests additional confidentiality	1
A single parent with one or more children	1 + # of children
A couple with or without children	2 + # of children
A single parent or couple with a child or young adult away at school	1 or 2 + # of children at home + # of dependents away at school
An adult or couple living with a parent or parents when the relationship is family-like in nature	# of parents + 1 or 2 + # of children in household
Related or unrelated adults with or without children in a family-like relationship	# of adults + # of children

Exceptions:

Do not add foster children or other unrelated children to family size.

People under 18 years old should only be considered a member of their parent's family if **ALL** of the following apply:

- They do not require confidential services
- They are financially supported by a parent
- The parent is willing to pay

If one or more of the above **does not apply**, the person under 18 is a family of one.

Determining a client's family income

For the purpose of the Sexual and Reproductive Health Network, *income* refers to gross monthly income (income before taxes or other deductions or garnishments). If a client provides gross annual income, divide it by 12. *Family income* is the income for all family members from all sources.

- Full-time, salaried employees: use most recent month's gross monthly income or annual income divided by 12
- Part-time or commission-based employees, or people with unstable income: use annual gross income divided by 12
- Unemployed currently or during the previous 12 months: use annual gross income divided by 12

• For clients who only know their net income (take-home pay), use net income multiplied by 1.15

You are not required to verify income, but may choose to. If a client does not have income documentation, you:

May:

- Request that the client bring written documentation of their family income at their next visit
- Require the client to sign a form stating that their income declaration is accurate
- Verify a client's family income using other lawful, valid means

Must Not:

- Deny services due to lack of income verification
- Assign clients higher income than the client reports, unless you have verification of the higher income
- Charge higher fees to clients who do not provide documentation of income

The information below is to clarify our definition of *income* for the purpose of reporting.

Income Includes:

- Wages, salary, and tips received before deductions
- Interest received on a bank account
- Alimony and child support received
- Social Security benefits received, such as widow's benefits, children's allowances, and disability benefits
- Unemployment benefits received
- Military allotments received
- Veteran's benefits received
- Rent received from others for housing owned by the family
- Income from a business run by the family

Income does not include:

- Temporary government assistance (like TANF)
- Grants, such as student grants
- Receipt from sale of possessions
- Withdrawal from savings
- Loans
- Inheritance
- Maturity payments on insurance policies

- Lump sum compensation for injury or legal damages
- Tax refunds
- Payment for foster parenting

To improve clinic efficiency, you may choose to use the MAGI-based Washington State Apple Health Programs specifications for determining family size and family income to identify a client's discount category on your sliding fee schedule. If you choose to do this you:

- Must assess FPL for every client
- Must comply with the May and Must Not bullets above related to income verification
- Must use the same method you use for MAGI-based Washington state Apple Health Programs

DOH strongly recommends that you assess client income at least annually.

Appendix 5. Error Message Master File List – Washington SRH Data System

ERROR ID ERROR DESCRIPTION 1100 REJECT: VERSION NUMBER INCORRECT 1101 REJECT: SERVICE SITE NUMBER MISSING/INVALID 1102 REJECT: PROJECT NUMBER IS INVALID FOR THIS SITE 1103 REJECT: ATTENDING PHYSICIAN CONTAINS INVALID DATA 1104 REJECT: SEXUAL ORIENTATION IS REQUIRED 1105 REJECT: SEXUAL ORIENTATION CONTAINS INVALID DATA 1106 REJECT: GENDER IDENTITY IS REQUIRED 1107 REJECT: GENDER IDENTITY CONTAINS INVALID DATA 1108 REJECT: SMOKING STATUS IS REQUIRED 1109 REJECT: SMOKING STATUS CONTAINS INVALID DATA 1151 WARNING: SYSTOLIC LOWER THAN 40 1152 WARNING: DIASTOLIC HIGHER THAN 250 1153 WARNING: BLOOD PRESSURE NOT CODED PROPERLY 1154 WARNING: HEIGHT UNDER 54 OR OVER 86 INCHES 1155 WARNING: HEIGHT HAS NOT BEEN ANSWERED 1156 WARNING: WEIGHT BELOW 70 OR OVER 400 POUNDS 1157 WARNING: WEIGHT HAS NOT BEEN ANSWERED 2101 REJECT: PATIENT NUMBER MISSING/INVALID 3101 REJECT: VISIT DATE MISSING OR INVALID 3102 REJECT: DATE OF VISIT IS A FUTURE DATE 4101 REJECT: DATE OF BIRTH MISSING/INVALID 4102 REJECT: FEMALE CLIENT'S AGE OVER 60 YEARS 4103 REJECT: CLIENT'S AGE IS LESS THAN 10 YEARS 4104 REJECT: DATE OF BIRTH IS A FUTURE DATE 5101 REJECT: BIOLOGICAL SEX REQUIRED FOR FIRST VISIT 5102 REJECT: BIOLOGICAL SEX CONTAINS INVALID DATA 6101 REJECT: ETHNICITY FIELD IS BLANK/INVALID 6102 REJECT: ETHNICITY FIELD IS REQUIRED FOR 1ST VISIT 6201 REJECT: RACE CODE REQUIRED FOR FIRST VISIT 6202 REJECT: RACE FIELD CONTAINS INVALID DATA 7101 REJECT: ADDITIONAL DEMOGRAPHICS CONTAINS INVALID DATA 8101 REJECT: ZIP CODE REQUIRED F/FIRST VISIT 8102 REJECT: ZIP CODE LESS THAN 00501 8103 REJECT: ZIP CODE CONTAINS INVALID DATA 9101 REJECT: SOURCE OF PAYMENT MISSING 9102 REJECT: SOURCE OF PAYMENT CONTAINS INVALID DATA 10101 REJECT: INCOME REQUIRED FOR 1ST VISIT 10102 REJECT: INCOME CONTAINS INVALID DATA 10151 WARNING: INCOME EXCEEDS \$20,000 MONTHLY INCOME AND LESS THAN 999999 10201 REJECT: FAMILY SIZE REQUIRED FOR 1ST VISIT 10202 REJECT: FAMILY SIZE CONTAINS INVALID DATA 10251 WARNING: FAMILY SIZE GREATER THAN 15 12101 REJECT: PURPOSE OF VISIT MISSING 12102 REJECT: PURPOSE OF VISIT CONTAINS INVALID DATA

13101 REJECT: MEDICAL SERVICES CONTAINS INVALID DATA 13102 REJECT: MALE CLIENT HAS FEMALE SERVICES CODED 13104 REJECT: NO MED SVCS AND NO COUNS SVCS FOR DATE OF SERVICE 13201 REJECT: PROVIDER OF SERVICES IS MISSING 13202 REJECT: PROVIDER OF SERVICES CONTAINS INVALID DATA 14101 REJECT: COUNSELING SERVICES CONTAINS INVALID DATA 14102 REJECT: COUNSELING SERVICES 04,07/SAME VISIT 15101 REJECT: BEGINNING METHOD MISSING 15102 REJECT: BEGINNING METHOD CONTAINS INVALID DATA 15103 REJECT: ENDING METHOD MISSING 15104 REJECT: ENDING METHOD CONTAINS INVALID DATA 15105 REJECT: BEFORE CONTRACEPTIVE METHOD IS STERILIZATION 15201 REJECT: REASON FOR NO METHOD BEFORE VISIT MISSING 15202 REJECT: REASON FOR NO METHOD BEFORE VISIT CONTAINS INVALID DATA 15203 REJECT: BEGINNING METHOD IS NONE AND BEGINNING REASON IS BLANK 15204 REJECT: BEGINNING METHOD/BEGINNING REASON FOR NONE ANSWERED 15205 REJECT: REASON FOR NO METHOD AFTER VISIT MISSING 15206 REJECT: REASON FOR NO METHOD AFTER VISIT CONTAINS INVALID DATA 15207 REJECT: ENDING METHOD IS NONE AND ENDING REASON IS BLANK 15208 REJECT: ENDING METHOD/ENDING REASON FOR NONE ANSWERED 18101 REJECT: CLIENT INS. STATUS IS MISSING 18102 REJECT: CLIENT INS. STATUS CONTAINS INVALID DATA 19101 REJECT: PREGNANCY STATUS MISSING 19102 REJECT: PREGNANCY STATUS CONTAINS INVALID DATA 20101 REJECT: PREG INTENTION MISSING 20102 REJECT: PREG INTENTION CONTAINS INVALID DATA 21101 REJECT: CONTRACEPTIVE METHOD PROVIDED MISSING 21102 REJECT: CONTRACEPTIVE METHOD PROVIDED CONTAINS INVALID DATA 22101 REJECT: TALK ABOUT CONTRACEPTION MISSING 22102 REJECT: TALK ABOUT CONTRACEPTION CONTAINS INVALID DATA 30101 REJECT: PAP RESULTS CONTAINS INVALID DATA 30102 REJECT: PAP RESULTS CODED AND MED SVC(25,26) NOT CODED 31101 REJECT: GONORRHEA RESULTS CONTAINS INVALID DATA 31102 REJECT: GONORRHEA RESULTS CODED AND MED SVC(28) NOT CODED 32101 REJECT: SYPHILIS RESULTS CONTAINS INVALID DATA 32102 REJECT: SYPHILIS RESULTS CODED AND MED SVC(47) NOT CODED 33101 REJECT: HPV RESULTS CONTAINS INVALID DATA 33102 REJECT: HPV RESULTS CODED AND MED SVC(50) NOT CODED 34101 REJECT: CHLAMYDIA RESULTS CONTAINS INVALID DATA 34102 REJECT: CHLAMYDIA RESULTS CODED AND MED SVC(29) NOT CODED 35101 REJECT: HIV RESULTS CONTAINS INVALID DATA

35102 REJECT: HIV RESULTS CODED AND MED SVC(43,44) NOT CODED

91053 WARNING: ZERO INCOME IS INVALID FOR 26+ W/PRIV INS

91051 WARNING: POV LVL >138% IS INVALID FOR 19+ W/MEDICAID & FAM SIZE1

Appendix 6: Frequently Asked Questions

1. Can a client have more than one SRH encounter during a single SRH visit?

A client may have only one SRH encounter per visit. In the SRH services setting, the term "encounter" is synonymous with "visit." Although a client may meet with both Clinical and Other Services Providers during an encounter, the encounter is credited to the provider with the highest level of training who takes ultimate responsibility for the client's clinical or non-clinical assessment and care during the visit.

2. If an individual receives gynecological or related preventive health services (e.g., pelvic exam, Pap test, pregnancy test, STI screening) at a SRH service site, but does not receive counseling, education, or clinical services aimed at avoiding unintended pregnancy or achieving intended pregnancy, should the visit be counted as a client visit record?

If a client visits the service site to obtain any type of sexual and reproductive health related preventive health services and is asked the pregnancy/parenthood intention question, the encounter is considered a SRH encounter and the visit should be CVR'd.

3. If a client has health insurance that covers a broad set of primary medical care benefits, including some or all SRH services, but he or she chooses not to use his or her health insurance plan to pay for some or all of the cost of services, how should an agency classify this client's insurance status?

Although an insured client may elect not to use his or her health insurance to pay for services, he or she is considered insured and should be reported according to the type of health insurance coverage (public or private) that he or she has.

4. Are SRH agencies required to verify client health insurance status?

No. The information is based on clients' self-reported insurance coverage. However, as stipulated in the program regulations service providers are required to bill all third parties authorized or legally obligated to pay for services and to make reasonable efforts to collect charges without jeopardizing client confidentiality.

5. If SRH users, male or female, rely on their partners' SRH method for pregnancy prevention, how should their method be reported?

If a female SRH user relies on a male SRH method (e.g., vasectomy or male condoms) for pregnancy prevention, report this as the users' contraceptive method.

If a male SRH user relies on a "female" SRH method for pregnancy prevention (i.e., female sterilization, IUD, hormonal implant, 1- or 3-month hormonal injection, oral contraceptives, contraceptive patch, vaginal ring, cervical cap or diaphragm, contraceptive sponge, female condoms, LAM, or spermicides), report this as the users' contraceptive method.

If a male client and his female sexual partner rely on pills (for pregnancy prevention) and condoms (for STI or pregnancy prevention), record the method that is most effective in terms of pregnancy prevention (i.e., pills). In this example, the male user's SRH method would be pills.

6. Is there ever a circumstance where you would CVR a client with the sterilization as the initial contraceptive method?

A sterilized client might receive services related to preventing or achieving pregnancy. For example, they might suspect pregnancy (i.e., method failure) and come for testing or they might want to talk to someone about reversing a vasectomy. If the sterilized user received services related to achieving an intended pregnancy or preventing an unintended pregnancy, then we would want the agency to submit a CVR and contact the SRHP epidemiologist to explain how the client qualifies to be reported.